

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	65	63	128	261	254	515	545	482	1,027	846	855	1,701	222	251	473	3,844
% by age group			3%			13%			27%			44%			12%	100%

* estimates from registered population

2. Mortality

2.1 Mortality

[illegible]

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	2
Average number of full days on which each health facility was	3.0
Total number of outpatient consultations	195
Health facility utilisation rate	2.6
Consultations per clinician per day	33

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	38	23	61	94.9	21	12	33	21	15	36	0	1	1	131	69%	34.1
Lower Respiratory Tract Infection (LRTI)	1	2	3	4.7	0	1	1	2	0	2	0	0	0	6	3%	1.6
Watery diarrhoea*	3	0	3	4.7	1	0	1	1	0	1	0	0	0	5	3%	1.3
Bloody diarrhoea*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	1%	0.3
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	1	0	1	1.6	1	0	1	1	0	1	0	0	0	3	2%	0.8
Eye infection	2	0	2	3.1	0	0	0	0	0	0	0	0	0	2	1%	0.5
Ear infection	2	2	4	6.2	2	2	4	1	3	4	0	0	0	12	6%	3.1
Dental Conditions	0	0	0	0.0	0	3	3	2	1	3	0	0	0	6	3%	1.6
Intestinal Worms	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Jaundice Syndrome*	1	0	1	1.6	0	0	0	0	0	0	0	0	0	1	1%	0.3
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Urinary tract infection (UTI)	0	0	0	0.0	1	0	1	4	18	22	0	1	1	24	13%	6.2
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Total	48	27	75	116.6	26	18	44	33	37	70	0	2	2	191	100%	49.7
% by age group			39%				23%			37%			1%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

3.3 Chronic health conditions

[illegible]

3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	
5. Severe emotional disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	100%
% by age group													100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	1	0	1	1	0	1	0	0	0	0	0	0	2	50%
3. Burns	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4. Accident	0	0	0	0	0	0	2	0	2	0	0	0	2	50%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Total	1	0	1	1	0	1	2	0	2	0	0	0	4	100%
% by age group			25%			25%			50%			0%	100%	

4. Referrals

4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	0	0	0	0	0
Elective	0	0	0	0	0
Other	0	0	0	0	0
Total	0	0	0	0	0
% by age group					100%

ND: no data submitted

5. Laboratory & other investigations

	Total
Haematology	0
Imaging (X-ray, MRI/CT)	0
Other	0
Total	0

6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	1	0	1
DPT II/HiB II* (Tetravalent)	3	0	3
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	1	0	1
Polio II	3	0	3
Polio III	0	0	0
Measles	2	0	2
MMR	0	3	3
Rotavirus 1	1	0	1
Rotavirus 2	3	0	3
Rotavirus 3	0	0	0
Vitamin A	5	0	5
Additional vaccines	0	0	0

EPI Indicators (since December 2013)	
Total vaccinated this week	22
a. Program dropout rate*	-27%
b. Immunisation coverage	
BCG	94%
Hepatitis B birth dose	55%
DPT I	61%
DPT II	78%
Polio I	61%
Polio II	89%
Measles	111%
MMR**	67%
Rotavirus I	55%
Rotavirus II	78%
c. Vitamin A coverage	69%

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	0	0	0
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ND: no data submitted

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

ND: no data submitted

7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 - 120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System	Publication date:	04 March 2014
Contact Information	Erbil Dr Chimmen Akrawi, DOH Erbil Email: chimmentya@yahoo.com	Erbil Mohammed Marzog, UNHCR Email: MARZOOG@unhcr.org	

We gratefully acknowledge the contributions of the following agencies:

