

1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	712	712	1,424	2,850	2,850	5,700	5,137	4,452	9,589	15,788	9,795	25,583	1,336	1,336	2,672	44,968
% by age group			3%			13%			21%			57%			6%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															

Mortality indicators

	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	9
Average number of full days on which each health facility was	7.0
Total number of outpatient consultations	2,154
Health facility utilisation rate	2.5
Consultations per clinician per day	34

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	210	191	401	56.3	103	99	202	60	83	143	30	16	46	792	50%	17.6
Lower Respiratory Tract Infection (LRTI)	17	10	27	3.8	9	1	10	4	5	9	3	2	5	51	3%	1.1
Watery diarrhoea*	9	4	13	1.8	3	2	5	1	0	1	4	5	9	28	2%	0.6
Bloody diarrhoea*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	4	3	7	1.0	5	4	9	8	11	19	4	1	5	40	3%	0.9
Eye infection	3	0	3	0.4	0	0	0	3	1	4	0	0	0	7	0%	0.2
Ear infection	8	2	10	1.4	0	2	2	4	5	9	1	1	2	23	1%	0.5
Dental Conditions	1	0	1	0.1	2	1	3	0	0	0	0	0	0	4	0%	0.1
Intestinal Worms	0	2	2	0.3	1	0	1	0	0	0	0	0	0	3	0%	0.1
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	8	8	0	35	35	0	0	0	43	3%	1.0
Urinary tract infection (UTI)	1	5	6	0.8	10	6	16	9	53	62	4	3	7	91	6%	2.0
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	52	46	98	13.8	77	26	103	99	140	239	23	21	44	484	31%	10.8
Total	306	263	569	79.9	211	149	360	189	333	522	69	49	118	1569	100%	34.9
% by age group			36%				23%			33%			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	3	2	5	1	1	2	3	1	4	0	12	12	23	26%	
Hypertension	5	3	8	2	1	3	0	5	5	2	5	7	23	26%	
Asthma	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Ischaemic heart disease	2	0	2	0	0	0	0	0	0	0	0	0	2	2%	
Cardiovascular disease (other)	5	0	5	5	1	6	1	1	2	4	9	13	26	29%	
Chronic obstructive pulmonary disease (COPD)	8	1	9	1	0	1	2	1	3	0	2	2	15	17%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Total	23	6	29	9	3	12	6	8	14	6	28	34	89	100%	
% by age group			33%			13%			16%			38%	100%		

3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	3	9	12	0	2	2	0	0	0	14	18%
2. Alcohol and other substance abuse disorder	0	0	0	0	1	1	0	0	0	0	0	0	1	1%
3. Psychotic disorder	1	1	2	1	5	6	0	0	0	0	0	0	8	10%
4. Mental retardation / intellectual disability	0	0	0	3	4	7	0	0	0	0	0	0	7	9%
5. Severe emotional disorder	1	0	1	18	14	32	1	0	1	0	0	0	34	43%
6. Medically unexplained somatic complaint	0	0	0	0	1	1	0	0	0	0	0	0	1	1%
Other	0	0	0	5	2	7	4	4	8	0	0	0	15	19%
Total	2	1	3	30	36	66	5	6	11	0	0	0	80	100%
% by age group			4%			83%			14%			0%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	6	4	10	1	10	11	4	16	20	26	16	42	83	20%
3. Burns	7	5	12	4	1	5	8	14	22	5	4	9	48	12%
4. Accident	0	0	0	0	2	2	0	0	0	0	0	0	2	0%
Other	13	35	48	92	72	164	14	7	21	25	25	50	283	68%
Total	26	44	70	97	85	182	26	37	63	56	45	101	416	100%
% by age group			17%			44%			15%			24%	100%	

4. Referrals

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	3	0	0	1	4
Elective	14	13	30	5	62
Other	0	0	0	0	0
Total	17	13	30	6	66
% by age group	26%	20%	45%	9%	100%

5. Laboratory & other investigations

	Total
Haematology	120
Imaging (X-ray, MRI/CT)	0
Other	330
Total	562

6. EPI and Vitamin A

7.1 Vaccination

Total reported since last reporting period	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	0	0	0
DPT II/HiB II* (Tetavalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	0	0	0
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	0	0

EPI Indicators (since December 2013)		Total
Total reported since last reporting period		0
a. Program dropout rate*		27%
b. Immunisation coverage		
BCG		92%
Hepatitis B birth dose		88%
DPT I		109%
DPT III		79%
Polio I		109%
Polio III		79%
Measles		59%
MMR**		78%
Rotavirus I		87%
Rotavirus III		42%
c. Vitamin A coverage		64%

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	4	63	67
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	100%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		Total
Incidence of reported rape		0.0
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources: 1. Health Information System

Publication date: 14 March 2014

Contact Information: Dohuk
Dr Bakhtiyar AHMED, DOH Duhok

Email: BAHMED@duhokhealth.org

Erbil
Mohammed MARZOOG, UNHCR

Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

