



1.0 Population

This section was not collected

2.0 Mortality

2.1 Mortality

This section was not collected

2.2 Maternal Death

This section was not collected

3.0 Out-patient Department

3.1 Staffing and service availability

This section was not collected

3.2 Acute health conditions

Record NEW cases of disease only	0 - 4		Total 0 - 4	U5% by cause	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F			M	F		M	F		M	F			
Ear infection	86	78	164	4 %	41	56	97	38	68	106	7	2	9	376	4 %
Acute Jaundice Syndrome*	1	1	2	0 %	1	0	1	0	1	1	0	0	0	4	0 %
Tuberculosis (suspected)	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Measles*	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Prematurity	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Intestinal Worms	3	6	9	0 %	3	3	6	4	15	19	0	0	0	34	0 %
Meningitis*	0	0	0	0 %	0	1	1	0	0	0	0	0	0	1	0 %
Acute Flaccid Paralysis*	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Eye infection	13	11	24	1 %	16	11	27	16	24	40	5	3	8	99	1 %
Fever of unknown origin	115	78	193	5 %	28	36	64	8	12	20	0	3	3	280	3 %
Neonatal sepsis	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Skin infection	41	34	75	2 %	49	50	99	50	96	146	1	2	3	323	3 %
Urinary tract infection (UTI)	16	27	43	1 %	17	24	41	18	90	108	2	15	17	209	2 %
Sexually Transmitted Infection (STI)	0	1	1	0 %	0	2	2	0	21	21	0	0	0	24	0 %
Upper Respiratory Tract Infection (URTI)	551	451	1002	26 %	295	266	561	139	320	459	7	20	27	2,049	20 %
Watery diarrhoea*	59	42	101	3 %	13	19	32	17	32	49	3	1	4	186	2 %
Lower Respiratory Tract Infection (LRTI)	220	166	386	10 %	99	104	203	58	141	199	7	6	13	801	8 %
Scabies	20	17	37	1 %	20	20	40	18	20	38	1	1	2	117	1 %
Other	991	885	1876	48 %	578	638	1216	398	1970	2368	69	86	155	5,615	55 %
Bloody diarrhoea*	1	2	3	0 %	0	0	0	1	1	2	0	0	0	5	0 %
Total	2,117	1,799	3,916	100 %	1,160	1,230	2,390	765	2,811	3,576	102	139	241	10,123	100 %
% by age group			39 %				24 %			35 %			2 %	100 %	

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted

3.3 Chronic health conditions

Record NEW and REVISITS	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F		M	F		M	F		M	F			
Asthma/COPD	14	8	22	19	5	24	14	18	32	1	2	3	81	16 %
Ischaemic heart disease	0	0	0	0	0	0	5	3	8	5	4	9	17	3 %
Renal disease	0	0	0	0	0	0	0	5	5	2	1	3	8	2 %
Other	4	6	10	2	4	6	10	58	68	5	3	8	92	18 %
Hypertension	0	0	0	0	0	0	28	54	82	22	35	57	139	27 %
Liver disease	2	0	2	1	1	2	0	0	0	0	0	0	4	1 %
Cardiovascular disorders (other)	0	0	0	1	0	1	4	14	18	4	6	10	29	6 %
Cancer and other neoplasms	1	0	1	0	0	0	0	1	1	0	0	0	2	0 %
Diabetes	1	0	1	0	2	2	31	53	84	21	31	52	139	27 %
Total	22	14	36	23	12	35	92	206	298	60	82	142	511	100 %
% by age group			7 %			7 %			58 %			28 %	100 %	

3.4 Mental Health

	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F		M	F		M	F		M	F			
Severe emotional disorder	0	0	0	0	0	0	2	0	2	1	0	1	3	12 %
Psychotic disorder	0	0	0	0	1	1	0	1	1	0	0	0	2	8 %
Epilepsy / seizures	0	0	0	4	5	9	3	2	5	0	0	0	14	54 %
Other	2	0	2	0	0	0	2	2	4	0	0	0	6	23 %
Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0 %
Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0 %
Medically unexplained somatic complaint	0	0	0	0	0	0	0	1	1	0	0	0	1	4 %
Total	2	0	2	4	6	10	7	6	13	1	0	1	26	100 %
% by age group			8 %			38 %			50 %			4 %	100 %	

3.5 Injuries

	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F		M	F		M	F		M	F			
Injury (burns)	3	2	5	5	3	8	6	3	9	0	0	0	22	59 %
Injury (unintentional)	1	1	2	0	0	0	3	1	4	0	0	0	6	16 %
Accident	1	0	1	0	0	0	1	0	1	0	0	0	2	5 %
Other	0	0	0	0	0	0	2	0	2	0	0	0	2	5 %
Injury (intentional)	0	2	2	0	0	0	2	1	3	0	0	0	5	14 %
Total	5	5	10	5	3	8	14	5	19	0	0	0	37	100 %
% by age group			27 %			22 %			51 %			0 %	100 %	

4.0 In-patient Department

4.1 In-patient department activities

This section was not collected

4.2 In-patient admissions and deaths

This section was not collected

5.0 Referral

5.1 Referrals by location

This section was not collected

5.2 Referrals by service

This section was not collected

6.0 Laboratory

This section was not collected

7.0 EPI and Vitamin A

7.1 Vaccination

This section was not collected

7.2 Vaccine wastage

This section was not collected

8.0 Reproductive Health

8.1 Antenatal care

		< 18	> 18	Total
First antenatal visit < 1st trimester		41	411	452
First antenatal visit >1st trimester		19	244	263
Number of pregnant women at time of delivery who:	Received 2 doses of tetanus toxoid vaccine during antenatal period	0	0	0
	Were screened for anaemia during antenatal period	0	0	0
	Received 4 or more ANC visits at end of period	0	0	0

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	63 %
Coverage of anaemia screening in pregnancy	0 %
Coverage of complete antenatal care	0 %
Coverage of antenatal tetanus immunisation	0 %

8.2 Delivery care

This section was not collected

8.3 Postnatal care

	< 18	> 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	3	3

Postnatal Indicators

Coverage of complete postnatal care	0 %
-------------------------------------	-----

8.4 Family planning

Number of users	Total at beginning	New		Repeat		Discontinued		Total at end
		< 18	≥18	< 18	≥18	< 18	≥18	
Condom (Male)	0	0	0	0	0	0	0	0
Sterilisation (Male)	0	0	0	0	0	0	0	0
Progestogen-only pill (Micro-val; Micro-lut)	0	0	0	0	0	0	0	0
Implantable (Norplant)	0	0	0	0	0	0	0	0
Emergency Contraceptive Pill	0	0	0	0	0	0	0	0
Combined pill - high dose	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Condom (Female)	0	0	0	0	0	0	0	0
Sterilisation (Female)	0	0	0	0	0	0	0	0
Injectable (Depo-Provera)	0	0	0	0	0	0	0	0
Combined pill - low dose	0	0	0	0	0	0	0	0
Intra-Uterine Device (IUD)	0	0	0	0	0	0	0	0
Totals	0	0	0	0	0	0	0	0

8.5 Sexual and gender-based violence

This section was not collected

9.0 HIV/AIDS

9.1 Voluntary counselling and testing (VCT)

This section was not collected

9.2 Prevention of mother-to-child transmission (PMTCT)

This section was not collected