


### Refugee population

Total refugee population:

**3,455** \*

Demographic breakdown:



### Key facts

Camp opened:  
**August 2013**

Planned capacity:  
**5,000**

Area:  
**0.3 Km sq**

Population:  
**Syrian refugees, majority from Qamishli**

\* Source of population data:  
Estimates from UNHCR registration

### Indicators at a glance

Indicator	Value	Standard
1 Health utilisation rate	9.6	1 - 4
2 Number of consultations per clinician per day	91	< 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4 Measles immunisation coverage	N/A	> 90%
5 Polio III immunisation coverage	N/A	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

### Notes

#### HIGHLIGHTS

A high proportion of cases present with upper respiratory infections.

*This public health profile for Arbat refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Agencies reporting:


DOH - Sulaymaniyah

#### Alerts


**Incidence of watery diarrhoea above threshold**

### Morbidity this week

#### Acute health conditions (%)



#### Chronic health conditions (%)



#### Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	63%	395
2 Urinary tract infection (UTI)	7%	41
3 Dental Conditions	6%	40
4 Watery diarrhoea*	6%	35
5 Eye infection	6%	35
- Other	13%	83

#### Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Hypertension	62%	5
2 Diabetes	25%	2
3 Ischaemic heart disease	12%	1
4 Asthma	0%	0
5 Cardiovascular disease (other)	0%	0
- Other	0%	0

#### Breakdown of acute health conditions

##### by age




##### by gender




#### Breakdown of chronic health conditions

##### by age




##### by gender




# Trends since January 2014


## Number of consultations




## Weekly health utilisation rates




## Watery diarrhoea




## Bloody diarrhoea




## Acute Jaundice Syndrome




## Suspected measles




## Suspected Meningitis




## Acute flaccid paralysis



## Upper respiratory tract infections



## Lower respiratory tract infections



### Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,  
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,  
 baseline = average incidence or number of cases over the previous 3 weeks

# Public Health

Health Impact	Indicator	Standard	Outbreak Alert and Response	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5	Number of outbreaks reported	0	
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0	% of outbreaks investigated within 48 hours	N/A	100%
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40	<b>Routine immunization</b>		
<b>Access and utilization</b>			BCG immunisation coverage	N/A	> 90%
No. of health facilities	1.0	1 : < 10,000	DPT 1 immunisation coverage	N/A	> 90%
Total number of consultations	638		Measles immunisation coverage	N/A	> 90%
Health utilisation rate	9.6	1 - 4	Polio III immunisation coverage	N/A	> 90%
No. of consultations per trained clinician per day	91	< 50	MMR immunisation coverage	N/A	> 90%
<b>Reproductive health</b>			Vitamin A coverage	N/A	> 90%
<b>Sexual and gender-based violence</b>			Incidence of reported rape		
Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%	0.0		

## Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

## Top 3 injuries


	% morbidity	# of cases
1 Injury (intentional)	100%	1
2 Injury (unintentional)	0%	0
3 Burns	0%	0
- Other	0%	0

## Breakdown of mental health conditions


NO MENTAL HEALTH CONDITIONS REPORTED THIS WEEK

## Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online  
<http://twine.unhcr.org>

