


## Refugee population

Total refugee population:  
Demographic breakdown:

**55830 \***

## Key facts

Camp opened:  
**April 2012**

Planned capacity:  
**27,000**

Area:  
**1.14 Km sqr**

Population:  
**Syrian refugees, majority from fleeing from areas populated by Kurds**

\* Source of population data: UNHCR estimate. Registered population is 85905, however many thought to live outside the camp perimeter. Proportions are for registered population

## Indicators at a glance

	Indicator	Standard
1	Health utilisation rate	1.8
2	Number of consultations per clinician per day	30
3	Proportion of first time antenatal visits made < 1st trimester	100%
4	Measles immunisation coverage	51%
5	Polio III immunisation coverage	77%
6	Crude Mortality Rate (CMR) (/1000/month)	0.0
7	Under-five Mortality Rate (U5MR) (/1000/month)	0.0
8	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0

## Notes

**HIGHLIGHTS THIS WEEK**  
NONE

This public health profile for Domiz refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


**MSF, IMC, DOH**

## Alerts

**None**

## Morbidity

## Acute health conditions (%)




## Top 5 acute health conditions


	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	41%	552
2 Urinary tract infection (UTI)	9%	124
3 Lower Respiratory Tract Infection (LRTI)	5%	67
4 Ear infection	3%	40
5 Skin infection	3%	39
- Other	38%	511

Breakdown of acute health conditions


by age



by gender



## Chronic health conditions (%)




## Top 5 chronic health conditions


	% morbidity	# of cases
1 Diabetes	30%	43
2 Hypertension	24%	34
3 Cardiovascular disease (other)	21%	30
4 Chronic obstructive pulmonary disease (COPD)	16%	23
5 Ischaemic heart disease	3%	4
- Other	7%	10

Breakdown of chronic health conditions

by age




by gender




## Trends since January 2014


### Number of consultations




### Weekly health utilisation rates




### Watery diarrhoea




### Bloody diarrhoea




### Acute Jaundice Syndrome




### Suspected measles




### Suspected Meningitis




### Acute flaccid paralysis



### Upper respiratory tract infections



### Lower respiratory tract infections



### Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,  
Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,  
baseline = average incidence or number of cases over the previous 3 weeks

## Public Health

### Health Impact

Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0 < 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0 < 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0 < 40

### Access and utilization

No. of health facilities	1.0	1 : < 10,000
Total number of consultations	1,914	
Health utilisation rate	1.8	1 - 4
No. of consultations per trained clinician per day	30	< 50

### Reproductive health

Proportion of first time antenatal visits made < 1st trimester	100%	≥ 90%
--	------	-------

### Outbreak Alert and Response

Indicator	Standard
Number of outbreaks reported	0
% of outbreaks investigated within 48 hours	N/A 100%

### Routine immunization

BCG immunisation coverage	95%	> 90%
DPT 1 immunisation coverage	101%	> 90%
Measles immunisation coverage	51%	> 90%
Polio III immunisation coverage	77%	> 90%
MMR immunisation coverage	82%	> 90%
Vitamin A coverage	94%	> 90%

### Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

## Top 3 Mental health conditions


	% morbidity	# of cases
1 Severe emotional disorder	41%	17
2 Epilepsy / seizures	22%	9
3 Psychotic disorder	22%	9
- Other	15%	6

## Top 3 injuries


	% morbidity	# of cases
1 Injury (unintentional)	18%	71
2 Burns	10%	39
3 Injury (intentional)	0%	0
- Other	72%	286

## Breakdown of mental health conditions


### By cause



### By age




### By gender




## Breakdown of injuries


### By cause



### By age



### By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online  
<http://twine.unhcr.org>

