


Refugee population

Total refugee population:

4,535 *

Demographic breakdown:



Qushtapa camp

Key facts

Camp opened:
August 2013

Planned capacity:
7,860

Area:
0.43 Km sqr

Population:
Syrian refugees, majority from Qamishli, Diralok and Hassaka

* Source of population data:
Estimates from UNHCR registration

Indicators at a glance

Indicator	Standard
1 Health utilisation rate	10.1 1 - 4
2 Number of consultations per clinician per day	147 < 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A ≥ 90%
4 Measles immunisation coverage	116% > 90%
5 Polio III immunisation coverage	68% > 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0 < 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0 < 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0 < 40

Notes


This public health profile for Qushtapa refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


DOH - ERBIL

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	32%	252
2 Lower Respiratory Tract Infection (LRTI)	22%	171
3 Sexually Transmitted Infection (STI)	11%	86
4 Dental Conditions	7%	57
5 Skin infection	6%	48
- Other	22%	174

Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Hypertension	22%	17
2 Asthma	10%	8
3 Diabetes	8%	6
4 Ischaemic heart disease	0%	0
5 Cardiovascular disease (other)	0%	0
- Other	60%	47

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions


by age




by gender




Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,
baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact

	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Access and utilization

	Indicator	Standard
No. of health facilities	1.0	1 : < 10,000
Total number of consultations	879	
Health utilisation rate	10.1	1 - 4
No. of consultations per trained clinician per day	147	< 50

Reproductive health

Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
--	-----	-------

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours	N/A	100%

Routine immunization

BCG immunisation coverage	116%	> 90%
DPT 1 immunisation coverage	51%	> 90%
Measles immunisation coverage	116%	> 90%
Polio III immunisation coverage	68%	> 90%
MMR immunisation coverage	82%	> 90%
Vitamin A coverage	108%	> 90%

Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

Top 3 Mental health conditions


	% morbidity	# of cases
1 Epilepsy / seizures	100%	1
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

Top 3 injuries


	% morbidity	# of cases
1 Burns	75%	9
2 Injury (unintentional)	17%	2
3 Accident	8%	1
- Other	0%	0

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

