


### Refugee population

Total refugee population:

**4,545** \*

Demographic breakdown:



### Qushtapa camp

### Key facts

Camp opened:  
**August 2013**

Planned capacity:  
**7,860**

Area:  
**0.43 Km sqr**

Population:  
**Syrian refugees, majority from Qamishli, Diralok and Hassaka**

\* Source of population data:  
**Estimates from UNHCR registration**

### Indicators at a glance

Indicator	Value	Standard
1 Health utilisation rate	3.0	1 - 4
2 Number of consultations per clinician per day	44	< 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4 Measles immunisation coverage	116%	> 90%
5 Polio III immunisation coverage	68%	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

### Notes

#### Highlights

This public health profile for Qushtapa refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


**DOH - ERBIL**

#### ALERTS


None

### Morbidity

#### Acute health conditions (%)



#### Chronic health conditions (%)



#### Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	49%	126
2 Urinary tract infection (UTI)	13%	34
3 Skin infection	5%	13
4 Ear infection	5%	13
5 Lower Respiratory Tract Infection (LRTI)	3%	9
- Other	25%	64

#### Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Hypertension	67%	2
2 Asthma	33%	1
3 Diabetes	0%	0
4 Ischaemic heart disease	0%	0
5 Cardiovascular disease (other)	0%	0
- Other	0%	0

#### Breakdown of acute health conditions

##### by age




##### by gender




#### Breakdown of chronic health conditions


##### by age




##### by gender




### Number of consultations




### Weekly health utilisation rates




### Watery diarrhoea




### Bloody diarrhoea




### Acute Jaundice Syndrome




### Suspected measles




### Suspected Meningitis




### Acute flaccid paralysis



### Upper respiratory tract infections



### Lower respiratory tract infections



#### Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline,    Bloody diarrhoea = 1.5 x baseline,    Acute Jaundice Syndrome = 1.5 x baseline,    Upper respiratory tract infections = 1.5 x baseline,  
 Meningitis = 5 cases,    Acute Flaccid Paralysis = 1 case,    Measles = 1 case  
*baseline = average incidence or number of cases over the previous 3 weeks*

## Public Health

Health Impact			Indicator	Standard	Outbreak Alert and Response			Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)			0.0	< 1.5	Number of outbreaks reported			0	
Under-five Mortality Rate (U5MR) (/1000/month)			0.0	< 3.0	% of outbreaks investigated within 48 hours			N/A	100%
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			0.0	< 40	<b>Routine immunization</b>				
					BCG immunisation coverage			116%	> 90%
					DPT 1 immunisation coverage			51%	> 90%
					Measles immunisation coverage			116%	> 90%
					Polio III immunisation coverage			68%	> 90%
					MMR immunisation coverage			82%	> 90%
					Vitamin A coverage			108%	> 90%
Access and utilization						Sexual and gender-based violence			
No. of health facilities			1.0	1 : < 10,000	Incidence of reported rape			0.0	
Total number of consultations			262						
Health utilisation rate			3.0	1 - 4					
No. of consultations per trained clinician per day			44	< 50					
Reproductive health									
Proportion of first time antenatal visits made < 1st trimester			N/A	≥ 90%					

### Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

### Top 3 injuries

	% morbidity	# of cases
1 Injury (intentional)	0%	0
2 Injury (unintentional)	0%	0
3 Burns	0%	0
- Other	0%	0

#### Breakdown of mental health conditions

**NO MENTAL HEALTH CONDITIONS REPORTED THIS WEEK**

#### Breakdown of injuries

**NO INJURIES REPORTED THIS WEEK**

We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online  
<http://twine.unhcr.org>

