


Refugee population

Total refugee population:

4,547 *

Demographic breakdown:



Qushtapa camp

Key facts

Camp opened:
August 2013

Planned capacity:
7,860

Area:
0.43 Km sq

Population:
Syrian refugees, majority from Qamishli, Diralok and Hassaka

* Source of population data: Estimates from UNHCR registration. For multiweek reports, average population is presented.

Indicators at a glance

Indicator	Value	Standard
1 Health utilisation rate	4.8	1 - 4
2 Number of consultations per clinician per day	69	< 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4 Measles immunisation coverage	116%	> 90%
5 Polio III immunisation coverage	68%	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Notes

Highlights


This public health profile for Qushtapa refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


DOH - ERBIL

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Rank	Condition	% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	53%	1,080
2	Urinary tract infection (UTI)	9%	178
3	Lower Respiratory Tract Infection (LRTI)	6%	124
4	Skin infection	4%	89
5	Watery diarrhoea*	3%	62
-	Other	24%	495

Top 5 chronic health conditions


Rank	Condition	% morbidity	# of cases
1	Hypertension	56%	23
2	Diabetes	39%	16
3	Asthma	5%	2
4	Ischaemic heart disease	0%	0
5	Cardiovascular disease (other)	0%	0
-	Other	0%	0

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions


by age




by gender




Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case
baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact	Indicator	Standard	Outbreak Alert and Response	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5	Number of outbreaks reported	0	
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0	% of outbreaks investigated within 48 hours	N/A	100%
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40	Routine immunization		
Access and utilization			BCG immunisation coverage	116%	> 90%
No. of health facilities	1.0	1 : < 10,000	DPT 1 immunisation coverage	51%	> 90%
Total number of consultations	2,077		Measles immunisation coverage	116%	> 90%
Health utilisation rate	4.8	1 - 4	Polio III immunisation coverage	68%	> 90%
No. of consultations per trained clinician per day	69	< 50	MMR immunisation coverage	82%	> 90%
Reproductive health			Vitamin A coverage	108%	> 90%
Proportion of first time antenatal visits made < 1st trimester			N/A	≥ 90%	
			Sexual and gender-based violence		
			Incidence of reported rape	0.0	

Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

Top 3 injuries


	% morbidity	# of cases
1 Burns	100%	8
2 Injury (intentional)	0%	0
3 Injury (unintentional)	0%	0
- Other	0%	0

Breakdown of mental health conditions


NO MENTAL HEALTH CONDITIONS REPORTED

Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

