# Arbat camp | Sulaymaniyah, Kurdistan region, Iraq

## Refugee population

Total refugee population: **3,005** *

Demographic breakdown:

| Age | Male | Female |
|-----|------|--------|
| 50+ | 6% | 7% |
| 15 - 49 | 20% | 26% |
| 5 - 14 | 10% | 13% |
| 0 - 4 | 8% | 10% |

**Male** % **Female**

### Key facts

Camp opened:
**August 2013**

Planned capacity:
**5,000**

Area:
**0.3 Km sqr**

Population:
**Syrian refugees, majority from Qamishli**

\* Source of population data:
**Estimates from UNHCR registration. For multiweek data, average population is reported**

## Indicators at a glance

| | | Indicator | Standard |
|---|---|-----------|----------|
| 1 | Health utilisation rate | 10.3 | 1 - 4 |
| 2 | Number of consultations per clinician per day | 85 | < 50 |
| 3 | Proportion of first time antenatal visits made < 1st trimester | N/A | ≥ 90% |
| 4 | Measles immunisation coverage | N/A | > 90% |
| 5 | Polio III immunisation coverage | N/A | > 90% |
| 6 | Crude Mortality Rate (CMR) (/1000/month) | 0.0 | < 1.5 |
| 7 | Under-five Mortality Rate (U5MR) (/1000/month) | 0.0 | < 3.0 |
| 8 | Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 0.0 | < 40 |

## Notes

### HIGHLIGHTS

A high proportion of cases present with upper respiratory infections.

*This public health profile for Arbat refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Agencies reporting:

**DOH - Sulaymaniyah**

## Morbidity this week

### Acute health conditions (%)



- Upper Respiratory Tract Infection (URTI) — 57%
- Skin infection — 9%
- Dental Conditions — 8%
- Eye infection — 6%
- Watery diarrhoea* — 6%
- Other — 14%

### Chronic health conditions (%)



- Hypertension — 57%
- Diabetes — 32%
- Asthma — 11%
- Ischaemic heart disease — 0%
- Cardiovascular disease (other) — 0%
- Other — 0%

### Top 5 acute health conditions

| | | % morbidity | # of cases |
|---|---|-------------|------------|
| 1 | Upper Respiratory Tract Infection (URTI) | 57% | 1,328 |
| 2 | Skin infection | 9% | 210 |
| 3 | Dental Conditions | 8% | 188 |
| 4 | Eye infection | 6% | 135 |
| 5 | Watery diarrhoea* | 5% | 126 |
| - | Other | 14% | 333 |

### Top 5 chronic health conditions

| | | % morbidity | # of cases |
|---|---|-------------|------------|
| 1 | Hypertension | 57% | 16 |
| 2 | Diabetes | 32% | 9 |
| 3 | Asthma | 11% | 3 |
| 4 | Ischaemic heart disease | 0% | 0 |
| 5 | Cardiovascular disease (other) | 0% | 0 |
| - | Other | 0% | 0 |

Breakdown of acute health conditions

**by age**



- 0-4 — 31%
- 5 to 14 — 36%
- 15 to 49 — 28%
- ≥ 50 — 5%

**by gender**



- Male — 51%
- Female — 49%

Breakdown of chronic health conditions

**by age**



- 0-4 — 0%
- 5 to 14 — 7%
- 15 to 49 — 21%
- ≥ 50 — 72%

**by gender**



- Male — 64%
- Female — 36%

# Trends since January 2014

## Number of consultations



## Weekly health utilisation rates



## Watery diarrhoea



## Bloody diarrhoea



## Acute Jaundice Syndrome



## Suspected measles



## Suspected Meningitis



## Acute flaccid paralysis



## Upper respiratory tract infections



## Lower respiratory tract infections



**Calculation of disease alert thresholds:**

Watery diarrhoea = 1.5 x baseline,     Bloody diarrhoea = 1.5 x baseline,     Acute Jaundice Syndrome = 1.5 x baseline,     Upper respiratory tract infections = 1.5 x baseline,
Meningitis = 5 cases,     Acute Flaccid Paralysis = 1 case,     Measles = 1 case,
*baseline = average incidence or number of cases over the previous 3 weeks*

# Public Health

## Health Impact

| | Indicator | Standard |
|---|---|---|
| Crude Mortality Rate (CMR) (/1000/month) | 0.0 | < 1.5 |
| Under-five Mortality Rate (U5MR) (/1000/month) | 0.0 | < 3.0 |
| Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 0.0 | < 40 |

## Access and utilization

| | | |
|---|---|---|
| No. of health facilities | 1.0 | 1 : < 10,000 |
| Total number of consultations | 2,381 | |
| Health utilisation rate | 10.3 | 1 - 4 |
| No. of consultations per trained clinician per day | 85 | < 50 |

## Reproductive health

| | Indicator | Standard |
|---|---|---|
| Proportion of first time antenatal visits made < 1st trimester | N/A | ≥ 90% |

## Outbreak Alert and Response

| | Indicator | Standard |
|---|---|---|
| Number of outbreaks reported | 0 | |
| % of outbreaks investigated within 48 hours | N/A | 100% |

### Routine immunization

| | | |
|---|---|---|
| BCG immunisation coverage | N/A | > 90% |
| DPT 1 immunisation coverage | N/A | > 90% |
| Measles immunisation coverage | N/A | > 90% |
| Polio III immunisation coverage | N/A | > 90% |
| MMR immunisation coverage | N/A | > 90% |
| Vitamin A coverage | N/A | > 90% |

## Sexual and gender-based violence

| | | |
|---|---|---|
| Incidence of reported rape | 0.0 | |

## Top 3 Mental health conditions

| | | % morbidity | # of cases |
|---|---|---|---|
| 1 | Epilepsy / seizures | 0% | 0 |
| 2 | Alcohol and other substance abuse disorder | 0% | 0 |
| 3 | Psychotic disorder | 0% | 0 |
| - | Other | 0% | 0 |

Breakdown of mental health conditions

## Top 3 injuries

| | | % morbidity | # of cases |
|---|---|---|---|
| 1 | Burns | 36% | 12 |
| 2 | Injury (intentional) | 30% | 10 |
| 3 | Injury (unintentional) | 27% | 9 |
| - | Other | 6% | 2 |

NO MENTAL HEALTH CONDITIONS REPORTED THIS WEEK

## Breakdown of injuries

### By cause



6%
0%
37%
77%
30%

- Burns
- Injury (intentional)
- Injury (unintentional)
- Accident
- Other

### By age



3%
27%
33%
37%

- 0-4
- 5 to 14
- 15 to 49
- ≥ 50

### By gender



42%
58%

- Male
- Female

twine

View interactive maps and statistics online

http://twine.unhcr.org