

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,667	1,588	3,255	6,088	5,724	11,812	15,040	14,283	29,323	15,972	16,831	32,803	920	1,269	2,189	79,382
% by age group			4%			15%			37%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	33%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	1	0	1	1	1	33%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	0	1	1	100%	0	0	0	0	0	0	0	0	0	1	33%
13. Other	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Total	0	1	1	100%	0	0	0	0	0	0	2	0	2	3	100%
% by age group			33%				0%			0%			67%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.0	0.6	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			25.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	62.0
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	10,539
Health facility utilisation rate	6.9
Consultations per clinician per day	30

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	292	336	628	41.7	305	273	578	247	309	556	45	49	94	1,856	32%	23.4
Influenza-like illness (ILI)	74	82	156	10.4	52	49	101	41	48	89	5	12	17	363	6%	4.6
Lower Respiratory Tract Infection (LRTI)	50	47	97	6.4	16	16	32	33	33	66	30	18	48	243	4%	3.1
Watery diarrhoea*	87	72	159	10.6	22	26	48	12	11	23	8	2	10	240	4%	3.0
Bloody diarrhoea*	2	1	3	0.2	0	0	0	0	0	0	0	0	0	3	0%	0.0
Skin infection	37	46	83	5.5	51	58	109	58	65	123	18	18	36	351	6%	4.4
Eye infection	18	22	40	2.7	19	11	30	13	12	25	3	2	5	100	2%	1.3
Ear infection	27	24	51	3.4	17	26	43	20	25	45	8	3	11	150	3%	1.9
Dental Conditions	19	17	36	2.4	73	95	168	168	255	423	13	9	22	649	11%	8.2
Intestinal Worms	28	28	56	3.7	27	32	59	3	3	6	0	0	0	121	2%	1.5
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	19	12	31	2.1	5	7	12	1	0	1	0	0	0	44	1%	0.6
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	193	189	382	25.4	199	192	391	337	381	718	83	79	162	1,653	29%	20.8
Total	847	876	1,723	114.4	786	785	1,571	933	1,142	2,075	213	192	405	5,774	100%	72.7
% by age group			30%				27%			36%			7%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	1	1	2	42	60	102	50	66	116	220	15%
Hypertension	0	0	0	0	1	1	56	70	126	51	67	118	245	17%
Asthma	27	25	52	21	10	31	34	40	74	26	26	52	209	14%
Ischaemic heart disease	0	0	0	0	0	0	23	19	42	26	27	53	95	6%
Cardiovascular disease (other)	3	2	5	5	3	8	10	11	21	13	11	24	58	4%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	4	5	9	12	10	22	31	2%
Liver disease	0	0	0	0	0	0	5	7	12	7	9	16	28	2%
Thyroid problems	0	0	0	1	1	2	24	40	64	28	30	58	124	8%
Cancer	0	0	0	0	0	0	0	1	1	1	1	2	3	0%
Other	14	26	40	31	27	58	92	159	251	44	59	103	452	31%
Total	44	53	97	59	43	102	290	412	702	258	306	564	1,465	100%
% by age group			7%			7%			48%			38%	100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	15	15	0	0	0	0	0	0	15
2.	Internal medicine	1	1	4	4	32	32	4	4	41
3.	Obstetric	0	0	1	1	8	8	0	0	9
4.	Gynaecological	0	0	3	3	6	6	0	0	9
5.	Surgical	1	1	8	8	13	13	3	3	25
6.	Other	0	0	0	0	28	28	4	4	32

6. Laboratory

	Total
Number of laboratory tests conducted	4,195

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	19	64	83
First antenatal visit > 1st trimester	6	29	35

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	70%
--	-----

8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening
Number of pregnant women at time of delivery who received:	4	4	5
	33	24	30
	37	28	35

Coverage of complete antenatal care	93%
Coverage of antenatal tetanus immunisation	70%
Coverage of anaemia screening in pregnancy	88%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	5	35	40
Still births	0	0	0
Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	5	35	40
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	1	9	10

Delivery Indicators

Crude birth rate (/1000 population/ month)	2.2
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	3%
Proportion of all births performed by caesarean section	25%
Proportion of obstetric complications treated among girls < 18	

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	11	17	28

Postnatal Indicators

Coverage of complete postnatal care	70%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	0	8	0	16	24
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	9	0	14	23
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	7	0	3	10
Condom (Male)	0	18	0	53	71
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	15	40

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	2	2

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators

Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System	Publication date: 26/05/2016
---------------------	------------------------------	-------------------------------------

Contact Information	Za'atri Asaad Kadhum, UNHCR Email: kadhum@unhcr.org	Amman Ann Burton, UNHCR Email: burton@unhcr.org
----------------------------	--	--

UNHCR gratefully acknowledges the support of the following partners:

