

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	372	352	724	1,489	1,408	2,898	2,986	2,823	5,809	3,832	3,624	7,456	149	156	305	17,192
% by age group			4%			17%			34%			43%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	1	0	1	0	3	3	4	29%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	7%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	2	3	5	100%	0	0	0	0	0	0	0	0	0	5	36%
11. Other	0	0	0	0%	1	0	1	2	0	2	0	1	1	4	29%
Total	2	3	5	100%	1	0	1	4	0	4	0	4	4	14	100%
% by age group			36%			7%			29%			29%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/ month)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000 population under 5/ month)	0.2	0.3	0.2
Under 5 Mortality Rate (USMR) (/1000 livebirths)	6.1	9.2	15.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			15.3

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	8.7
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	63,467
Health facility utilisation rate	7.4
Consultations per clinician per day	45

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	4139	3838	7977	2202.4	3284	3208	6492	2961	2695	5656	238	175	413	20538	37%	1194.6
Influenza-like illness (ILI)	641	640	1281	353.7	488	464	952	513	435	948	22	27	49	3230	6%	187.9
Lower Respiratory Tract Infection (LRTI)	300	239	539	148.8	130	104	234	139	116	255	16	7	23	1051	2%	61.1
Watery diarrhoea*	1157	1037	2194	605.7	373	392	765	358	299	657	26	23	49	3665	7%	213.2
Bloody diarrhoea*	8	7	15	4.1	4	5	9	6	4	10	0	0	0	34	0%	2.0
Skin infection	482	465	947	261.5	485	581	1066	589	438	1027	33	24	57	3097	6%	180.1
Eye infection	136	134	270	74.5	119	151	270	170	131	301	13	6	19	860	2%	50.0
Ear infection	89	91	180	49.7	56	95	151	94	129	223	10	8	18	572	1%	33.3
Dental Conditions	103	122	225	62.1	282	322	604	650	650	1300	44	22	66	2195	4%	127.7
Intestinal Worms	25	36	61	16.8	37	37	74	43	18	61	1	0	1	197	0%	11.5
Acute Jaundice Syndrome*	3	9	12	3.3	6	10	16	2	0	2	0	0	0	30	0%	1.7
Measles (suspected)*	0	1	1	0.3	0	0	0	0	0	0	0	0	0	1	0%	0.1
Meningitis (suspected)*	1	0	1	0.3	0	0	0	0	0	0	0	0	0	1	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	2	3	5	1.4	1	7	8	3	18	21	1	1	2	36	0%	2.1
Reproductive Tract Infection	0	7	7	1.9	0	11	11	24	468	492	7	0	7	517	1%	30.1
Fever of unknown origin	2	6	8	2.2	12	11	23	6	15	21	1	0	1	53	0%	3.1
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.1
Other	2165	2225	4390	1212.0	2485	2574	5059	4325	4663	8988	638	478	1116	19553	35%	1137.3
Total	9253	8860	18113	5000.8	7762	7972	15734	9883	10080	19963	1050	771	1821	55631	100%	3235.9
% by age group			33%			28%			36%			3%		100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	1	1	2	17	13	30	140	233	373	122	149	271	676	24%
Hypertension	0	0	0	3	8	11	263	476	739	247	300	547	1297	47%
Asthma	36	11	47	37	24	61	96	96	192	15	8	23	323	12%
Ischaemic heart disease	0	0	0	1	2	3	13	12	25	12	5	17	45	2%
Cardiovascular disease (other)	4	2	6	5	2	7	8	9	17	5	5	10	40	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	7	0	7	2	0	2	9	0%
Liver disease	1	0	1	0	0	0	3	2	5	0	0	0	6	0%
Thyroid problems	0	1	1	5	2	7	9	30	39	6	5	11	58	2%
Cancer	7	2	9	3	8	11	42	61	103	24	27	51	174	6%
Other	16	8	24	14	15	29	45	53	98	4	3	7	158	6%
Total	65	25	90	85	74	159	626	972	1598	437	502	939	2786	100%
% by age group			3%			6%			57%			34%		100%

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	1	5	6	15	10	25	88	50	138	0	0	0	169	16%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder (including mania)	0	0	0	0	0	0	70	49	119	0	0	0	119	11%
4. Intellectual disability	0	0	0	3	4	7	17	22	39	0	0	0	46	4%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	0	13	13	144	173	317	0	0	0	330	31%
6. Medically unexplained somatic complaint	0	0	0	0	1	1	5	2	7	1	0	1	9	1%
Other psychological complaints	2	0	2	166	183	349	27	19	46	1	0	1	398	37%
Total	3	5	8	184	211	395	351	315	666	2	0	2	1071	100%
% by age group			1%			37%			62%			0%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	0	1	5	1	6	1	0	1	0	0	0	8	1%
2. Injury (war related)	0	1	1	4	1	5	15	0	15	1	0	1	22	2%
3. Injury (Burns)	28	32	60	20	21	41	7	17	24	1	0	1	126	14%
4. Assault (with weapon non-war related)	0	0	0	2	1	3	3	0	3	0	0	0	6	1%
Other	60	72	132	183	89	272	222	85	307	20	5	25	736	82%
Total	89	105	194	214	113	327	248	102	350	22	5	27	898	100%
% by age group			22%			36%			39%			3%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	200	200	0	397	397	597	82%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	0	0	0	0%
3. Lower abdominal pain	0	2	2	0	92	92	94	13%
Other	1	0	1	1	33	34	35	4%
Total	1	202	203	1	522	523	726	100%
% by age group			28%			72%	100%	

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	7	3	10	0	0	0	0	4	4	0	0	0	14	
Total admissions	416	329	745	56	73	129	69	594	663	6	41	47	1584	
Number of exits	authorized	428	337	765	55	75	130	69	596	665	6	41	47	1607
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	
	death	0	0	0	0	0	0	1	0	1	0	1	2	
	referral	0	0	0	0	0	0	0	0	0	0	0	0	
Total exits	428	337	765	55	75	130	70	596	666	6	42	48	1609	
Deaths within 24 hours	0	0	0	0	0	0	1	0	1	0	0	0	1	

Number of days in reporting period	182
Number of beds	42
Sum number of days stay for authorised discharges	3677
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.3
Bed occupancy	47%
Hospitalisation rate	15.4

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	741	0	0%	64	0	0%	0	0	0%	0	0	805	0	0%
2. General Surgery	58	0	0%	14	0	0%	43	0	0%	3	0	118	0	0%
3. Injury (non-war related)	0	0		0	0		1	0	0%	0	0	1	0	0%
4. Internal medicine	0	0		8	0	0%	123	0	0%	27	1	158	1	1%
5. Obstetrics	3	0	0%	38	0	0%	227	0	0%	19	0	287	0	0%
6. Gynaecology	0	0		7	0	0%	224	0	0%	0	0	231	0	0%
7. Other	1	0	0%	1	0	0%	48	0	0%	0	0	50	0	0%
Total	803	0	0%	132	0	0%	666	0	0%	49	1	1650	1	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	274	274	250	250	458	458	121	121	1103
2. Royal Medical Services	0	0	0	0	0	0	0	0	0
3. Private affiliated Hospital	49	49	5	5	53	53	1	1	108
4. Jordan University Hospital	10	10	4	4	30	30	8	8	52
5. Other	8	8	0	0	15	15	0	0	23
Total No of referred cases out side the Camp								1286	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	341	341	0	0	0	0	0	0	341
2.	Internal medicine	0	0	197	197	383	383	102	102	682
3.	Obstetric	0	0	3	3	45	45	0	0	48
4.	Gynaecological	0	0	0	0	8	8	0	0	8
5.	Surgical	0	0	38	38	111	111	24	24	173
6.	Other	0	0	21	21	9	9	4	4	34

	Total
Number of laboratory tests conducted	15792

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	19	312	331
First antenatal visit > 1st trimester	23	383	406

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	45%
--	-----

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	16	264	280
	2 TT doses	16	221	237
	anaemia screening	18	252	270

Coverage of complete antenatal care	86%
Coverage of antenatal tetanus immunisation	72%
Coverage of anaemia screening in pregnancy	83%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	21	306	327
Still births	0	2	2
Low birth weight (<2500 g)	3	11	14
Attended by skilled health worker	21	306	327
Number of obstetric complications treated	0	3	3
Number of caesarean sections performed	0	62	62

Delivery Indicators

Crude birth rate (per month)	6.3
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	4%
Proportion of all births performed by caesarean section	19%
Proportion of obstetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	7	163	170

Postnatal Indicators

Coverage of complete postnatal care	52%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	2	118	95	150	365
Emergency Contraceptive Pill	0	1	1	3	5
Injectable (Depo-Provera)	3	50	31	48	132
Implantable (Norplant)	0	0	1	1	2
Intra-Uterine Device (IUD)	1	45	39	57	142
Condom (Male)	1	81	60	61	203
Other	0	0	11	5	16

	< 18	≥ 18
Family Planning Counseling*	312	72

Family Planning Indicators

Number of females aged 15-49 years	3834
Contraceptive prevalence rate	23%

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Clinics and agencies reporting:

IMC Primary health center (Azraq Refugee camp)
IFRC

Published on

Contact Information

UNHCR
Asa'ad Khadum
Email: KADHUM@unhcr.org

UNHCR
Ann Burton
Email: BURTON@unhcr.org

Azraq
Lina Hamidi
Email: l.hamidi@InternationalMedicalCorps.org

Rawan Al-Safadi
Email: erujo-liaison@finrc.fi

We gratefully acknowledge the contributions of the following agencies:

