

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,666	1,587	3,254	6,268	5,812	12,079	14,976	14,234	29,210	16,001	16,682	32,683	896	1,232	2,128	79,354
% by age group			4%			15%			37%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	1	0	1	6%	0	0	0	0	0	0	0	0	0	1	2%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	2	0	2	3	7%
5. Cardiovascular disorders (other)	0	1	1	6%	0	0	0	1	1	2	1	4	5	8	20%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	2	0	2	2	5%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	2%
9. Cancer	0	0	0	0%	0	0	0	1	1	2	1	3	4	6	15%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	8	3	11	69%	0	0	0	0	0	0	0	0	0	11	27%
13. Other	3	0	3	19%	1	1	2	1	0	1	2	1	3	9	22%
Total	12	4	16	100%	1	1	2	5	2	7	8	8	16	41	100%
% by age group			39%				5%			17%			39%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.5	0.2	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.3

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	58.2
Average number of full days on which each health facility was functioning	5.5
Total number of outpatient consultations	144,447
Health facility utilisation rate	7.3
Consultations per clinician per day	34

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	5,744	5,304	11,048	720.5	5,402	5,064	10,466	5,018	5,470	10,488	932	1,024	1,956	33,958	33%	427.9
Influenza-like illness (ILI)	2,408	2,073	4,481	292.2	2,266	2,067	4,333	2,079	2,712	4,791	499	477	976	14,581	14%	183.7
Lower Respiratory Tract Infection (LRTI)	976	950	1,926	125.6	863	851	1,714	797	834	1,631	369	378	747	6,018	6%	75.8
Watery diarrhoea*	194	216	410	26.7	146	126	272	153	144	297	32	18	50	1,029	1%	13.0
Bloody diarrhoea*	0	0	0	0.0	1	0	1	3	1	4	0	1	1	6	0%	0.1
Skin infection	911	902	1,813	118.2	699	819	1,518	946	1,026	1,972	377	399	776	6,079	6%	76.6
Eye infection	253	232	485	31.6	245	242	487	406	482	888	329	480	809	2,669	3%	33.6
Ear infection	536	600	1,136	74.1	740	556	1,296	717	784	1,501	350	275	625	4,558	4%	57.4
Dental Conditions	149	207	356	23.2	1,126	1,224	2,350	2,679	3,344	6,023	355	290	645	9,374	9%	118.1
Intestinal Worms	240	313	553	36.1	302	270	572	71	58	129	2	2	4	1,258	1%	15.9
Acute Jaundice Syndrome*	1	4	5	0.3	2	0	2	0	1	1	0	0	0	8	0%	0.1
Measles (suspected)*	3	2	5	0.3	1	0	1	0	0	0	0	0	0	6	0%	0.1
Meningitis (suspected)*	1	0	1	0.1	0	0	0	1	0	1	0	0	0	2	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	1	1	0.1	0	1	1	1	0	1	0	0	0	3	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	2,835	2,420	5,255	342.7	2,638	2,883	5,521	5,102	5,226	10,328	1,380	1,176	2,556	23,660	23%	298.2
Total	14,251	13,224	27,475	1791.9	14,431	14,103	28,534	17,973	20,082	38,055	4,625	4,520	9,145	103,209	100%	1300.6
% by age group			27%				28%			37%			9%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	16	21	37	863	1,377	2,240	881	1,116	1,997	4,274	18%
Hypertension	0	3	3	2	31	33	1,096	1,495	2,591	1,077	1,225	2,302	4,929	21%
Asthma	410	341	751	237	258	495	573	594	1,167	455	383	838	3,251	14%
Ischaemic heart disease	0	0	0	18	0	18	232	244	476	373	386	759	1,253	5%
Cardiovascular disease (other)	3	0	3	59	19	78	379	380	759	376	401	777	1,617	7%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	290	338	628	462	434	896	1,524	6%
Liver disease	0	0	0	4	3	7	60	140	200	102	177	279	486	2%
Thyroid problems	0	1	1	60	85	145	427	879	1,306	413	486	899	2,351	10%
Cancer	0	0	0	0	0	0	6	20	26	2	0	2	28	0%
Other	103	87	190	205	259	464	940	1,329	2,269	503	513	1,016	3,939	17%
Total	516	432	948	601	676	1,277	4,866	6,796	11,662	4,644	5,121	9,765	23,652	100%
% by age group			4%			5%			49%			41%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	24	6	30	98	75	173	110	94	204	3	2	5	412	22%
2. Alcohol and other substance use disorder	0	0	0	1	0	1	10	0	10	0	0	0	11	1%
3. Psychotic disorder (including mania)	0	0	0	4	2	6	207	87	294	6	3	9	309	16%
4. Intellectual disability	3	16	19	40	41	81	34	20	54	0	0	0	154	8%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	13	4	17	275	178	453	27	5	32	502	26%
6. Medically unexplained somatic complaint	0	0	0	0	10	10	18	25	43	0	1	1	54	3%
Other psychological complaints	4	18	22	131	68	199	143	82	225	21	2	23	469	25%
Total	31	40	71	287	200	487	797	486	1,283	57	13	70	1,911	100%
% by age group			4%			25%			67%			4%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	1	2	2	2	4	2	1	3	0	0	0	9	0%
2. Injury (war related)	5	1	6	12	3	15	4	2	6	0	0	0	27	0%
3. Injury (Burns)	149	158	307	107	153	260	83	106	189	8	4	12	768	10%
4. Assault (with weapon non-war related)	3	2	5	5	5	10	0	0	0	0	0	0	15	0%
Other	646	521	1,167	905	945	1,850	1,555	1,533	3,088	592	512	1,104	7,209	90%
Total	804	683	1,487	1,031	1,108	2,139	1,644	1,642	3,286	600	516	1,116	8,028	100%
% by age group			19%			27%			41%			14%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	267	267	0	1,347	1,347	1,614	63%
2. Urethral discharge	2	0	2	0	0	0	2	0%
3. Genital ulcer	0	1	1	0	19	19	20	1%
4. Lower abdominal pain	0	248	248	0	686	686	934	36%
Other	0	0	0	0	0	0	0	0%
Total	2	516	518	0	2,052	2,052	2,570	100%
% by age group			20%			80%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	2	1	3	11	1	12	0	0	0	15
Total admissions	10	4	14	16	100	116	68	808	876	13	7	20	1,026
Number of exits	authorized	4	1	5	9	67	76	54	597	8	3	11	689
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	6	3	9	8	33	41	13	246	259	4	4	317
Total exits	10	4	14	17	100	117	67	789	856	12	7	19	1,006
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	64
Sum number of days stay for authorised discharges	1,476.7
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.1
Bed occupancy	38%
Hospitalisation rate (/1000/month)	4.3

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	11	0	0%	8	0	0%	0	0	0	0	0	19	0	0%
2. General Surgery	0	0		9	0	0%	74	0	0%	6	0	89	0	0%
3. Injury (non-war related)	3	0	0%	2	0	0%	0	0		0	0	5	0	0%
4. Internal medicine	0	0		0	0		32	0	0%	11	0	43	0	0%
5. Obstetrics	0	0		94	0	0%	746	0	0%	0	0	840	0	0%
6. Gynaecology	0	0		0	0		12	0	0%	0	0	12	0	0%
7. Other	0	0		3	0	0%	12	0	0%	3	0	18	0	0%
Total	14	0	0%	116	0	0%	876	0	0%	20	0	1,026	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	37	37	48	48	159	159	27	27	271
2.	Jordan University Hospital	83	83	48	48	102	102	17	17	250
3.	Private affiliated Hospital	256	256	272	272	1,054	1,054	136	136	1,718
4.	Royal Medical Services	5	5	0	0	5	5	0	0	10
5.	Other	0	0	0	0	0	0	0	0	0
Total No of referred cases out side the Camp		2,249								

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	199	199	0	0	0	0	0	0	199
2.	Internal medicine	75	75	144	144	673	673	99	99	991
3.	Obstetric	0	0	32	32	238	238	0	0	270
4.	Gynaecological	0	0	72	72	123	123	0	0	195
5.	Surgical	94	94	92	92	233	233	69	69	488
6	Other	13	13	28	28	53	53	12	12	106

6. Laboratory

	Total
Number of laboratory tests conducted	47,532

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	231	1,040	1,271
First antenatal visit > 1st trimester	120	538	658

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	66%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	63	568	631
	2 TT doses	51	565	616
	anaemia screening	86	718	804

Coverage of complete antenatal care	76%
Coverage of antenatal tetanus immunisation	75%
Coverage of anaemia screening in pregnancy	97%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	87	739	826
Still births	3	1	4
Low birth weight (<2500 g)	1	6	7
Attended by skilled health worker	87	739	826
Number of obstetric complications treated	0	2	2
Number of caesarean sections performed	30	229	259

Delivery Indicators	
Crude birth rate (per month)	3.5
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	31%
Proportion of obsetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	159	461	620

Postnatal Indicators	
Coverage of complete postnatal care	75%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	38	286	160	1,038	1,522
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	50	10	97	157
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	110	13	13	137
Condom (Male)	30	232	109	713	1,084
Other	0	17	4	83	104

	< 18	≥ 18
Family Planning Counseling*	311	863

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	1	0	0	1
No. of rape survivors examined within 72 hours	0	1	0	0	1
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	1	0	0	1
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	1	0	0	1
No. cases of trauma in health centre due to domestic violence	0	3	0	32	35

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.5
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources	1. Health Information System	
--------------	------------------------------	--

Contact Information	<div> Za'atri Asaad Kadhum, UNHCR </div> <div> Email: kadhum@unhcr.org </div>	<div> Amman Adam Musa Khalifa, UNHCR </div> <div> Email: khalifaa@unhcr.org </div>
---------------------	---	--

UNHCR gratefully acknowledges the support of the following partners:














