Za'atri | Jordan

Refugee population

Total refugee population: **79,843**

Demographic breakdown:

Age	Male	Female
> 60	1%	2%
18 - 59	21%	21%
5 - 17	19%	18%
0 - 4	10%	9%

Male % Female

Key facts

Camp opened:
July 2012

Indicators at a glance

|			
1	Health utilisation rate	7.4	X
2	Number of consultations per clinician per day	39	√
3	Hospitalisation rate (/1000/month)	4.2	
4	% deliveries attended by skilled personnel	100%	√
5	Crude Mortality Rate (CMR) (/1000/month)	0.2	√
6	Under-five Mortality Rate (U5MR) (/1000/month)	0.5	√
7	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	16.1	X

Notes

This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- IMC Clinic
- JHAS Clinic
- Moroccan Field Hospital
- RAF Qatari Clinic
- Saudi Clinic
- IRC Clinic
- AMR Clinic 1 (Comprehensive Charitable Medical Center)
- AMR Clinic 2 (Maternity and Childhood center)

Data is collected using standardised Health Information System (HIS) data collection and

Morbidity

Acute health conditions (%)

- Upper Respiratory Tract Infection (URTI) — 24%
- Dental Conditions — 11%
- Influenza-like illness (ILI) — 9%
- Skin infection — 6%
- Ear infection — 4%
- Other — 46%

Chronic health conditions (%)

- Hypertension — 20%
- Diabetes — 18%
- Asthma — 12%
- Thyroid problems — 10%
- Cardiovascular disorders — 5%
- Other — 35%

Top 5 acute health conditions

		% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	24%	22,118
2	Dental Conditions	11%	9,992
3	Influenza-like illness (ILI)	9%	8,383
4	Skin infection	6%	5,014
5	Ear infection	4%	3,542
-	Other	46%	41,446

Top 5 chronic health conditions

		% morbidity	# of cases
1	Hypertension	20%	4,550
2	Diabetes	18%	4,006
3	Asthma	12%	2,771
4	Thyroid problems	10%	2,304
5	Cardiovascular disorders	5%	1,119
-	Other	35%	7,972

Breakdown of acute health conditions

by age

- 0-4 — 22%
- 5 to 17 — 27%
- 18 to 59 — 47%
- > 60 — 4%

by gender

- Male — 47%
- Female — 53%

Breakdown of chronic health conditions

by age

- 0-4 — 3%
- 5 to 17 — 6%
- 18 to 59 — 57%
- > 60 — 34%

by gender

- Male — 45%
- Female — 55%

UNHCR gratefully acknowledges the support of the following partners:

Public Health

Health Impact

	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 0.51	√
Under-five Mortality Rate (U5MR) (/1000/month)	0.5	< 1.5	√
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	16.1	< 14.9	X

Access and utilization

	Indicator	Standard	
No. of health facilities	1 : 9981	1 : < 10,000	X
Total number of consultations	147,039		
Health utilisation rate	7.4	1 - 4	X
No. of consultations per trained clinician per day	39	< 50	√

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory

	Indicator	
Number of laboratory samples	91,204	

Breakdown of mental health conditions

By cause

- Epilepsy / seizures — 32%
- Severe emotional disorder, including moderate-severe depression — 31%
- Psychotic disorder (including mania) — 24%
- Intellecutal disability — 11%
- Other — 2%

By age

- 0-4 — 1%
- 5 to 17 — 20%
- 18 to 59 — 78%
- > 60 — 1%

By gender

- Male — 60%
- Female — 40%

Breakdown of injuries

By cause

- Injury (burns) — 13%
- Injury (war-related) — 2%
- Bites (all causes)
- Assault (with weapon non-war related)
- Other — 85%

By age

- 0-4 — 15%
- 5 to 17 — 28%
- 18 to 59 — 41%
- > 60 — 16%

By gender

- Male — 54%
- Female — 46%

In-patient and referral

In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/year)	50.8	50 - 150	⚑
Bed occupancy rate	35%	> 75%	X
Mean length of stay for authorised discharges (days)	1.2		

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	

Reproductive Health

Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	77%	≥ 90%	X
Coverage of TT vaccination	77%	≥ 90%	X
Coverage of anaemia screening in pregnancy	94%	≥ 90%	√

Delivery care

	Indicator	Standard	
Proportion of deliveries attended by skilled personnel	100%	≥ 90%	√
Proportion of deliveries performed by caesarean section	28%	5 - 15%	X
Proportion of low birth weight deliveries (<2500g)	1%	< 15%	√

Maternal mortality

	Indicator	
Number of maternal deaths reported	1	
% of maternal deaths investigated		100%

Postnatal care

	Indicator	Standard	
Coverage of postnatal care	47%	≥ 90%	X

Sexual and Gender-based Violence

	Indicator	Standard		
Incidence of rape (reported cases/10,000/year)*	6.5		^	⚑
% of rape survivors who received PEP** < 72 hours		100%	^	⚑
% of rape survivors who received ECP*** < 120 hours		100%	^	⚑
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	^	⚑

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection