



31 December 2016 - 29 December 2017



## Refugee population

Total refugee population: **35,608**

Demographic breakdown:



## Key facts

Camp opened:  
**May 2014**

## Indicators at a glance

1 Health utilisation rate	7.7	✗
2 Number of consultations per clinician per day	48	✓
3 Hospitalisation rate (/1000/year)	123.1	
4 Referral rate (/1000/month)	14.5	
5 Crude Mortality Rate (CMR) (/1000/month)	0.2	✓
6 Under-five Mortality Rate (U5MR) (/1000/month)	0.4	✓
7 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	11.9	✓

## Notes


This public health profile for Azraq refugee camp is compiled from health facility data from the following partners:

- IMC Clinic Village 3,5, and 6.
- IMC Hospital.
- Arab Medical Relief Village 2 and 6.
- IRC RH Services Villages 3,5, and 6.

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

## Morbidity


### Acute health conditions (%)



### Top 5 acute health conditions

	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	31%	62,124
2 Dental Conditions	9%	19,004
3 Influenza-like illness (ILI)	7%	13,369
4 Skin infection	6%	12,749
5 Watery diarrhoea*	3%	6,487
- Other	44%	89,371

### Chronic health conditions (%)




### Top 5 chronic health conditions


	% morbidity	# of cases
1 Hypertension	37%	6,456
2 Diabetes	21%	3,692
3 Asthma	11%	1,894
4 Ischaemic heart disease	5%	938
5 Thyroid problems	4%	668
- Other	23%	4,005

### Breakdown of acute health conditions

by age




by gender




### Breakdown of chronic health conditions

by age



by gender



UNHCR gratefully acknowledges the support of the following partners:



## Public Health

### Health Impact

	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 0.51	✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.4	< 1.5	✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	11.9	< 14.9	✓

### Access and utilization

No. of health facilities	1 : 8902	1 : < 10,000	✓
Total number of consultations	273,907		
Health utilisation rate	7.7	1 - 4	✗
No. of consultations per trained clinician per day	48	< 50	✓

### Outbreak Alert and Response


	Indicator	Standard
Number of outbreaks reported	1	
% of outbreaks investigated within 48 hours	100%	100%

### Laboratory


Number of laboratory samples	40,903
------------------------------	--------

## Breakdown of mental health conditions


### By cause



### By age




### By gender




## Breakdown of injuries


### By cause



### By age



### By gender



## In-patient and referral

### In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/year)	123.1	50 - 150	✗
Bed occupancy rate	93%	> 75%	✓
Mean length of stay for authorised discharges (days)	2.0		

### Overall case fatality rate

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	

## Reproductive Health

### Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	78%	≥ 90%	✗
Coverage of TT vaccination	64%	≥ 90%	✗
Coverage of anaemia screening in pregnancy	100%	≥ 90%	✓

### Delivery care

Proportion of deliveries attended by skilled personnel	99%	≥ 90%	✓
Proportion of deliveries performed by caesarean section	19%	5 - 15%	✗
Proportion of low birth weight deliveries (<2500g)	5%	< 15%	✓

### Maternal mortality

Number of maternal deaths reported	2		
% of maternal deaths investigated within 48 hours	200%	100%	

### Postnatal care

	Indicator	Standard	
Coverage of postnatal care	35%	≥ 90%	✗

### Sexual and Gender-based Violence

Incidence of rape (reported cases/10,000/year)*			^
% of rape survivors who received PEP** < 72 hours	100%		^
% of rape survivors who received ECP*** < 120 hours	100%		^
% of rape survivors who received STI**** prophylaxis < 2 wks	100%		^

\*Only includes rapes reported at health facilities \*\*Post-exposure prophylaxis \*\*\*Emergency contraceptive pill \*\*\*\*Sexually transmitted infection



