

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,655	1,576	3,231	6,092	5,728	11,820	14,678	13,915	28,593	16,352	16,664	33,016	893	1,251	2,144	78,804
% by age group			4%			15%			36%			42%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	2	2	5%	0	0	0	0	0	0	0	1	1	3	3%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	5	1	6	7	7%
5. Cardiovascular disorders (other)	1	1	2	5%	0	0	0	0	1	1	7	4	11	14	13%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	5	2	7	7	7%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	1%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	1	0	1	2	3	5	4	3	7	13	12%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	6	12	18	47%	0	0	0	0	0	0	0	0	0	18	17%
13. Other	7	9	16	42%	3	1	4	3	4	7	6	9	15	42	40%
Total	14	24	38	100%	4	1	5	6	9	15	27	20	47	105	100%
% by age group			36%				5%			14%			45%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.5	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			11.0

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	61.5
Average number of full days on which each health facility was functioning	5.5
Total number of outpatient consultations	319,809
Health facility utilisation rate	8.1
Consultations per clinician per day	36

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	8,388	7,637	16,025	1064.7	7,475	7,797	15,272	7,022	8,754	15,776	1,073	1,382	2,455	49,528	30%	628.5
Influenza-like illness (ILI)	3,211	3,138	6,349	421.8	2,929	2,845	5,774	2,499	3,204	5,703	410	470	880	18,706	11%	237.4
Lower Respiratory Tract Infection (LRTI)	1,625	1,231	2,856	189.8	1,233	1,255	2,488	1,141	1,239	2,380	393	372	765	8,489	5%	107.7
Watery diarrhoea*	294	218	512	34.0	116	98	214	66	76	142	16	16	32	900	1%	11.4
Bloody diarrhoea*	4	10	14	0.9	18	11	29	1	0	1	0	0	0	44	0%	0.6
Skin infection	963	923	1,886	125.3	895	1,043	1,938	1,220	1,338	2,558	336	306	642	7,024	4%	89.1
Eye infection	609	532	1,141	75.8	671	628	1,299	1,106	1,411	2,517	384	426	810	5,767	4%	73.2
Ear infection	755	829	1,584	105.2	868	994	1,862	1,404	1,565	2,969	433	358	791	7,206	4%	91.4
Dental Conditions	743	744	1,487	98.8	2,343	2,559	4,902	4,527	5,636	10,163	759	735	1,494	18,046	11%	229.0
Intestinal Worms	405	467	872	57.9	456	442	898	141	152	293	8	1	9	2,072	1%	26.3
Acute Jaundice Syndrome*	0	0	0	0.0	3	2	5	0	0	0	1	1	2	7	0%	0.1
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	2	3	5	0.3	4	2	6	0	0	0	0	0	0	11	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	2	2	0	0	0	0	0	0	2	0%	0.0
Fever of unknown origin	33	16	49	3.3	6	3	9	0	2	2	0	1	1	61	0%	0.8
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	0%	0.0
Other	3,080	2,885	5,965	396.3	4,450	4,665	9,115	10,676	14,847	25,523	2,253	2,764	5,017	45,620	28%	578.9
Total	20,112	18,633	38,745	2574.2	21,467	22,346	43,813	29,803	38,224	68,027	6,066	6,833	12,899	163,484	100%	2074.6
% by age group			24%				27%			42%			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	2	14	16	71	84	155	1,713	2,451	4,164	1,622	2,057	3,679	8,014	16%
Hypertension	0	0	0	1	11	12	2,206	2,966	5,172	2,225	2,727	4,952	10,136	20%
Asthma	523	550	1,073	426	363	789	752	927	1,679	616	602	1,218	4,759	9%
Ischaemic heart disease	0	1	1	0	7	7	451	534	985	594	569	1,163	2,156	4%
Cardiovascular disease (other)	15	19	34	34	64	98	640	896	1,536	545	578	1,123	2,791	6%
Chronic obstructive pulmonary disease (COPD)	0	5	5	1	12	13	617	544	1,161	710	661	1,371	2,550	5%
Liver disease	1	0	1	0	2	2	19	48	67	9	8	17	87	0%
Thyroid problems	2	1	3	28	89	117	798	1,711	2,509	638	908	1,546	4,175	8%
Cancer	0	0	0	5	4	9	17	44	61	11	16	27	97	0%
Other	437	432	869	717	620	1,337	3,899	6,466	10,365	1,319	1,915	3,234	15,805	31%
Total	980	1,022	2,002	1,283	1,256	2,539	11,112	16,587	27,699	8,289	10,041	18,330	50,570	100%
% by age group			4%			5%			55%			36%	100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	267	267	0	0	0	0	0	0	267
2.	Internal medicine	89	89	206	206	904	904	171	171	1,370
3.	Obstetric	0	0	59	59	539	539	0	0	598
4.	Gynaecological	0	0	64	64	178	178	3	3	245
5.	Surgical	120	120	139	139	296	296	107	107	662
6.	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	71,183

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	814	2,144	2,958
First antenatal visit > 1st trimester	327	1,360	1,687

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	64%
--	-----

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	162	1170	1,332
	2 TT doses	149	1091	1,240
	anaemia screening	176	1327	1,503

Coverage of complete antenatal care	81%
Coverage of antenatal tetanus immunisation	76%
Coverage of anaemia screening in pregnancy	92%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	189	1446	1,635
Still births	1	10	11
Low birth weight (<2500 g)	1	18	19
Attended by skilled health worker	189	1446	1,635
Number of obstetric complications treated	35	118	153
Number of caesarean sections performed	72	566	638

Delivery Indicators

Crude birth rate (/1000 population/ month)	3.5
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	39%
Proportion of obstetric complications treated among girls < 18	23%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	163	1048	1,211

Postnatal Indicators

Coverage of complete postnatal care	74%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	156	882	1,622	1,691	4,351
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	2	97	117	141	357
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	4	323	8	53	388
Condom (Male)	52	588	982	1,039	2,661
Other	10	19	0	17	46

	< 18	≥ 18
Family Planning Counseling*	918	4,660

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	1	0	0	1
No. of rape survivors examined within 72 hours	0	2	0	0	2
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	2	0	0	2
No of rape survivors given PEP within 72 hours	0	2	0	0	2
No of female rape survivors given ECP within 120 hours		2		0	2
No of rape survivors given STI presumptive treatment within 2 weeks	0	3	0	0	3
No. cases of trauma in health centre due to domestic violence	0	2	0	18	20

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators

Incidence of reported rape (/10,000 population/year)	6.6
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	150%

Data Sources	1. Health Information System	Publication date: 16/07/2018
---------------------	------------------------------	-------------------------------------

Contact Information	Za'atri Asaad Kadhum, UNHCR Email: kadhum@unhcr.org	Amman Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
----------------------------	--	---

UNHCR gratefully acknowledges the support of the following partners:

