

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,650	1,571	3,221	6,149	5,773	11,922	14,649	13,859	28,508	16,183	16,589	32,772	888	1,250	2,138	78,561
% by age group			4%			15%			36%			42%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	1	1	11%	0	1	1	1	0	1	0	0	0	3	10%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	1	1	1	0	1	2	6%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	1	1	1	7	8	9	29%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	1	1	1	2	2	6%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	1	1	1	0	1	0	1	1	3	10%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	7	0	7	78%	0	0	0	0	0	0	0	0	0	7	23%
13. Other	0	1	1	11%	0	0	0	1	1	2	0	1	1	4	13%
<b>Total</b>	<b>7</b>	<b>2</b>	<b>9</b>	<b>100%</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>13</b>	<b>31</b>	<b>100%</b>
% by age group			29%			6%			23%			42%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.2	0.1
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.1	0.2
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			8.9

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	47.5
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	135,937
Health facility utilisation rate	6.9
Consultations per clinician per day	41

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,787	3,476	7,263	479.6	2,752	2,718	5,470	2,469	3,094	5,563	382	513	895	19,191	27%	244.3
Influenza-like illness (ILI)	1,681	1,546	3,227	213.1	1,381	1,523	2,904	1,663	1,921	3,584	219	239	458	10,173	14%	129.5
Lower Respiratory Tract Infection (LRTI)	593	609	1,202	79.4	596	648	1,244	647	790	1,437	193	201	394	4,277	6%	54.4
Watery diarrhoea*	48	53	101	6.7	14	17	31	3	3	6	0	0	0	138	0%	1.8
Bloody diarrhoea*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Skin infection	325	405	730	48.2	344	426	770	306	424	730	71	60	131	2,361	3%	30.1
Eye infection	280	275	555	36.7	346	400	746	528	609	1,137	109	137	246	2,684	4%	34.2
Ear infection	547	608	1,155	76.3	655	691	1,346	781	825	1,606	272	258	530	4,637	7%	59.0
Dental Conditions	452	580	1,032	68.2	1,298	1,822	3,120	1,888	2,414	4,302	557	415	972	9,426	13%	120.0
Intestinal Worms	365	368	733	48.4	332	349	681	178	161	339	13	2	15	1,768	3%	22.5
Acute Jaundice Syndrome*	8	4	12	0.8	8	8	16	1	1	2	0	0	0	30	0%	0.4
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	37	48	85	5.6	0	0	0	12	16	28	13	2	15	128	0%	1.6
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	0%	0.0
Other	1,160	1,174	2,334	154.1	1,343	1,791	3,134	3,229	4,767	7,996	1,113	1,285	2,398	15,862	22%	201.9
<b>Total</b>	<b>9,283</b>	<b>9,146</b>	<b>18,429</b>	<b>1217.0</b>	<b>9,069</b>	<b>10,393</b>	<b>19,462</b>	<b>11,707</b>	<b>15,025</b>	<b>26,732</b>	<b>2,942</b>	<b>3,113</b>	<b>6,055</b>	<b>70,678</b>	<b>100%</b>	<b>899.7</b>
% by age group			26%				28%			38%			9%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	21	92	113	920	1,414	2,334	768	1,062	1,830	4,277	18%
Hypertension	0	1	1	3	65	68	1,095	1,662	2,757	994	1,276	2,270	5,096	21%
Asthma	479	473	952	434	363	797	494	577	1,071	242	240	482	3,302	14%
Ischaemic heart disease	8	9	17	7	10	17	269	326	595	269	290	559	1,188	5%
Cardiovascular disease (other)	10	15	25	17	34	51	311	396	707	257	256	513	1,296	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	222	314	536	265	282	547	1,083	5%
Liver disease	2	5	7	45	44	89	19	40	59	10	7	17	172	1%
Thyroid problems	15	21	36	17	48	65	436	901	1,337	315	454	769	2,207	9%
Cancer	0	1	1	2	1	3	6	12	18	21	12	33	55	0%
Other	160	188	348	329	384	713	1,231	1,715	2,946	530	585	1,115	5,122	22%
<b>Total</b>	<b>674</b>	<b>713</b>	<b>1,387</b>	<b>875</b>	<b>1,041</b>	<b>1,916</b>	<b>5,003</b>	<b>7,357</b>	<b>12,360</b>	<b>3,671</b>	<b>4,464</b>	<b>8,135</b>	<b>23,798</b>	<b>100%</b>
% by age group			6%			8%			52%			34%	100%	



## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	248	248	5	5	0	0	0	0	253
2.	Internal medicine	81	81	172	172	577	577	119	119	949
3.	Obstetric	0	0	32	32	256	256	0	0	288
4.	Gynaecological	0	0	10	10	70	70	0	0	80
5.	Surgical	98	98	134	134	256	256	66	66	554
6.	Other	0	0	0	0	0	0	0	0	0

## 6. Laboratory

	Total
Number of laboratory tests conducted	26,206

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	409	993	1,402
First antenatal visit > 1st trimester	229	647	876

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	62%

### 8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening
Number of pregnant women at time of delivery who received:	74	77	78
	607	602	621
	681	679	699

Coverage of complete antenatal care	86%
Coverage of antenatal tetanus immunisation	86%
Coverage of anaemia screening in pregnancy	89%

### 8.3 Delivery care

	< 18	≥ 18	Total
Live births	82	706	788
Still births	0	0	0
Low birth weight (<2500 g)	1	3	4
Attended by skilled health worker	81	704	785
Number of obstetric complications treated	1	3	4
Number of caesarean sections performed	19	270	289

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.3
Proportion of births attended by skilled health worker (excl. TBA)	99.6%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	37%
Proportion of obstetric complications treated among girls < 18	1%

### 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	118	699	817

Postnatal Indicators	
Coverage of complete postnatal care	104%

### 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	53	342	108	1,509	2,012
Emergency Contraceptive Pill	0	0	0	10	10
Injectable (Depo-Provera)	0	50	0	115	165
Implantable (Norplant)	0	3	0	16	19
Intra-Uterine Device (IUD)	4	204	0	37	245
Condom (Male)	13	179	26	699	917
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	160	3,255

### 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	2	0	0	2
No. of rape survivors examined within 72 hours	0	2	0	0	2
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	2	0	0	2
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	2	0	0	2
No. cases of trauma in health centre due to domestic violence	0	4	0	0	4

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.0
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

<b>Data Sources</b>	1. Health Information System
---------------------	------------------------------

<b>Contact Information</b>	<b>Amman</b> Adam Musa Khalifa, UNHCR	Email: khalifaa@unhcr.org
----------------------------	--	---------------------------

UNHCR gratefully acknowledges the support of the following partners:

