Za'atri | Jordan

Refugee population

Total refugee population: **76,035**

Demographic breakdown:

Age	Male	Female
> 60	1%	2%
18 - 59	22%	18%
5 - 17	19%	18%
0 - 4	10%	10%

Male % Female

Key facts

Camp opened:
July 2012

Zaatri Camp

Indicators at a glance

|			
1	Health utilisation rate	9.6	X
2	Number of consultations per clinician per day	48	√
3	Hospitalisation rate (/1000/month)	3.9	
4	% deliveries attended by skilled personnel	100%	√
5	Crude Mortality Rate (CMR) (/1000/month)	0.3	√
6	Under-five Mortality Rate (U5MR) (/1000/month)	0.4	√
7	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	11.2	√

Notes

This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- **IMC Clinic**
- **JHAS Clinic**
- **Moroccan Field Hospital**
- **RAF Qatari Clinic**
- **Saudi Clinic**
- **IRC Clinic**
- **AMR Clinic 1 (Comprehensive Charitable Medical Center)**
- **AMR Clinic 2 (Maternity and Childhood center)**

Data is collected using standardised Health Information System (HIS) data collection and

Morbidity

Acute health conditions (%)

- Upper Respiratory Tract Infection (URTI) — 32%
- Influenza-like illness (ILI) — 12%
- Dental Conditions — 10%
- Lower Respiratory Tract Infection (LRTI) — 6%
- Ear infection — 4%
- Other — 36%

Chronic health conditions (%)

- Hypertension — 21%
- Diabetes — 16%
- Asthma — 12%
- Thyroid problems — 8%
- Cardiovascular disorders — 5%
- Other — 38%

Top 5 acute health conditions

		% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	32%	31,611
2	Influenza-like illness (ILI)	12%	11,688
3	Dental Conditions	10%	9,339
4	Lower Respiratory Tract Infection (LRTI)	6%	5,368
5	Ear infection	4%	4,152
-	Other	36%	35,333

Top 5 chronic health conditions

		% morbidity	# of cases
1	Hypertension	21%	5,736
2	Diabetes	16%	4,460
3	Asthma	11%	3,131
4	Thyroid problems	8%	2,204
5	Cardiovascular disorders	5%	1,362
-	Other	38%	10,465

Breakdown of acute health conditions

by age

- 0-4 — 25%
- 5 to 17 — 28%
- 18 to 59 — 42%
- > 60 — 5%

by gender

- Male — 48%
- Female — 52%

Breakdown of chronic health conditions

by age

- 0-4 — 4%
- 5 to 17 — 5%
- 18 to 59 — 54%
- > 60 — 37%

by gender

- Male — 44%
- Female — 56%

UNHCR gratefully acknowledges the support of the following partners:

Public Health

Health Impact

|	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.3	< 0.51	√
Under-five Mortality Rate (U5MR) (/1000/month)	0.4	< 1.5	√
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	11.2	< 14.9	√

Access and utilization

	Indicator	Standard	
No. of health facilities	1 : 9505	1 : < 10,000	√
Total number of consultations	181,762		
Health utilisation rate	9.6	1 - 4	X
No. of consultations per trained clinician per day	48	< 50	√

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory

	Indicator	Standard
Number of laboratory samples	39,045	

Breakdown of mental health conditions

By cause

- Epilepsy / seizures — 37%
- Severe emotional disorder, including moderate-severe depression — 31%
- Psychotic disorder (including mania) — 18%
- Intellecutal disability — 14%
- Other — 0%

By age

- 0-4 — 1%
- 5 to 17 — 26%
- 18 to 59 — 72%
- > 60 — 1%

By gender

- Male — 60%
- Female — 40%

Breakdown of injuries

By cause

- Injury (burns) — 6%
- Assault (with weapon non-war related)
- Bites (all causes)
- Injury (war-related)
- Other — 94%

By age

- 0-4 — 14%
- 5 to 17 — 32%
- 18 to 59 — 42%
- > 60 — 12%

By gender

- Male — 51%
- Female — 49%

In-patient and referral

In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/year)	46.4	50 - 150	⚑
Bed occupancy rate	22%	> 75%	X
Mean length of stay for authorised discharges (days)	0.9		

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	

Reproductive Health

Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	73%	≥ 90%	X
Coverage of TT vaccination	71%	≥ 90%	X
Coverage of anaemia screening in pregnancy	94%	≥ 90%	√

Delivery care

	Indicator	Standard	
Proportion of deliveries attended by skilled personnel	100%	≥ 90%	√
Proportion of deliveries performed by caesarean section	42%	5 - 15%	X
Proportion of low birth weight deliveries (<2500g)	0%	< 15%	√

Maternal mortality

	Indicator	Standard
Number of maternal deaths reported	1	
% of maternal deaths investigated	100%	100%

Postnatal care

	Indicator	Standard	
Coverage of postnatal care	70%	≥ 90%	X

Sexual and Gender-based Violence

	Indicator	Standard		
Incidence of rape (reported cases/10,000/year)*	0.0		^	⚑
% of rape survivors who received PEP** < 72 hours		100%	^	⚑
% of rape survivors who received ECP*** < 120 hours		100%	^	⚑
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	^	⚑

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection

twine

View interactive maps and statistics online
http://twine.unhcr.org

Legend:
- ✔ Standard met
- ⚠ Standard borderline
- ✖ Standard not met
- ⚑ Interpret data with care
- ❓ Data missing

UNHCR
The UN
Refugee Agency