

1. Population

Denvilation	0 to <	:1	Total <1	1 to	o 4	Total 1	5 t	o 17	Total 5 to	18 t	o 59	Total 18	>	60	Total >	Grand
Population	M	F	Total <1	M	F	to 4	M	F	17	M	F	to 59	M	F	60	total
Refugee population	655	619	1,274	3,453	3,279	6,732	7,138	6,702	13,840	6,664	7,164	13,829	300	414	714	36,389
% by age group			4%			19%			38%			38%			2%	100%

2. Mortality

2.1 Mortality

		0 to	4		U5 %	5 to	17	Total 5	18 to	59	Total 18	>	60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	м	F	Total <5	mort	М	F	to 17	М	F	to 59	М	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	3	3	6	18%	0	0	0	0	0	0	0	0	0	6	9%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	4	1	5	3	1	4	9	14%
5.	Cardiovascular disorders (other)	0	1	1	3%	0	0	0	0	0	0	3	2	5	6	9%
6.	Cerebrovascular disease	0	1	1	3%	0	0	0	0	0	0	2	1	3	4	6%
7.	Chronic kidney disease	1	0	1	3%	0	0	0	0	1	1	0	0	0	2	3%
8.	Injury	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	2%
9.	Cancer	0	0	0	0%	0	0	0	1	5	6	1	0	1	7	11%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	2%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12.	Neonatal death	10	11	21	64%	0	0	0	0	0	0	0	0	0	21	33%
13.	Other	0	3	3	9%	0	1	1	1	2	3	0	0	0	7	11%
	Total	14	19	33	100%	0	1	1	6	10	16	10	4	14	64	100%
	% by age group			52%				2%			25%			22%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.2	0.1
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.3	0.4	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			14.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	43.6
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	297,586
Health facility utilisation rate	8.2
Consultations per clinician per day	46

3.2 Acute health conditions

	0.1-				F 1 -	47		18 to	50		> (00				
Record NEW cases of disease only	0 to	4	Total <5	U5 Incid	5 to	17	Total 5 to 17	18 to	59 F	Total 18 to 59	м	ь0 F	Total >	Grand total	% by cause	Crude Incide
Upper Respiratory Tract Infection (URTI)	13,099	10,802	22 004	2985.5	8,174	8,056	16,230	6,459	-		400	- 478	878	55,361	28%	1521.4
									7,893	14,352		-				
Influenza-like illness (ILI)	3,768	3,120	6,888	860.4	2,670	2,604	5,274	2,418	2,871	5,289	174	154	328	17,779	9%	488.6
Lower Respiratory Tract Infection (LRTI)	2,840	2,188	5,028	628.1	263	210	473	299	384	683	37	59	96	6,280	3%	172.6
Watery diarrhoea*	2,840	2,464	5,304	662.5	455	466	921	571	735	1,306	29	42	71	7,602	4%	208.9
Bloody diarrhoea*	8	7	15	1.9	5	7	12	3	6	9	1	1	2	38	0%	1.0
Skin infection	1,470	1,384	2,854	356.5	1,400	1,680	3,080	1,225	1,470	2,695	111	54	165	8,794	5%	241.7
Eye infection	883	760	1,643	205.2	491	447	938	760	685	1,445	79	70	149	4,175	2%	114.7
Ear infection	1,331	1,085	2,416	301.8	608	689	1,297	680	1,263	1,943	68	65	133	5,789	3%	159.1
Dental Conditions	206	223	429	53.6	1,951	2,036	3,987	5,527	6,096	11,623	220	135	355	16,394	8%	450.5
Intestinal Worms	256	247	503	62.8	458	393	851	92	138	230	25	5	30	1,614	1%	44.4
Acute Jaundice Syndrome*	29	22	51	6.4	9	4	13	1	1	2	0	0	0	66	0%	1.8
Measles (suspected)*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	3	2	5	0.6	2	3	5	1	0	1	0	0	0	11	0%	0.3
Acute Flaccid Paralysis*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	1	1	0.1	0	2	2	0	0	0	0	0	0	3	0%	0.1
Fever of unknown origin	46	58	104	13.0	11	28	39	35	75	110	1	1	2	255	0%	7.0
Tuberculosis (suspected)	0	0	0	0.0	4	2	6	1	7	8	0	0	0	14	0%	0.4
Other	8,727	8,693	17,420	2176.0	5,825	8,717	14,542	13,248	22,808	36,056	1,429	1,685	3,114	71,132	36%	1954.8
Total	35,506	31,057	66,563	8314.5	22,326	25,345	47,671	31,320	44,432	75,752	2,574	2,749	5,323	195,309	100%	5367.3
% by age group			34%				24%			39%			3%	100%		

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5	18 t	o 59	Total 18	> 6	60	Total	Grand	% by
Record NEW and REVISITS	М	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	16	19	35	34	88	122	784	937	1,721	535	795	1,330	3,208	19%
Hypertension	2	3	5	2	3	5	1,347	2,023	3,370	940	1,470	2,410	5,790	35%
Asthma	658	367	1,025	391	237	628	310	424	734	87	70	157	2,544	15%
Ischaemic heart disease	0	2	2	0	3	3	271	166	437	268	158	426	868	5%
Cardiovascular disease (other)	11	12	23	9	8	17	99	107	206	56	45	101	347	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	24	13	37	61	13	74	111	1%
Liver disease	0	1	1	1	3	4	2	5	7	1	2	3	15	0%
Thyroid problems	13	15	28	22	17	39	113	547	660	13	62	75	802	5%
Cancer	0	0	0	0	0	0	8	18	26	6	1	7	33	0%
Other	369	239	608	144	127	271	646	1,016	1,662	227	177	404	2,945	18%
Total	1,069	658	1,727	603	486	1,089	3,604	5,256	8,860	2,194	2,793	4,987	16,663	100%
% by age group			10%			7%			53%			30%	100%	

3.4 Mental health

	0 to	0 to 4		5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total	Grand	% by
	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	64	166	230	478	269	747	494	395	889	10	32	42	1,908	28%
Alcohol and other substance use disorder	0	0	0	1	1	2	47	3	50	0	0	0	52	1%
Psychotic disorder (including mania)	0	0	0	23	32	55	241	210	451	2	43	45	551	8%
Intellecutal disability	8	6	14	118	39	157	47	34	81	3	11	14	266	4%
Severe emotional disorder, including moderate-severe depression	1	1	2	38	73	111	830	1,424	2,254	28	30	58	2,425	36%
Medically unexplained somatic complaint	0	0	0	12	20	32	98	35	133	2	7	9	174	3%
Other psychological complaints	3	10	13	366	447	813	253	341	594	10	12	22	1,442	21%
Total	76	183	259	1,036	881	1,917	2,010	2,442	4,452	55	135	190	6,818	100%
% by age group			4%			28%			65%			3%	100%	

3.5 Injuries

	0 to 4 T		Total <	I < 5 to 17				Total 18 > 60		0	Total	Grand	% by	
	М	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Bites (all causes)	51	53	104	37	50	87	45	29	74	18	4	22	287	5%
2. Injury (war related)	54	52	106	45	41	86	40	11	51	4	2	6	249	4%
3. Injury (Burns)	120	91	211	63	38	101	64	52	116	5	4	9	437	7%
Assault (with weapon non-war related)	0	0	0	1	1	2	1	1	2	0	0	0	4	0%
Other	1039	678	1717	1148	502	1650	823	585	1408	137	105	242	5,017	84%
Total	1264	874	2138	1294	632	1926	973	678	1651	164	115	279	5,994	100%
% by age group			36%			32%			28%			5%	100%	

3.6 Reproductive Tract Infections

		< 1	8	Total <	≥ 1	18	Total ≥	Grand	% by
		М	F	18	М	F	18	total	cause
1.	Vaginal discharge	0	146	146	0	3,242	3,242	3,388	96%
2.	Urethral discharge	0	0	0	1	0	1	1	0%
3.	Genital ulcer	0	0	0	0	5	5	5	0%
3.	Lower abdominal pain	0	7	7	0	117	117	124	4%
	Other	0	0	0	0	0	0	0	0%
	Total	0	153	153	1	3,364	3,365	3,518	100%
	% by age group			4%			96%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to	4	Total <	5 tc	17	Total 5	18 to 59		Total 18			Total	Grand
		М	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of repo	orting period	3	5	8	2	0	2	0	5	5	0	0	0	15
Total admissions		1,450	552	2,002	134	174	308	91	1,559	1,650	3	2	5	3,965
	authorized	1,425	523	1,948	127	154	281	91	1,347	1,438	3	2	5	3,672
Number of exits	unauthorized	7	3	10	0	10	10	0	211	211	0	0	0	231
Number of exits	death	0	1	1	0	0	0	0	0	0	0	0	0	1
	referral	18	27	45	9	9	18	0	3	3	0	0	0	66
Total exits		1,450	554	2,004	136	173	309	91	1,561	1,652	3	2	5	3,970
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	364
Number of beds	26
Sum number of days stay for authorised discharges	7,437
Proportion of < 5 IPD deaths within 24 hours	0%
Average length of stay (days)	2.0
Bed occupancy	85%
Hospitalisation rate (/1000 population/month)	9.1

4.2 In-patient Admissions and Deaths

	0 to	4	U5 CFR	5 to	17	5-17	18	to 59	18-59	>	60	Total adm	Total	Crude
	Adm	Deaths	US CFR	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	rotai adm	deaths	CFR
Paediatric medicine	1195	1	0%	162	0	0%	0	0		0	0	1,357	1	0%
2. General Surgery	807	0	0%	79	0	0%	233	0	0%	5	0	1,124	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		61	0	0%	1343	0	0%	0	0	1,404	0	0%
6. Gynaecology	0	0		5	0	0%	74	0	0%	0	0	79	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
Total	2002	1	0%	307	0	0%	1650	0	0%	5	0	3,964	1	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	149	149	240	240	262	262	29	29	680
2.	Jordan University Hospital	623	623	519	519	603	603	85	85	1,830
3.	Private affiliated Hospital	1,324	1,324	1,158	1,158	1,663	1,663	246	246	4,391
4.	Royal Medical Services	8	8	19	19	13	13	2	2	42
5.	Other	1	1	1	1	0	0	0	0	2

Total number of reffered cases out side the camp 6,945

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	1492	1492	245	245	3	3	0	0	1,740
2.	Internal medicine	110	110	492	492	938	938	163	163	1,703
3.	Obstetric	0	0	0	0	115	115	0	0	115
4.	Gynaecological	0	0	25	25	85	85	0	0	110
5.	Surgical	334	334	840	840	951	951	88	88	2,213
6	Other	169	169	335	335	449	449	111	111	1,064

6. Laboratory

	Total
Number of laboratory tests conducted	67,998

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	14:	1,916	2,058
First antenatal visit > 1st trimester	46	882	928

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	69%

8.2 Antenatal care in facility

	≥ 4 ANC visits	39	986	1,025	
	2 TT doses	34	531	565	
		anaemia screening	62	1428	1,490

Coverage of complete antenatal care	68%
Coverage of antenatal tetanus immunisation	38%
Coverage of anaemia screening in pregnancy	99%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	62	1,442	1,504
Still births	2	14	16
Low birth weight (<2500 g)	7	93	100
Attended by skilled health worker	62	1,395	1,457
Number of obstetric complications treated	4	72	76
Number of caesarean sections performed	7	286	293

Delivery Indicators			
Crude birth rate (/1000 population/ month)	3.4		
Proportion of births attended by skilled health worker (excl. TBA)	97%		
Proportion of low birth weight deliveries	7%		
Proportion of all births performed by caesarean section	19%		
Proportion of obsetric complications treated among girls < 18	6%		

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	102	1474	1576

Postnatal Indicators	
Coverage of complete postnatal care	105%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	Total
Oral contraceptives	86	1,698	578	1,903	4,265
Emergency Contaceptive Pill	0	2	0	14	16
Injectable (Depo-Provera)	2	266	27	73	368
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	2	144	4	10	160
Condom (Male)	76	1,622	504	746	2,948
Other	7	44	0	59	110

	< 18	≥ 18
Family Planning Counseling*	627	9,552

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	Total
Total no rape survivors seen	0	1	0	3	4
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	1	1
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	16	16

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.1
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published or

Contact Information UNHCR Adam Musa Khalifa Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:









