	Key considerations	Status	Follow up actions
Stabilisation care	Are F75 supplies prepositioned for 2-3 months?		
	Are F100 supplies prepositioned for 2-3 months?		
	Are essential medicines/medical supplies prepositioned for 2-3 months?		
	Has COVID-19 IPC briefing been carried out for all SC staff including support staff?		
	Has training been carried out on the program adaptations and IPC measures that should be upheld?		
	Number of staff reached against the total number in place (provide list of staff)		
	Is there an established system in place to ensure caregivers briefed regularly on COVID-19 IPC measures and are observing hygiene standards?		
	Is risk communication on COVID 19 ongoing?		
	Is there a 2m distance between SC beds?		
	Is there a system in place that ensures visitors are reduced to only the caregiver?		
OTP/TSFP	Are RUTF supplies prepositioned until end of June 2020?		
	Are RUSF supplies prepositioned until end of June 2020 (with WFP?) (with partner?)		
	Are essential medicines/medical supplies prepositioned until end of June 2020?		
	Has COVID-19 IPC briefing/training been carried out for all Nutrition staff including support staff ?		

	Number of staff trained reached against the total	
	number in place (provide list of staff)	
	Are IPC measures in place (Triage, Handwashing,	
	physical distancing, health staff prevention of infection	
	measures, availability of hygiene materials?)	
	measures, availability of mygletie materials:)	
	Is disinfection of anthropometric materials being	
	carried out after each measurement?	
	carried out after each measurement?	
	Has follow up visit schedule been reviewed to ensure	
	there is no overcrowding at the nutrition facility?	
	Has the frequency of follow up visit being reviewed to	
	every two weeks for OTP and every 4 weeks for TSFP?	
	Are simplified anthropometric measures in place?	
	(MUAC admission and follow up by MUAC and WHZ	
	follow up by the z-scores. Height to be measured on	
	admission but not for follow up.)	
	admission bot not for follow op.)	
Community		
Community		
Outreach	Number of community outreach workers	
	Has provision of nutrition services in the context of	
	COVID-19 briefing been carried out for all outreach	
	workers?	
	Have community outreach workers been provided with	
	essential PPE (masks, disinfectant?)	
	Is MUAC equipment disinfection in place for house to	
	house visits?	
	Is dear to dear screening and massaging being used	
	Is door to door screening and messaging being used	
	Is door to door screening and messaging being used instead of mass gatherings?	
	instead of mass gatherings?	
	instead of mass gatherings? How many households have children 6-59 months in	
	instead of mass gatherings? How many households have children 6-59 months in the camp?	
	instead of mass gatherings? How many households have children 6-59 months in	

	Do you have enough MUAC tapes to cover the above households? If not, how many can be covered and what is the gap? Has mother led MUAC training started? Number reached against targeted number.	
IYCF protection, promotion and support	Are all staff briefed on the provision of IYCF services in the COVID-19 context? Key is maternity, ANC, PNC, OPD, EPI/GMP and nutrition.	
	Number of staff briefed per contact point (provide list of staff)	
	Are breastfeeding, appropriate complementary feeding, IPC messages being disseminated at the facility and community level?	
	Have the IYCF messages been tailormade to the COVID-19 context?	
	Has message dissemination been adapted to house to house approach?	
	Have mother to mother support group sessions been adapted to smaller groups, shorter sessions and participant spacing allocated in a way that ensures physical distancing?	
Management of at-risk mothers and infants <6months	Has a system been put in place to ensure consideration is given to the management of at-risk mother and infants under six months in the COVID-19 context at community, nutrition centre and at the SC	
Management of cases of both malnutrition & COVID-19 cases	Isolation space equipped with adequate space that can accommodate likely SC cases.Staffing at the isolation site trained on the management of malnutrition?System of ensuring therapeutic and supplementary feeding supplies are accessible at the isolation sites in place? Nutrition focal person identified at the isolation site?	
BSFP	Has distribution for two months (April/ May) been done?	

	Are COVID-19 messages being disseminated and include IPC measures that all should observe and the need for rational utilisation of the supplies provided to last the duration they are provided for? Are IPC distribution measures in place? (Layout allowing screening, isolation of any with COVID-19 symptoms/high temp, physical distancing, adequate hand washing points, distribution planned to ensure no overcrowding, flow moves from entry to exit with no back and forth) Has the plan for June onwards been discussed? Prepositioning of supplies for June & July 2020 in place? Mode of distribution?	
GFD	Has distribution for two months (April/ May) been done? Has the plan for June onwards been discussed? Prepositioning of supplies for June and July 2020 in place? Mode of distribution?	
	Are COVID-19 messages being disseminated and include IPC measures that all should observe and the need for rational utilisation of the supplies provided to last the duration they are provided for?	
	Are IPC distribution measures in place? (Layout allowing screening, isolation of any with COVID-19 symptoms/high temp, physical distancing, adequate hand washing points, distribution planned to ensure no overcrowding, flow moves from entry to exit with no back and forth)	
Inpatient feeding including for likely	Has IFP support for likely COVID-19 inpatient and isolated cases been sort from WFP in terms of dry	
COVID-19 cases at the clinic,	ration provision? Cooking facility/logistics/staffing in place?	
quarantined or in isolation		
	Has orientation on serving IPC measures. Handling of used utensils, their sterilisation and safe disposal of leftovers?	

Nutrition support for new arrivals	System of screening of new arrivals and referral of any identified malnourished cases in place? System of providing food assistance in place. Even for quarantined cases?	
Nutrition support for critically ill patients	NGT/NJT and other required supplies in place?	
PPE	Do you have adequate masks, gloves, disinfectant for health and community workers' use?	
Continuity of care/remote monitoring plan in place in case of total lock-down in place?	Has nutrition services continuity of care and remote monitoring plan been incorporated into the PH camp preparedness plans?	
Any challenges		

Implication of Nutrition prog adaptation to COVID-19 context in refugee sites May - 2020					
Nutrition interventions (specify as per your context)	Normal context <i>(examples given please specify as per your context)</i>	Adaptation to COVID-19? (The ones that have been put in place)	Implications? (coverage, admission using only MUAC, prog performance)?	Key issues and challenges as a result of prog adaptation?	
Community sensitization and awareness raising	-				
Nutrition screening at community level among children U5	-				

GMP	-		
Nutrition screening	-		
at health facilities /			
referral to nutrition			
prog			
Blanket SFP for	-		
children 6-59 months			
and PLW			
Targeted SFP for	-		
MAM cases			
Outpatient			
therapeutic feeding			
care for SAM without			
medical complication			
Stabilization centre			
for SAM cases with			
medical			
complications			