

1. Population

Population	0 to	<1	Total <1	1 t	0 4	Total 1 to	5 to	17	Total 5 to	18 to	59	Total 18	≥ 60		Total ≥	Grand
Population	М	F	TOTAL < 1	M	F	4	M	F	17	M	F	to 59	M	F	60	total
Refugee population	1,652	1,574	3,226	5,861	5,478	11,339	14,865	14,087	28,952	16,421	16,622	33,043	885	1,240	2,125	78,685
% by age group			4%			14%			37%			42%			3%	100%

2. Mortality

2.1 Mortality

	ONE source of moutality nov socs	0 te	0 4	Total <5	U5 %	5 t	o 17	Total 5	18	to 59	Total 18	2	: 60	Total ≥ 60	Grand	Crude %
	ONE cause of mortality per case	М	F	TOTAL VS	mort	М	F	to 17	М	F	to 59	М	F	10tal 2 60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	C	0	0	0	0	0	0%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
5.	Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	(0	2	2	4	4	11%
6.	Cerebrovascular disease	0	0	0	0%	0	0	0	0	1	1	2	2	4	5	14%
7.	Chronic kidney disease	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
8.	Injury	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
9.	Cancer	0	0	0	0%	0	0	0	1	(1	0	1	1	2	6%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	(0	0	0	0	0	0%
12.	Neonatal death	3	3	6	100%	0	0	0	0	(0	0	0	0	6	17%
13.	COVID-19	0	0	0	0%	0	0	0	2	1	3	6	3	9	12	34%
14.	Other	0	0	0	0%	0	0	0	2	(2	2	2	4	6	17%
	Total	3	3	6	100%	0	0	0	5	2	7	12	10	22	35	100%
	% by age group			17%				0%			20%			63%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.1	0.1	0.1
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			10.1

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	23.4
Average number of full days on which each health facility was functioning	4.8
Total number of outpatient consultations	60,416
Health facility utilisation rate	3.1
Consultations per clinician per day	

3.2 Acute health conditions

NEW cases of disease only	0 to	4	Total <5	U5 Incid	5 t	o 17	Total 5	18 1	to 59	Total 18	≥ (60	Total ≥ 60	Grand	% by	Crude
NEW cases of disease only	M	F	TOTAL NO	US IIICIU	M	F	to 17	M	F	to 59	M	F	10tal 2 60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	2,849	2,404	5,253	361	1,775	1,889	3,664	1,358	1,789	3,147	333	300	633	12,697	29%	161
Influenza-like illness (ILI)	473	477	950	65	470	530	1,000	380	557	937	146	152	298	3,185	7%	40
Lower Respiratory Tract Infection (LRTI)	115	115	230	16	35	33	68	27	46	73	25	12	37	408	1%	5
Watery diarrhoea*	32	36	68	5	8	4	12	11	20	31	0	0	0	111	0%	1
Bloody diarrhoea*	0	0	0	0	0	0	0	1	2	3	0	0	0	3	0%	C
Skin infection	430	432	862	59	293	504	797	319	445	764	97	92	189	2,612	6%	33
Eye infection	240	262	502	34	188	217	405	299	315	614	118	120	238	1,759	4%	22
Ear infection	457	425	882	61	202	245	447	197	210	407	77	116	193	1,929	4%	25
Dental Conditions	208	232	440	30	693	840	1,533	892	2,121	3,013	157	136	293	5,279	12%	67
Intestinal Worms	242	233	475	33	199	200	399	101	85	186	34	5	39	1,099	2%	14
Acute Jaundice Syndrome*	3	4	7	0	6	1	7	0	1	1	0	0	0	15	0%	C
Measles (suspected)*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	C
Meningitis (suspected)*	2	2	4	0	0	1	1	0	0	0	0	0	0	5	0%	C
Acute Flaccid Paralysis*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	C
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	C
Fever of unknown origin	30	21	51	4	2	0	2	1	0	1	0	0	0	54	0%	1
Tuberculosis (suspected)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	C
COVID-19 (suspected)	0	1	1	0	0	3	3	15	13	28	9	15	24	56	0%	1
COVID-19 (confirmed)	19	21	40	3	126	125	251	178	287	465	24	14	38	794	2%	10
Other	968	935	1,903	131	1,196	1,470	2,666	3,052	4,957	8,009	793	995	1,788	14,366	32%	183
Total	6,068	5,600	11,668	801	5,193	6,062	11,255	6,831	10,848	17,679	1,813	1,957	3,770	44,372	100%	564
% by age group			26%				25%			40%			8%	100%		
* indicates disease with epidemic potential. See guidance for alert thresholds	and advice on ho	w these sho	uld be interp	reted.												

3.3 Chronic health conditions

NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5 to	18 t	o 59	Total 18	≥ €	60	Total	Grand	% by
NEW allu REVISITS	M	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total	cause
Diabetes	11	2	13	22	36	58	498	832	1,330	388	613	1,001	2,402	29%
Hypertension	0	1	1	7	25	32	670	1,035	1,705	511	738	1,249	2,987	36%
Asthma	148	107	255	195	129	324	184	169	353	91	73	164	1,096	139
Ischaemic heart disease	1	0	1	2	1	3	20	22	42	31	27	58	104	19
Cardiovascular disease (other)	7	8	15	1	3	4	22	20	42	12	18	30	91	19
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	8	8	1	16	17	8	25	33	58	19
Liver disease	1	0	1	0	0	0	10	7	17	5	8	13	31	0%
Thyroid problems	2	0	2	15	56	71	119	254	373	66	100	166	612	79
Cancer	1	1	2	3	3	6	4	3	7	2	4	6	21	0%
Other	16	12	28	49	69	118	173	380	553	83	96	179	878	119
Total	187	131	318	294	330	624	1,701	2,738	4,439	1,197	1,702	2,899	8,280	100%
% by age group			4%			8%			54%			35%	100%	

3.4 Mental health

		0 to	4	Total <	5 to	17	Total 5 to	18 to	o 59	Total 18	≥ (60	Total	Grand	% by
		М	F	5	M	F	17	М	F	to 59	M	F	≥ 60	total	cause
1.	Epilepsy / seizures	7	9	16	134	95	229	222	187	409	1	0	1	655	29%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3.	Psychotic disorder (including mania)	2	2	4	19	21	40	354	151	505	4	5	9	558	25%
	Intellecutal disability	2	2	4	50	46	96	85	28	113	0	0	0	213	9%
5.	depression	0	0	0	15	23	38	319	320	639	7	10	17	694	31%
6.	Medically unexplained somatic complaint	0	0	0	0	0	0	1	5	6	0	0	0	6	0%
	Other psychological complaints	0	6	6	22	31	53	36	31	67	1	3	4	130	6%
	Total	11	19	30	240	216	456	1,017	722	1,739	13	18	31	2,256	100%
	% by age group			1%			20%			77%			1%	100%	

3.5 Injuries

		0 to	0 to 4 T		5 to	17	Total 5 to	18 t	o 59	Total 18	≥	60	Total	Grand	% by
		M	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total	cause
1.	Bites (all causes)	3	2	5	13	2	15	2	3	5	1	4	5	30	1%
2.	Injury (war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3.	Injury (Burns)	57	61	118	23	30	53	11	22	33	2	4	6	210	8%
4.	Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	269	212	481	517	279	796	497	374	871	67	84	151	2,299	91%
	Total	329	275	604	553	311	864	510	399	909	70	92	162	2,539	100%
	% by age group			24%			34%			36%			6%	100%	

3.6 Reproductive Tract Infections

		<1	18	Total <	≥ .	18	Total ≥ 18	Grand	% by
		м	F	18	М	F	101411 2 10	total	cause
1.	Vaginal discharge	0	537	537	0	2,021	2,021	2,558	71%
2.	Urethral discharge	0	30	30	0	3	3	33	1%
3.	Genital ulcer	0	0	0	0	1	1	1	0%
3.	Lower abdominal pain	0	21	21	0	282	282	303	8%
	Other	1	62	63	1	651	652	715	20%
	Total	1	650	651	1	2,958	2,959	3,610	100%
	% by age group			18%			82%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to	4	Total <	5 to	17	Total 5 to	18 1	o 59	Total 18	≥	60	Total	Grand
		М	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total
Number at beginning of repor	ting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		0	0	0	0	49	49	11	557	568	1	1	2	619
	authorized	0	0	0	0	25	25	9	275	284	1	4	5	314
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
realises of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	24	24	1	285	286	0	0	0	310
Total exits		0	0	0	0	49	49	10	560	570	1	4	5	624
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	98
Number of beds	21
Sum number of days stay for authorised discharges	536
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.7
Bed occupancy	51%
Hospitalisation rate (/1000/month)	2.5

4.2 In-patient Admissions and Deaths

		0 to	4	U5 CFR 5 to 1		17	5-17 CFR	18 to 59		18-59	≥	60	Total	Total	Crude
		Adm	Deaths	US CFK	Adm	Deaths	5-17 CFK	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2.	General Surgery	0	0		0	0		0	0		0	0	0	0	
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		49	0	0%	546	0	0%	0	0	595	0	0%
6.	Gynaecology	0	0		0	0		0	0		0	0	0	0	
7.	COVID-19 (suspected)	0	0		0	0		4	0	0%	1	0	5	0	0%
8.	COVID-19 (confirmed)	0	0		0	0		18	0	0%	1	0	19	0	0%
9.	Other	0	0		0	0		0	0		0	0	0	0	
	Total	0	0		49	0	0%	568	0	0%	2	0	619	0	0%

5. Referral

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1.	MOH Hospital	55	55	54	54	71	71	56	56	236
2.	Jordan University Hospital	7	7	5	5	11	11	2	2	25
3.	Private affiliated Hospital	102	102	129	129	543	543	45	45	819
4.	Royal Medical Services	0	0	0	0	0	0	0	0	0
5.	Other	0	0	0	0	0	0	0	0	0

ı	Total No of reffered cases out side the Camp	1,080

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1.	Paediatrics	102	102	33	33	0	0	0	0	135
2.	Internal medicine	18	18	65	65	111	111	65	65	259
3.	Obstetric	0	0	18	18	417	417	1	1	436
4.	Gynaecological	0	0	0	0	8	8	2	2	10
5.	Surgical	44	44	72	72	89	89	35	35	240
6	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	33,301

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	296	876	1,172
First antenatal visit > 1st trimester	119	362	481

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	71%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	49	546	595
	2 TT doses	49	535	584
	anaemia screening	49	546	595

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	98%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	49	546	595
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	49	546	595
Number of obstetric complications treated	24	248	272
Number of caesarean sections performed	13	230	243

Delivery Indicators				
Crude birth rate (/1000 population/ month)	2.4			
Proportion of births attended by skilled health worker (excl. TBA)	100.0%			
Proportion of low birth weight deliveries	0.0%			
Proportion of all births performed by caesarean section	41%			
Proportion of obsetric complications treated among girls < 18	49%			

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	119	444	563

Postnatal Indicators	
Coverage of complete postnatal care	95%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	TOTAL
Oral contraceptives	33	326	83	1,297	1,739
Emergency Contaceptive Pill	0	34	0	0	34
Injectable (Depo-Provera)	2	53	18	100	173
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	81	7	56	144
Condom (Male)	27	142	42	555	766
Other	1	67	1	165	234

	< 18	≥ 18
Family Planning Counseling*	330	3,372

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	М	F	М	F	Iotai
Total no rape survivors seen	0	0	0	4	4
No. of rape survivors examined within 72 hours	0	0	0	4	4
No. of rape survivors examined within 72 -120 hours	0	0	0	0	(
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	(
No. of rape survivors examined after 2 weeks	0	0	0	0	(
No of rape survivors given PEP within 72 hours	0	0	0	2	2
No of female rape survivors given ECP within 120 hours		0		4	4
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	4	4
No. cases of trauma in health centre due to domestic violence	0	0	0	0	(

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators				
ncidence of reported ra	ape (/10,000 population/year)	2.0		
Proportion of rape surv	ivors who receive PEP < 72 hrs	50%		
Proportion of female ra	pe survivors who receive ECP < 120 hrs	100%		
Proportion of rape surv 2 wks	ivors who receive STI presumptive treatment <	100%		
Data Sources	Health Information System			
Contact Information	Amman Adam Musa Khalifa, UNHCR	Email: khalifaa@unhcr.org		
UNHCR gra acknowledg the following	es the support of	Unicef WFP	General Control of the Control of th	RESCUE WHEN THE PROPERTY OF T























