

Population	0 to <	< 1	Total <1	1 to	4	Total 1	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand
ι οραιατίοι	M	F	Total 41	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	688	650	1,338	3,206	3,135	6,341	7,436	6,800	14,236	7,118	8,350	15,467	337	510	847	38,230
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

	December Ohic serves of markelity new sees	0 to	4	Total <5	U5 %	5 t	o 17	Total 5	18 t	o 59	Total 18	>	60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	М	F	Total <5	mort	М	F	to 17	M	F	to 59	М	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	1	0	1	17%	0	0	0	0	0	0	0	0	0	1	7%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	1	1	2	0	0	0	2	14%
5.	Cardiovascular disorders (other)	0	1	1	17%	0	0	0	0	1	1	1	0	1	3	21%
6.	Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7.	Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8.	Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9.	Cancer	0	0	0	0%	0	0	0	1	1	2	0	0	0	2	14%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12.	Neonatal death	0	1	1	17%	0	0	0	0	0	0	0	0	0	1	7%
13.	COVID-19	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14.	Other	2	1	3	50%	0	0	0	0	0	0	0	2	2	5	36%
	Total	3	3	6	100%	0	0	0	2	3	5	1	2	3	14	100%
	% by age group			43%				0%			36%			21%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 pooulation/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000 pooulation/month)	0.3	0.3	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			2.9

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	28.7
Average number of full days on which each health facility was functioning	5.6
Total number of outpatient consultations	71,648
Health facility utilisation rate	7.5
Consultations per clinician per day	34

3.2 Acute health conditions

Record NEW cases of disease only	0 to	4	Total <5	ur beete	5 to	17	Total 5	18 to	59	Total 18	>	60	Total >	Grand	% by	Crude
Record NEW cases of disease only	М	F	TOTAL >5	U5 INCIA	M	F	to 17	M	F	to 59	M	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	2,597	2,237	4,834	629.5	1,799	1,747	3,546	1,211	1,600	2,811	51	91	142	11,333	25%	296.4
Influenza-like illness (ILI)	574	536	1,110	144.5	249	203	452	386	451	837	17	19	36	2,435	5%	63.7
Lower Respiratory Tract Infection (LRTI)	652	471	1,123	146.2	108	78	186	51	73	124	12	10	22	1,455	3%	38.
Watery diarrhoea*	509	472	981	127.7	117	109	226	108	148	256	6	8	14	1,477	3%	38.0
Bloody diarrhoea*	1	2	3	0.4	0	1	1	0	1	1	0	0	0	5	0%	0.
Skin infection	235	311	546	71.1	220	437	657	258	433	691	10	27	37	1,931	4%	50.
Eye infection	171	148	319	41.5	131	120	251	186	211	397	6	10	16	983	2%	25.7
Ear infection	215	190	405	52.7	130	151	281	217	411	628	18	24	42	1,356	3%	35.
Dental Conditions	51	77	128	16.7	804	1,005	1,809	1,903	2,877	4,780	31	56	87	6,804	15%	178.0
Intestinal Worms	73	75	148	19.3	105	134	239	55	48	103	0	3	3	493	1%	12.9
Acute Jaundice Syndrome*	3	3	6	0.8	3	8	11	1	2	3	0	0	0	20	0%	0.
Measles (suspected)*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	0	1	1	0.1	2	1	3	0	0	0	0	0	0	4	0%	0.
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	1	0	1	0.1	1	0	1	3	0	3	0	0	0	5	0%	0.
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
COVID-19 (suspected)	13	17	30	3.9	29	24	53	110	97	207	6	5	11	301	1%	7.9
COVID-19 (confirmed)	0	2	2	0.3	13	12	25	28	47	75	1	0	1	103	0%	2.7
Other	1,945	2,124	4,069	529.9	1,779	2,329	4,108	2,931	5,190	8,121	281	420	701	16,999	37%	444.
Total	7,040	6,666	13,706	1784.9	5,490	6,360	11,850	7,448	11,589	19,037	439	673	1,112	45,705	100%	1195.
% by age group			30%				26%			42%			2%	100%		

indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 t	o 4	Total <	5 to	17	Total 5	18	to 59	Total 18	> 6	60	Total	Grand	% by
Record NEW and REVISITS	М	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	0	0	0	20	14	34	152	176	328	45	68	113	475	179
Hypertension	0	0	0	0	2	2	330	349	679	95	157	252	933	33%
Asthma	58	28	86	47	22	69	42	56	98	10	3	13	266	9%
Ischaemic heart disease	0	0	0	0	2	2	45	73	118	23	27	50	170	6%
Cardiovascular disease (other)	5	1	6	1	5	6	33	17	50	8	29	37	99	49
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	15	1	16	9	6	15	31	19
Liver disease	0	0	0	1	0	1	0	1	1	0	0	0	2	0%
Thyroid problems	4	0	4	6	18	24	75	155	230	4	10	14	272	10%
Cancer	0	0	0	0	0	0	2	2	4	0	1	1	5	0%
Other	34	66	100	26	18	44	172	164	336	39	43	82	562	20%
Total	101	95	196	101	81	182	866	994	1,860	233	344	577	2,815	100%
% by age group			7%			6%			66%			20%	100%	

3.4 Mental health

	0 to	o 4	Total <	5 to	17	Total 5	18 t	o 59	Total 18	> (60	Total	Grand	% by
	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	24	17	41	130	115	245	163	108	271	8	15	23	580	23%
Alcohol and other substance use disorder	0	0	0	0	1	1	17	0	17	0	0	0	18	1%
Psychotic disorder (including mania)	0	0	0	2	15	17	57	78	135	9	16	25	177	7%
Intellecutal disability	2	1	3	44	28	72	33	9	42	0	13	13	130	5%
Severe emotional disorder, including moderate-severe depre	ssion 1	0	1	73	60	133	341	653	994	31	19	50	1,178	47%
Medically unexplained somatic complaint	0	0	0	0	1	1	25	11	36	0	0	0	37	1%
Other psychological complaints	4	2	6	105	79	184	64	130	194	7	10	17	401	16%
Total	31	20	51	354	299	653	700	989	1,689	55	73	128	2,521	100%
% by age group			2%			26%			67%			5%	100%	

3.5 Injuries

		0 to	4	Total <	5 to	17	Total 5	18	to 59	Total 18	> (60	Total	Grand	% by
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1.	Bites (all causes)	0	0	0	1	1	2	1	2	3	0	0	0	5	0%
2.	Injury (war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3.	Injury (Burns)	49	40	89	76	32	108	32	57	89	8	16	24	310	17%
4.	Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	246	151	397	260	179	439	287	379	666	17	40	57	1,559	83%
	Total	295	191	486	337	212	549	320	438	758	25	56	81	1,874	100%
	% by age group			26%			29%			40%			4%	100%	

3.6 Reproductive Tract Infections

		M	18 F	Total < 18	≥ · M	18 F	Total ≥ 18	Grand total	% by cause
1.	Vaginal discharge	0	18	18	0	583	583	601	54%
2.	Urethral discharge	0	0	0	0	1	1	1	0%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	13	13	0	250	250	263	24%
	Other	0	1	1	0	248	248	249	22%
	Total	0	32	32	0	1,082	1,082	1,114	100%
	% by age group			3%			97%	100%	

4.1 In-patient Department Activities

		0 to 4 Total < 5		5 to	17	Total 5	18 to 59		Total 18	1		Total	Grand	
		М	F	5	М	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of	f reporting period	5	4	9	0	1	1	0	6	6	0	0	0	16
Total admissions		243	174	417	60	63	123	71	367	438	7	3	10	988
	authorized	234	159	393	52	54	106	54	326	380	5	3	8	887
Number of exits	unauthorized	7	9	16	4	7	11	16	44	60	2	0	2	89
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	6	7	13	3	0	3	0	0	0	0	0	0	16
Total exits		247	175	422	59	61	120	70	370	440	7	3	10	992
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	76
Sum number of days stay for authorised discharges	2,526
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.8
Bed occupancy	41%
Hospitalisation rate (/1000 population/month)	8.6

4.2 In-patient Admissions and Deaths

		0 to	4	U5 CFR	5 to	17	5-17	18 1	to 59	18-59	>	60	Total	Total	Crude
		Adm	Deaths	UU CFK	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	322	0	0%	54	0	0%	0	0		0	0	376	0	0%
2.	General Surgery	65	0	0%	19	0	0%	63	0	0%	2	0	149	0	0%
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		11	0	0%	282	0	0%	0	0	293	0	0%
6.	Gynaecology	0	0		0	0		9	0	0%	0	0	9	0	0%
7.	COVID-19 (suspected)	28	0	0%	37	0	0%	69	0	0%	8	0	142	0	0%
8.	COVID-19 (confirmed)	2	0	0%	2	0	0%	15	0	0%	0	0	19	0	0%
9.	Other	0	0		0	0		0	0		0	0	0	0	
	Total	417	0	0%	123	0	0%	438	0	0%	10	0	988	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	19	19	48	48	90	90	5	5	162
2.	Jordan University Hospital	6	6	0	0	10	10	0	0	16
3.	Private affiliated Hospital	101	101	50	50	193	193	10	10	354
4.	Royal Medical Services	0	0	0	0	0	0	0	0	0
5.	Other	2	2	3	3	12	12	2	2	19

Total number of reffered cases out side the camp 551

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	90	90	15	15	0	0	0	0	105
2.	Internal medicine	14	14	57	57	159	159	13	13	243
3.	Obstetric	0	0	2	2	76	76	0	0	78
4.	Gynaecological	1	1	0	0	8	8	0	0	9
5.	Surgical	11	11	20	20	35	35	2	2	68
6	Other	12	12	7	7	27	27	2	2	48

	Total
Number of laboratory tests conducted	29,478

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	14	373	387
First antenatal visit > 1st trimester	1	127	128

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	75%

8.2 Antenatal care in facility

	Number of program at moment of	≥ 4 ANC visits	12	297	309
	Number of pregnant women at time of delivery who received:	2 TT doses	6	77	83
		anaemia screening	13	336	349

Coverage of complete antenatal care	89%
Coverage of antenatal tetanus immunisation	24%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	13	336	349
Still births	0	6	6
Low birth weight (<2500 g)	0	19	19
Attended by skilled health worker	13	330	343
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	2	95	97

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.0
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	5%
Proportion of all births performed by caesarean section	28%
Proportion of obsetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	9	178	187

Postnatal Indicators	
Coverage of complete postnatal care	54%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	TOLAI
Oral contraceptives	11	217	1	290	519
Emergency Contaceptive Pill	0	0	0	0	C
Injectable (Depo-Provera)	1	25	0	22	48
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	2	67	0	4	73
Condom (Male)	8	213	5	262	488
Other	0	0	0	0	C
	< 18	≥ 18			
Family Planning Counseling*	41	2 088			

8.6 Sexual and gender-based violence

	<	< 18			Total
	м	F	М	F	lotai
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators				
Incidence of reported rape (/10,000 population/year)	0.0			
Proportion of rape survivors who receive PEP < 72 hrs				
Proportion of female rape survivors who receive ECP < 120 hrs				
Proportion of rape survivors who receive STI presumptive treatment < 2 wks				

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact Information

UNHCR Adam Musa Khalifa Email: KHALIFAA@unhcr.org













