

**1. POPULATION**

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	731	691	1,422	2,793	2,893	5,686	8,603	8,165	16,768	7,944	8,036	15,980	317	460	777	40,634
% by age group			4%			14%			41%			39%			2%	100%

**2. MORTALITY**

**2.1 Mortality**

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F		M	F			
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	1	2	3	1	1	2	19%	1	1	2	2	1	3	0	0	0	10	18%
5 Neonatal death	9	7	16	0	0	0	59%	0	0	0	0	0	0	0	0	0	16	28%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	1	0	1	0	1	1	1	2	3	5	9%
18 Cardiovascular disease (Non-IHD)	1	1	2	0	0	0	7%	0	1	1	3	0	3	1	3	4	10	18%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	3	0	3	1	0	1	4	7%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	2%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49 Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52 Other	1	0	1	3	0	3	15%	0	0	0	1	2	3	2	2	4	11	19%
<b>Total</b>	<b>12</b>	<b>10</b>	<b>22</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>100%</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>9</b>	<b>4</b>	<b>13</b>	<b>5</b>	<b>7</b>	<b>12</b>	<b>57</b>	<b>100%</b>
% by age group			39%			9%			9%			23%			21%	100%		

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.4	0.3	0.3
Infant Mortality Rate (IMR) (/1000/month)	1.4	1.2	1.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			14.5

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	23.1
Average number of full days on which each health facility was functioning	5.3
Total number of outpatient consultations	261,962
Health facility utilisation rate	4.9
Consultations per clinician per day	41

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	88,982	109,547	198,529
Re-visit Consultations	26,199	37,234	63,433
TOTAL Consultations	115,181	146,781	261,962

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	11,125	9,581	20,706	2912.8	12,536	11,800	24,336	9,927	12,111	22,038	385	665	1,050	68,130	37%	1676.7
2 ILI	914	751	1,665	234.2	491	521	1,012	228	493	721	7	20	27	3,425	2%	84.3
3 LRTI	1,171	823	1,994	280.5	522	465	987	327	468	795	26	77	103	3,879	2%	95.5
4 Watery diarrhoea	1,694	1,335	3,029	426.1	536	576	1,112	134	191	325	9	28	37	4,503	2%	110.8
5 Bloody diarrhoea	11	4	15	2.1	2	3	5	3	4	7	0	0	0	27	0%	0.7
6 Skin disease	1,187	1,142	2,329	327.6	1,025	1,669	2,694	843	1,487	2,330	73	78	151	7,504	4%	184.7
7 Eye disease	722	652	1,374	193.3	811	768	1,579	940	861	1,801	66	63	129	4,883	3%	120.2
8 Ear disease	640	532	1,172	164.9	575	709	1,284	783	1,594	2,377	52	101	153	4,986	3%	122.7
9 Dental conditions	205	256	461	64.9	3,797	4,499	8,296	6,176	11,010	17,186	220	331	551	26,494	14%	652.0
10 Intestinal worms	203	199	402	56.6	519	558	1,077	227	258	485	4	10	14	1,978	1%	48.7
11 Acute Jaundice Syndrome	1	1	2	0.3	1	2	3	0	2	2	0	0	0	7	0%	0.2
12 Urinary Tract Infection	153	498	651	91.6	356	1,408	1,764	967	3,169	4,136	77	236	313	6,864	4%	168.9
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
14 Measles (suspected)	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
15 Meningitis (suspected)	1	1	2	0.3	6	3	9	2	1	3	1	0	1	15	0%	0.4
16 Acute malnutrition- Moderate	0	4	4	0.6	0	1	1	0	13	13	0	0	0	18	0%	0.4
17 Acute malnutrition- Severe	1	4	5	0.7	1	0	1	0	2	2	0	0	0	8	0%	0.2
18 Anaemia	538	427	965	135.8	406	641	1,047	105	1,703	1,808	10	21	31	3,851	2%	94.8
19 Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	4,206	3,858	8,064	1134.4	5,206	6,260	11,466	11,026	16,122	27,148	911	1,466	2,377	49,055	26%	1207.2
<b>Total</b>	<b>22,773</b>	<b>20,068</b>	<b>42,841</b>	<b>6026.7</b>	<b>26,790</b>	<b>29,883</b>	<b>56,673</b>	<b>31,688</b>	<b>49,490</b>	<b>81,178</b>	<b>1,841</b>	<b>3,096</b>	<b>4,937</b>	<b>185,629</b>	<b>100%</b>	<b>4568.3</b>
% by age group			23%				31%			44%			3%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 COVID-19 (suspected)	0	0	0	0.0	0	1	1	1	3	4	0	0	0	5	1%	0.1
2 COVID-19 (confirmed)	2	1	3	0.4	3	3	6	7	21	28	0	2	2	39	6%	1.0
3 Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4 Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5 Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6 Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7 Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8 Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9 Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10 Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11 Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12 Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13 Varicella	55	62	117	16.5	267	226	493	10	11	21	0	0	0	631	93%	15.5
14 Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15 Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
<b>Total</b>	<b>57</b>	<b>63</b>	<b>120</b>	<b>16.9</b>	<b>270</b>	<b>230</b>	<b>500</b>	<b>18</b>	<b>35</b>	<b>53</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>675</b>	<b>100%</b>	<b>16.6</b>
% by age group			18%				74%			8%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Diabetes	1	0	1	41	85	126	938	1,564	2,502	513	792	1,305	3,934	20%
2	Hypertension	0	0	0	1	1	2	1,686	2,506	4,192	901	1,356	2,257	6,451	33%
3	Ischaemic heart disease	0	0	0	3	0	3	227	101	328	150	103	253	584	3%
4	Cardiovascular disease (other)	12	15	27	33	13	46	79	154	233	17	23	40	346	2%
5	Asthma	194	101	295	278	147	425	216	386	602	95	58	153	1,475	8%
6	Chronic obstructive pulmonary disease	0	0	0	1	0	1	130	44	174	90	65	155	330	2%
7	Thyroid disorders	48	20	68	50	79	129	162	1,068	1,230	10	93	103	1,530	8%
8	Cancer	1	0	1	0	1	1	6	9	15	6	2	8	25	0%
9	Liver disease	1	0	1	2	4	6	4	18	22	4	0	4	33	0%
10	Musculoskeletal disorders	17	13	30	63	63	126	381	557	938	38	60	98	1,192	6%
11	Other	200	183	383	285	424	709	989	1,034	2,023	242	245	487	3,602	18%
<b>Total</b>		<b>474</b>	<b>332</b>	<b>806</b>	<b>757</b>	<b>817</b>	<b>1,574</b>	<b>4,818</b>	<b>7,441</b>	<b>12,259</b>	<b>2,066</b>	<b>2,797</b>	<b>4,863</b>	<b>19,502</b>	<b>100%</b>
% by age group				4%			8%			63%			25%	100%	

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	162	122	284	522	448	970	455	341	796	30	46	76	2,126	39%
2	Alcohol/Substance abuse	0	1	1	2	0	2	7	1	8	0	1	1	12	0%
3	Intellectual disability and development disorders	0	2	2	69	51	120	34	33	67	0	4	4	193	4%
4	Psychosis (including bipolar disorder)	0	0	0	22	12	34	307	263	570	37	63	100	704	13%
5	Moderate-severe emotional disorder	2	0	2	113	138	251	565	898	1,463	78	54	132	1,848	34%
6	Medically unexplained somatic complaint	0	0	0	2	1	3	29	16	45	1	6	7	55	1%
7	Dementia or delirium	0	0	0	3	5	8	4	3	7	18	36	54	69	1%
8	Other psychological complaint	20	5	25	158	136	294	69	75	144	12	18	30	493	9%
<b>Total</b>		<b>184</b>	<b>130</b>	<b>314</b>	<b>891</b>	<b>791</b>	<b>1,682</b>	<b>1,470</b>	<b>1,630</b>	<b>3,100</b>	<b>176</b>	<b>228</b>	<b>404</b>	<b>5,500</b>	<b>100%</b>
% by age group				6%			31%			56%			7%	100%	

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Burns	47	56	103	40	38	78	27	56	83	3	0	3	267	6%
2	Bites	6	3	9	9	4	13	17	5	22	2	0	2	46	1%
3	Assault	2	1	3	39	12	51	26	6	32	0	1	1	87	2%
4	Accidents	185	147	332	930	442	1,372	471	218	689	20	22	42	2,435	55%
5	Self-harm	0	0	0	3	4	7	3	0	3	0	1	1	11	0%
6	Suicidal attempt	0	0	0	1	1	2	1	2	3	0	0	0	5	0%
7	Other	133	111	244	459	204	663	387	241	628	33	25	58	1,593	36%
<b>Total</b>		<b>373</b>	<b>318</b>	<b>691</b>	<b>1,481</b>	<b>705</b>	<b>2,186</b>	<b>932</b>	<b>528</b>	<b>1,460</b>	<b>58</b>	<b>49</b>	<b>107</b>	<b>4,444</b>	<b>100%</b>
% by age group				16%			49%			33%			2%	100%	

### 3.7 Reproductive Tract Infections

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
2	Vaginal discharge syndrome	0	0	0	0	100	100	0	3,134	3,134	0	17	17	3,251	50%
3	Genital ulcer disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
4	Pelvic inflammatory disease	0	0	0	0	113	113	0	2,255	2,255	0	18	18	2,386	37%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	9	9	0	847	847	0	6	6	862	13%
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>222</b>	<b>222</b>	<b>1</b>	<b>6,237</b>	<b>6,238</b>	<b>0</b>	<b>41</b>	<b>41</b>	<b>6,501</b>	<b>100%</b>
% by age group				0%			3%			96%			1%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	7	2	9	0	1	1	0	1	1	0	0	0	11
<b>Total admissions</b>	<b>761</b>	<b>448</b>	<b>1,209</b>	<b>181</b>	<b>222</b>	<b>403</b>	<b>76</b>	<b>1,022</b>	<b>1,098</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>2,718</b>
Number of exits	authorized	387	1,107	159	202	361	76	1,004	1,080	5	3	8	2,556
	unauthorized	14	8	22	2	7	9	0	17	0	0	0	48
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	32	55	87	19	12	31	0	1	1	0	0	119
<b>Total exits</b>	<b>766</b>	<b>450</b>	<b>1,216</b>	<b>180</b>	<b>221</b>	<b>401</b>	<b>76</b>	<b>1,022</b>	<b>1,098</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>2,723</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	364
Number of beds	26
Sum number of days stay for authorised discharges	5,179
Average length of stay (days)	2.0
Bed occupancy	58%
Hospitalisation rate (/1000/month)	5.6

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	954	0		280	0		4	0		0	0	1,238	0	
2 General Surgery	255	0		82	0		192	0		8	0	537	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		40	0		864	0		0	0	904	0	
5 Gynaecology	0	0		1	0		38	0		0	0	39	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>1,209</b>	<b>0</b>		<b>403</b>	<b>0</b>		<b>1,098</b>	<b>0</b>		<b>8</b>	<b>0</b>	<b>2,718</b>	<b>0</b>	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	330	395	808	153	1,686
2 Jordan University Hospital	40	30	48	6	124
3 Private affiliated Hospital	413	255	1,614	28	2,310
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total number of referred cases out side the camp	4,120
Referral Rate (/1000/month)	8.4

### 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	683	221	0	0	904
2 Internal medicine	0	265	1,911	138	2,314
3 Obstetric	0	5	315	0	320
4 Gynaecological	0	1	20	0	21
5 Surgical	100	188	224	49	561
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	84,082

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	34	1,180	1,214
2 First antenatal visit (after the first trimester)	12	166	178
3 Repeat antenatal visit	253	10,127	10,380
4 High risk pregnancies detected	166	4,790	4,956
5 Tested for anaemia	35	1,810	1,845
6 Confirmed severe and moderate anaemia	19	670	689
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	1	267	268

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	87%
--	-----

### 7.2 Antenatal care in facility

	< 18	≥ 18	Total
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	36	1,010	1046
2 TT doses	8	300	308
anaemia screening	40	1,029	1069
syphilis screening	0	0	0

Coverage of complete antenatal care	95%
-------------------------------------	-----

Coverage of antenatal tetanus immunisation	28%
--	-----

Coverage of anaemia screening in pregnancy	97%
--	-----

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	41	1,054	0	6	1,101
2 Stillbirths	0	5	0	0	5
3 Low birth weight (< 2500g)	2	55	0	0	57
4 Attended by a skilled health worker	41	1,054	0	0	1,095
5 Obstetric complications	0	1	0	0	1
6 Caesarean sections	4	273	0	0	277

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.3
--	-----

Proportion of births attended by skilled health worker (excl. TBA)	99.5%
--	-------

Proportion of low birth weight deliveries	5%
---	----

Proportion of all births performed by caesarean section	25%
---	-----

Proportion of obstetric complications treated among girls < 18

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	14	529	543

#### Postnatal Indicators

Coverage of complete postnatal care	49%
-------------------------------------	-----

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	0	0	0	0
Combined pill (highdose)	0	0	0	0	0
Progesterone pill (Micro-val; Micro-lut)	28	1,000	5	1,364	2,397
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	1	151	0	139	291
Implantable (Norplant)	1	212	0	1	214
Intra-uterine device (IUD)	0	187	0	13	200
Condom (male)	6	164	1	523	694
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	23	348	44	5,574	5,989
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	4	9	0	0	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered (moved to TSFP)	4	5	0	0	0	0
4 Exits - None response	4	1	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	2	4	0	0	0	0
7 Exits - Medical Referral	0	0	0	0	0	0
8 Exits- Death	1	0	0	0	0	0
9 Exits- Defaulter	0	1	0	0	0	0
10 Sum number of days stay for discharged children (< 5)					1,301	
11 Sum average weight gain for discharged children (< 5)					26	

### 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	33	40	2	4	0	0
2 Re-visits	1	7	5	3	0	0
3 Exits- Recovered	21	60	7	6	0	0
4 Exits - None response	4	2	0	1	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	4	0	0	0	0	0
7 Exits - Moved to other TSFP	7	6	2	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	1	0	0	0	0
10 Exits- Defaulter	1	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					8,234	
12 Sum average weight gain for discharged children (< 5)					57	

### 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	2	16
2 Re-visits	0	15
3 Exits- Recovered	5	24
4 Exits - None response	0	2
5 Exits - Moved to other TSFP	2	8
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	2

### 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	2,496	2,542	1,027	1,031
2 Children screened - Yellow (borderline)	18	48	1	1
3 Children screened - Red (danger)	6	10	0	0
4 Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	8,376	8,208	9,070	9,981
2 Children screened - Yellow (borderline)	6	7	1	0
3 Children screened - Red (danger)	0	2	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Publication date: | 28/03/2024

**Contact Information**  
**Azraq**  
 Muhammad Fawad  
 Tasneem Obaid

Email: fawad@unhc.org  
 Email: obaidt@unhcr.org

**Amman**  
 Adam Musa Khalifa, UNHCR  
 Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
 Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

