

## 1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	738	697	1,435	2,819	2,920	5,739	8,683	8,241	16,924	8,018	8,111	16,129	320	464	785	41,012
% by age group			4%			14%			41%			39%			2%	100%

## 2. MORTALITY

### 2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F						
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	1	0	1	0	0	0	10%	0	0	0	0	1	1	0	0	0	2	8%
5 Neonatal death	3	5	8	0	0	0	80%	0	0	0	0	0	0	0	0	0	8	33%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	8%
18 Cardiovascular disease (Non-IHD)	0	0	0	0	0	0	0%	0	0	0	2	0	2	1	3	4	6	25%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	4%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	4%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49 Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52 Other	0	0	0	1	0	1	10%	0	0	0	0	1	1	1	1	2	4	17%
<b>Total</b>	<b>4</b>	<b>5</b>	<b>9</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>100%</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>3</b>	<b>5</b>	<b>8</b>	<b>24</b>	<b>100%</b>
% by age group			38%			4%				4%			21%			33%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.2	0.2
Infant Mortality Rate (IMR) (/1000/month)	0.9	1.2	1.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			14.8

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	23.3
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	131,670
Health facility utilisation rate	4.9
Consultations per clinician per day	40

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	43,920	55,911	99,831
Re-visit Consultations	12,936	18,903	31,839
TOTAL Consultations	56,856	74,814	131,670

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	5,194	4,568	9,762	1360.6	6,321	6,134	12,455	5,053	6,280	11,333	204	356	560	34,110	36%	831.7
2 ILI	384	327	711	99.1	219	256	475	115	237	352	5	7	12	1,550	2%	37.8
3 LRTI	479	347	826	115.1	256	228	484	175	266	441	15	46	61	1,812	2%	44.2
4 Watery diarrhoea	883	701	1,584	220.8	290	309	599	73	112	185	4	15	19	2,387	3%	58.2
5 Bloody diarrhoea	6	0	6	0.8	0	1	1	1	3	4	0	0	0	11	0%	0.3
6 Skin disease	552	638	1,190	165.9	570	930	1,500	453	827	1,280	42	49	91	4,061	4%	99.0
7 Eye disease	320	297	617	86.0	409	405	814	475	470	945	35	45	80	2,456	3%	59.9
8 Ear disease	279	212	491	68.4	272	336	608	394	847	1,241	27	62	89	2,429	3%	59.2
9 Dental conditions	111	132	243	33.9	1,929	2,356	4,285	2,906	5,580	8,486	105	194	299	13,313	14%	324.6
10 Intestinal worms	97	102	199	27.7	283	304	587	97	97	194	0	3	3	983	1%	24.0
11 Acute Jaundice Syndrome	1	0	1	0.1	1	2	3	0	1	1	0	0	0	5	0%	0.1
12 Urinary Tract Infection	73	257	330	46.0	167	674	841	447	1,491	1,938	39	125	164	3,273	3%	79.8
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14 Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15 Meningitis (suspected)	0	0	0	0.0	5	0	5	1	0	1	1	0	1	7	0%	0.2
16 Acute malnutrition- Moderate	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
17 Acute malnutrition- Severe	1	2	3	0.4	1	0	1	0	1	1	0	0	0	5	0%	0.1
18 Anaemia	290	247	537	74.8	233	334	567	62	902	964	2	10	12	2,080	2%	50.7
19 Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	2,012	1,909	3,921	546.5	2,772	3,518	6,290	5,728	8,545	14,273	485	780	1,265	25,749	27%	627.8
<b>Total</b>	<b>10,682</b>	<b>9,740</b>	<b>20,422</b>	<b>2846.4</b>	<b>13,728</b>	<b>15,787</b>	<b>29,515</b>	<b>15,980</b>	<b>25,659</b>	<b>41,639</b>	<b>964</b>	<b>1,692</b>	<b>2,656</b>	<b>94,232</b>	<b>100%</b>	<b>2297.7</b>
% by age group			22%				31%			44%			3%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2 COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3 Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4 Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5 Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6 Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7 Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8 Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9 Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10 Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11 Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12 Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13 Varicella	53	57	110	15.3	255	221	476	9	11	20	0	0	0	606	100%	14.8
14 Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15 Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
<b>Total</b>	<b>53</b>	<b>57</b>	<b>110</b>	<b>15.3</b>	<b>255</b>	<b>221</b>	<b>476</b>	<b>9</b>	<b>11</b>	<b>20</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>606</b>	<b>100%</b>	<b>14.8</b>
% by age group			18%				79%			3%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Diabetes	0	0	0	16	33	49	418	683	1,101	208	346	554	1,704	19%
2	Hypertension	0	0	0	1	0	1	749	1,166	1,915	395	592	987	2,903	33%
3	Ischaemic heart disease	0	0	0	0	0	0	105	41	146	64	37	101	247	3%
4	Cardiovascular disease (other)	4	6	10	22	9	31	41	87	128	10	9	19	188	2%
5	Asthma	74	47	121	125	75	200	93	176	269	43	24	67	657	7%
6	Chronic obstructive pulmonary disease	0	0	0	0	0	0	69	28	97	39	33	72	169	2%
7	Thyroid disorders	24	9	33	24	39	63	70	559	629	3	42	45	770	9%
8	Cancer	1	0	1	0	1	1	5	7	12	3	0	3	17	0%
9	Liver disease	1	0	1	2	2	4	3	12	15	4	0	4	24	0%
10	Musculoskeletal disorders	8	4	12	27	33	60	211	298	509	16	24	40	621	7%
11	Other	50	43	93	123	181	304	445	477	922	100	110	210	1,529	17%
<b>Total</b>		<b>162</b>	<b>109</b>	<b>271</b>	<b>340</b>	<b>373</b>	<b>713</b>	<b>2,209</b>	<b>3,534</b>	<b>5,743</b>	<b>885</b>	<b>1,217</b>	<b>2,102</b>	<b>8,829</b>	<b>100%</b>
% by age group				3%			8%			65%			24%	100%	

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	80	69	149	258	223	481	237	168	405	16	22	38	1,073	38%
2	Alcohol/Substance abuse	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
3	Intellectual disability and development disorders	0	1	1	26	19	45	13	13	26	0	2	2	74	3%
4	Psychosis (including bipolar disorder)	0	0	0	6	10	16	166	152	318	16	30	46	380	13%
5	Moderate-severe emotional disorder	0	0	0	56	101	157	272	454	726	45	32	77	960	34%
6	Medically unexplained somatic complaint	0	0	0	0	1	1	7	7	14	0	0	0	15	1%
7	Dementia or delirium	0	0	0	2	1	3	0	0	0	13	30	43	46	2%
8	Other psychological complaint	16	0	16	85	81	166	42	40	82	4	8	12	276	10%
<b>Total</b>		<b>96</b>	<b>70</b>	<b>166</b>	<b>433</b>	<b>436</b>	<b>869</b>	<b>738</b>	<b>834</b>	<b>1,572</b>	<b>94</b>	<b>124</b>	<b>218</b>	<b>2,825</b>	<b>100%</b>
% by age group				6%			31%			56%			8%	100%	

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Burns	17	22	39	15	20	35	14	23	37	3	0	3	114	5%
2	Bites	3	3	6	6	3	9	16	4	20	2	0	2	37	2%
3	Assault	0	0	0	21	2	23	5	2	7	0	1	1	31	1%
4	Accidents	107	87	194	508	258	766	245	112	357	10	10	20	1,337	63%
5	Self-harm	0	0	0	1	0	1	1	0	1	0	0	0	2	0%
6	Suicidal attempt	0	0	0	0	1	1	0	1	1	0	0	0	2	0%
7	Other	46	41	87	160	67	227	150	98	248	22	12	34	596	28%
<b>Total</b>		<b>173</b>	<b>153</b>	<b>326</b>	<b>711</b>	<b>351</b>	<b>1,062</b>	<b>431</b>	<b>240</b>	<b>671</b>	<b>37</b>	<b>23</b>	<b>60</b>	<b>2,119</b>	<b>100%</b>
% by age group				15%			50%			32%			3%	100%	

### 3.7 Reproductive Tract Infections

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
2	Vaginal discharge syndrome	0	0	0	0	49	49	0	1,752	1,752	0	11	11	1,812	52%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Pelvic inflammatory disease	0	0	0	0	52	52	0	1,147	1,147	0	11	11	1,210	35%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	5	5	0	439	439	0	1	1	445	13%
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>106</b>	<b>106</b>	<b>1</b>	<b>3,338</b>	<b>3,339</b>	<b>0</b>	<b>23</b>	<b>23</b>	<b>3,468</b>	<b>100%</b>
% by age group				0%			3%			96%			1%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	37	36	73	7	25	32	0	32	32	0	0	0	137	
<b>Total admissions</b>	<b>358</b>	<b>193</b>	<b>551</b>	<b>97</b>	<b>130</b>	<b>227</b>	<b>34</b>	<b>511</b>	<b>545</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>1,326</b>	
Number of exits	authorized	342	171	513	86	120	206	34	502	536	1	2	3	1,258
	unauthorized	8	3	11	2	4	6	0	8	8	0	0	0	25
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	9	20	29	10	6	16	0	1	1	0	0	0	46
<b>Total exits</b>	<b>359</b>	<b>194</b>	<b>553</b>	<b>98</b>	<b>130</b>	<b>228</b>	<b>34</b>	<b>511</b>	<b>545</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>1,329</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	182
Number of beds	26
Sum number of days stay for authorised discharges	2,445
Average length of stay (days)	1.9
Bed occupancy	54%
Hospitalisation rate (/1000/month)	5.4

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	419	0		168	0		4	0		0	0	591	0	
2 General Surgery	132	0		40	0		86	0		3	0	261	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		18	0		437	0		0	0	455	0	
5 Gynaecology	0	0		1	0		18	0		0	0	19	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>551</b>	<b>0</b>		<b>227</b>	<b>0</b>		<b>545</b>	<b>0</b>		<b>3</b>	<b>0</b>	<b>1,326</b>	<b>0</b>	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	181	205	444	77	907
2 Jordan University Hospital	22	24	32	3	81
3 Private affiliated Hospital	179	128	849	10	1,166
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total number of referred cases out side the camp	2,154
Referral Rate (/1000/month)	8.8

### 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	330	107	0	0	437
2 Internal medicine	0	153	1,035	60	1,248
3 Obstetric	0	2	143	0	145
4 Gynaecological	0	0	11	0	11
5 Surgical	52	95	136	30	313
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	39,089

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	17	560	577
2 First antenatal visit (after the first trimester)	4	52	56
3 Repeat antenatal visit	107	5,242	5,349
4 High risk pregnancies detected	83	2,617	2,700
5 Tested for anaemia	7	633	640
6 Confirmed severe and moderate anaemia	8	360	368
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	0	109	109

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	91%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits		2 TT doses		anaemia screening		syphilis screening	
	< 18	≥ 18	< 18	≥ 18	< 18	≥ 18	< 18	≥ 18
	16	494	3	158	18	504	0	0
							0	0

Coverage of complete antenatal care	94%
-------------------------------------	-----

Coverage of antenatal tetanus immunisation	30%
--	-----

Coverage of anaemia screening in pregnancy	97%
--	-----

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	18	519	0	3	540
2 Stillbirths	0	2	0	0	2
3 Low birth weight (< 2500g)	0	25	0	0	25
4 Attended by a skilled health worker	18	519	0	0	537
5 Obstetric complications	0	0	0	0	0
6 Caesarean sections	0	128	0	0	128

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.2
--	-----

Proportion of births attended by skilled health worker (excl. TBA)	99.4%
--	-------

Proportion of low birth weight deliveries	5%
---	----

Proportion of all births performed by caesarean section	24%
---	-----

Proportion of obstetric complications treated among girls < 18

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	10	307	317

#### Postnatal Indicators

Coverage of complete postnatal care	59%
-------------------------------------	-----

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	0	0	0	0
Combined pill (highdose)	0	0	0	0	0
Progesterone pill (Micro-val; Micro-lut)	11	448	1	636	1,096
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	0	64	0	58	122
Implantable (Norplant)	1	118	0	0	119
Intra-uterine device (IUD)	0	91	0	8	99
Condom (male)	4	78	1	254	337
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	10	159	21	2,375	2,565
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	2	1	0	0	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered (moved to TSFP)	2	3	0	0	0	0
4 Exits - None response	2	1	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	2	1	0	0	0	0
7 Exits - Medical Referral	0	0	0	0	0	0
8 Exits- Death	0	0	0	0	0	0
9 Exits- Defaulter	0	0	0	0	0	0
10 Sum number of days stay for discharged children (< 5)					872	
11 Sum average weight gain for discharged children (< 5)					8	

### 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	18	16	2	3	0	0
2 Re-visits	1	5	3	3	0	0
3 Exits- Recovered	16	34	3	4	0	0
4 Exits - None response	1	2	0	1	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	3	0	0	0	0	0
7 Exits - Moved to other TSFP	5	3	1	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	1	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					6,133	
12 Sum average weight gain for discharged children (< 5)					37	

### 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	2	7
2 Re-visits	0	11
3 Exits- Recovered	2	8
4 Exits - None response	0	1
5 Exits - Moved to other TSFP	0	3
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	2

### 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	1,364	1,382	540	525
2 Children screened - Yellow (borderline)	9	18	0	1
3 Children screened - Red (danger)	3	4	0	0
4 Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	4,017	3,897	4,125	4,696
2 Children screened - Yellow (borderline)	2	2	1	0
3 Children screened - Red (danger)	0	0	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Publication date: | 13/03/2024

**Contact Information**  
**Azraq**  
 Muhammad Fawad  
 Tasneem Obaid

Email: fawad@unhc.org  
 Email: obaidt@unhcr.org

**Amman**  
 Adam Musa Khalifa, UNHCR  
 Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
 Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

