

## 1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	746	704	1,450	2,847	2,949	5,797	8,770	8,323	17,093	8,098	8,192	16,290	323	469	792	41,421
% by age group			4%			14%			41%			39%			2%	100%

## 2. MORTALITY

### 2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F						
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5 Neonatal death	3	3	6	0	0	0	75%	0	0	0	0	0	0	0	0	0	6	18%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	1	1	0	1	1	1	0	1	3	9%
18 Cardiovascular disease (Non-IHD)	0	0	0	0	0	0	0%	0	0	0	1	0	1	7	2	9	10	29%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	3%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	2	1	3	3	9%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49 Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	3%
52 Other	1	1	2	0	0	0	25%	2	1	3	2	1	3	2	0	2	10	29%
<b>Total</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>2</b>	<b>7</b>	<b>12</b>	<b>3</b>	<b>15</b>	<b>34</b>	<b>100%</b>
% by age group			24%			0%				12%			21%			44%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.2	0.2
Infant Mortality Rate (IMR) (/1000/month)	0.9	0.9	0.9
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			12.8

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	23.7
Average number of full days on which each health facility was functioning	5.3
Total number of outpatient consultations	128,249
Health facility utilisation rate	4.5
Consultations per clinician per day	40

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	42,123	51,095	93,218
Re-visit Consultations	15,043	19,988	35,031
TOTAL Consultations	57,166	71,083	128,249

### 3.2 Acute health conditions

Record NEW cases of disease only		0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	URTI	5,931	5,126	11,057	1525.9	5,932	5,641	11,573	4,596	5,936	10,532	298	464	762	33,924	38%	819.0
2	ILI	91	96	187	25.8	65	73	138	33	35	68	3	5	8	401	0%	9.7
3	LRTI	703	546	1,249	172.4	240	232	472	147	215	362	20	46	66	2,149	2%	51.9
4	Watery diarrhoea	491	432	923	127.4	217	235	452	86	88	174	5	9	14	1,563	2%	37.7
5	Bloody diarrhoea	2	0	2	0.3	0	1	1	0	2	2	0	0	0	5	0%	0.1
6	Skin disease	505	512	1,017	140.3	496	639	1,135	481	666	1,147	45	37	82	3,381	4%	81.6
7	Eye disease	350	343	693	95.6	320	254	574	426	323	749	31	38	69	2,085	2%	50.3
8	Ear disease	413	370	783	108.1	413	510	923	378	711	1,089	61	51	112	2,907	3%	70.2
9	Dental conditions	69	61	130	17.9	1,779	2,097	3,876	2,611	4,427	7,038	59	151	210	11,254	13%	271.7
10	Intestinal worms	94	98	192	26.5	384	384	768	117	129	246	2	6	8	1,214	1%	29.3
11	Acute Jaundice Syndrome	2	2	4	0.6	0	0	0	0	1	1	1	0	1	6	0%	0.1
12	Urinary Tract Infection	134	313	447	61.7	281	687	968	540	1,348	1,888	61	78	139	3,442	4%	83.1
13	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Meningitis (suspected)	1	1	2	0.3	1	0	1	1	0	1	0	0	0	4	0%	0.1
16	Acute malnutrition- Moderate	6	6	12	1.7	7	6	13	0	2	2	1	0	1	28	0%	0.7
17	Acute malnutrition- Severe	0	0	0	0.0	4	14	18	2	3	5	0	0	0	23	0%	0.6
18	Anaemia	135	132	267	36.8	214	332	546	62	540	602	3	6	9	1,424	2%	34.4
19	Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Other	1,923	1,784	3,707	511.6	3,204	3,471	6,675	5,635	8,183	13,818	545	834	1,379	25,579	29%	617.5
<b>Total</b>		<b>10,850</b>	<b>9,822</b>	<b>20,672</b>	<b>2852.8</b>	<b>13,557</b>	<b>14,576</b>	<b>28,133</b>	<b>15,115</b>	<b>22,609</b>	<b>37,724</b>	<b>1,135</b>	<b>1,725</b>	<b>2,860</b>	<b>89,389</b>	<b>100%</b>	<b>2158.1</b>
% by age group				23%				31%			42%			3%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only		0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Varicella	21	11	32	4.4	64	69	133	3	2	5	0	0	0	170	99%	4.1
14	Whooping cough	0	1	1	0.1	0	0	0	1	0	1	0	0	0	2	1%	0.0
15	Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
<b>Total</b>		<b>21</b>	<b>12</b>	<b>33</b>	<b>4.6</b>	<b>64</b>	<b>69</b>	<b>133</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>172</b>	<b>100%</b>	<b>4.2</b>
% by age group				19%				77%			3%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Diabetes	5	2	7	9	22	31	411	773	1,184	253	420	673	1,895	21%
2	Hypertension	2	0	2	0	0	0	831	1,204	2,035	449	636	1,085	3,122	35%
3	Ischaemic heart disease	0	0	0	0	0	0	163	42	205	84	42	126	331	4%
4	Cardiovascular disease (other)	3	6	9	14	8	22	40	76	116	11	20	31	178	2%
5	Asthma	56	28	84	119	116	235	115	179	294	14	39	53	666	8%
6	Chronic obstructive pulmonary disease	0	0	0	0	1	1	55	19	74	21	28	49	124	1%
7	Thyroid disorders	22	14	36	32	40	72	67	709	776	8	48	56	940	11%
8	Cancer	0	0	0	0	0	0	3	5	8	1	0	1	9	0%
9	Liver disease	0	2	2	3	4	7	3	6	9	2	1	3	21	0%
10	Musculoskeletal disorders	3	5	8	16	10	26	26	50	76	4	12	16	126	1%
11	Other	78	54	132	147	183	330	389	459	848	72	66	138	1,448	16%
<b>Total</b>		<b>169</b>	<b>111</b>	<b>280</b>	<b>340</b>	<b>384</b>	<b>724</b>	<b>2,103</b>	<b>3,522</b>	<b>5,625</b>	<b>919</b>	<b>1,312</b>	<b>2,231</b>	<b>8,860</b>	<b>100%</b>
% by age group				3%			8%			63%			25%	100%	

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	55	86	141	252	216	468	236	172	408	11	21	32	1,049	33%
2	Alcohol/Substance abuse	0	0	0	1	0	1	6	0	6	0	0	0	7	0%
3	Intellectual disability and development disorders	8	3	11	51	16	67	23	22	45	0	1	1	124	4%
4	Psychosis (including bipolar disorder)	0	1	1	7	1	8	216	150	366	23	51	74	449	14%
5	Moderate-severe emotional disorder	0	1	1	118	117	235	264	575	839	56	19	75	1,150	37%
6	Medically unexplained somatic complaint	0	0	0	0	0	0	17	20	37	0	2	2	39	1%
7	Dementia or delirium	0	0	0	0	0	0	1	0	1	16	51	67	68	2%
8	Other psychological complaint	12	1	13	107	61	168	46	29	75	1	1	2	258	8%
<b>Total</b>		<b>75</b>	<b>92</b>	<b>167</b>	<b>536</b>	<b>411</b>	<b>947</b>	<b>809</b>	<b>968</b>	<b>1,777</b>	<b>107</b>	<b>146</b>	<b>253</b>	<b>3,144</b>	<b>100%</b>
% by age group				5%			30%			57%			8%	100%	

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Burns	15	21	36	36	29	65	7	22	29	2	2	4	134	10%
2	Bites	3	1	4	5	4	9	2	0	2	0	0	0	15	1%
3	Assault	1	0	1	8	5	13	5	6	11	0	1	1	26	2%
4	Accidents	79	53	132	345	134	479	184	118	302	3	11	14	927	69%
5	Self-harm	1	0	1	0	0	0	1	0	1	0	0	0	2	0%
6	Suicidal attempt	0	0	0	2	0	2	1	1	2	0	0	0	4	0%
7	Other	20	15	35	80	43	123	44	20	64	2	5	7	229	17%
<b>Total</b>		<b>119</b>	<b>90</b>	<b>209</b>	<b>476</b>	<b>215</b>	<b>691</b>	<b>244</b>	<b>167</b>	<b>411</b>	<b>7</b>	<b>19</b>	<b>26</b>	<b>1,337</b>	<b>100%</b>
% by age group				16%			52%			31%			2%	100%	

### 3.7 Reproductive Tract Infections

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	0	0	0	64	64	0	1,842	1,842	0	14	14	1,920	55%
3	Genital ulcer disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
4	Pelvic inflammatory disease	0	0	0	0	34	34	0	1,072	1,072	0	6	6	1,112	32%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	14	14	0	462	462	0	0	0	476	14%
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>112</b>	<b>112</b>	<b>0</b>	<b>3,377</b>	<b>3,377</b>	<b>0</b>	<b>20</b>	<b>20</b>	<b>3,509</b>	<b>100%</b>
% by age group				0%			3%			96%			1%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	2	2	4	0	0	0	0	1	1	0	0	0	5
<b>Total admissions</b>	<b>331</b>	<b>244</b>	<b>575</b>	<b>66</b>	<b>83</b>	<b>149</b>	<b>25</b>	<b>424</b>	<b>449</b>	<b>3</b>	<b>3</b>	<b>6</b>	<b>1,179</b>
Number of exits	authorized	284	497	56	73	129	23	397	420	3	3	6	1,052
	unauthorized	15	9	24	4	3	7	0	22	0	0	0	53
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	32	24	56	5	7	12	0	0	0	0	0	68
<b>Total exits</b>	<b>331</b>	<b>246</b>	<b>577</b>	<b>65</b>	<b>83</b>	<b>148</b>	<b>23</b>	<b>419</b>	<b>442</b>	<b>3</b>	<b>3</b>	<b>6</b>	<b>1,173</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	182
Number of beds	26
Sum number of days stay for authorised discharges	2,477
Average length of stay (days)	2.4
Bed occupancy	59%
Hospitalisation rate (/1000/month)	4.7

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	519	0		125	0		0	0		0	0	644	0	
2 General Surgery	61	0		19	0		65	0		6	0	151	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		5	0		364	0		0	0	369	0	
5 Gynaecology	0	0		0	0		20	0		0	0	20	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>580</b>	<b>0</b>		<b>149</b>	<b>0</b>		<b>449</b>	<b>0</b>		<b>6</b>	<b>0</b>	<b>1,184</b>	<b>0</b>	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	174	158	330	55	717
2 Jordan University Hospital	3	6	4	0	13
3 Private affiliated Hospital	172	131	1,001	16	1,320
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total number of referred cases out side the camp	2,050
Referral Rate (/1000/month)	8.2

### 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	208	18	0	0	226
2 Internal medicine	101	213	1,139	68	1,521
3 Obstetric	0	1	150	0	151
4 Gynaecological	0	1	3	0	4
5 Surgical	40	62	43	3	148
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	41,532

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	18	390	408
2 First antenatal visit (after the first trimester)	4	48	52
3 Repeat antenatal visit	114	4,174	4,288
4 High risk pregnancies detected	0	30	30
5 Tested for anaemia	44	1,669	1,713
6 Confirmed severe and moderate anaemia	4	198	202
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	2	121	123

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	89%
--	-----

### 7.2 Antenatal care in facility

		Health Facility		Home Delivery		TOTAL
		< 18	≥ 18	< 18	≥ 18	
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	5	434	439		
	2 TT doses	1	158	159		
	anaemia screening	5	442	447		
	syphilis screening	0	0	0		

Coverage of complete antenatal care	94%
Coverage of antenatal tetanus immunisation	34%
Coverage of anaemia screening in pregnancy	95%

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	6	461	0	2	469
2 Stillbirths	0	2	0	0	2
3 Low birth weight (< 2500g)	0	27	0	0	27
4 Attended by a skilled health worker	6	461	0	1	468
5 Obstetric complications	0	0	0	0	0
6 Caesarean sections	1	138	0	0	139

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	1.9
Proportion of births attended by skilled health worker (excl. TBA)	99.8%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	30%
Proportion of obstetric complications treated among girls < 18	

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	1	296	297

#### Postnatal Indicators

Coverage of complete postnatal care	63%
-------------------------------------	-----

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	25	0	11	36
Combined pill (highdose)	3	28	0	53	84
Progesterone pill (Micro-val; Micro-lut)	6	488	0	626	1,120
Emergency contraceptive pill	0	2	0	0	2
Injectable (Depo-Provera)	0	47	2	59	108
Implantable (Norplant)	0	174	0	0	174
Intra-uterine device (IUD)	1	77	0	3	81
Condom (male)	4	72	0	267	343
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	1	70	12	1,602	1,685
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	1	3	1	0	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered (moved to TSFP)	2	4	0	0	0	0
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	0	0	0	0
7 Exits - Medical Referral	0	0	0	0	0	0
8 Exits- Death	0	0	0	0	0	0
9 Exits- Defaulter	0	0	0	0	0	0
10 Sum number of days stay for discharged children (< 5)					463	
11 Sum average weight gain for discharged children (< 5)					21	

### 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	8	14	1	1	0	0
2 Re-visits	4	0	1	1	0	0
3 Exits- Recovered	10	10	4	4	0	0
4 Exits - None response	1	1	1	1	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	1	1	0	0	0	0
7 Exits - Moved to other TSFP	0	0	0	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					3,793	
12 Sum average weight gain for discharged children (< 5)					27	

### 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	0	7
2 Re-visits	0	6
3 Exits- Recovered	0	16
4 Exits - None response	0	1
5 Exits - Moved to other TSFP	0	0
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	1

### 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	1,017	1,068	305	282
2 Children screened - Yellow (borderline)	4	13	0	0
3 Children screened - Red (danger)	2	2	0	0
4 Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	2,915	2,735	3,237	3,459
2 Children screened - Yellow (borderline)	2	0	0	0
3 Children screened - Red (danger)	0	1	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Publication date: | 18/07/2024

Contact Information | **Azraq**  
Muhammad Fawad  
Tasneem Obaid

Email: fawad@unhc.org  
Email: obaidt@unhcr.org

**Amman**  
Adam Musa Khalifa, UNHCR  
Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

