

## 1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	746	705	1,451	2,850	2,953	5,803	8,779	8,332	17,111	8,107	8,201	16,308	324	469	793	41,467
% by age group			4%			14%			41%			39%			2%	100%

## 2. MORTALITY

### 2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F						
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5 Neonatal death	3	1	4	0	0	0	80%	0	0	0	0	0	0	0	0	0	4	20%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	0	0	0	1	1	1	0	1	2	10%
18 Cardiovascular disease (Non-IHD)	0	0	0	0	0	0	0%	0	0	0	0	0	1	2	3	3	15%	
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	1	5%	
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	1	1	2	2	10%	
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49 Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52 Other	1	0	1	0	0	0	20%	1	1	2	2	1	3	2	0	2	8	40%
<b>Total</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>20</b>	<b>100%</b>
% by age group			25%			0%			10%			25%			40%	100%		

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.4	0.1	0.2
Infant Mortality Rate (IMR) (/1000/month)	1.8	0.5	1.1
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			18.3

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	22.8
Average number of full days on which each health facility was functioning	5.0
Total number of outpatient consultations	58,391
Health facility utilisation rate	4.1
Consultations per clinician per day	39

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	18,864	23,353	42,217
Re-visit Consultations	6,867	9,307	16,174
TOTAL Consultations	25,731	32,660	58,391

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	2,388	1,995	4,383	604.2	2,427	2,290	4,717	1,829	2,481	4,310	106	196	302	13,712	33%	330.7
2 ILI	21	26	47	6.5	22	21	43	15	15	30	1	0	1	121	0%	2.9
3 LRTI	200	135	335	46.2	94	82	176	70	93	163	8	19	27	701	2%	16.9
4 Watery diarrhoea	384	335	719	99.1	144	168	312	54	57	111	4	8	12	1,154	3%	27.8
5 Bloody diarrhoea	2	0	2	0.3	0	0	0	0	2	2	0	0	0	4	0%	0.1
6 Skin disease	255	264	519	71.5	254	290	544	229	341	570	12	19	31	1,664	4%	40.1
7 Eye disease	145	135	280	38.6	179	144	323	229	182	411	10	17	27	1,041	3%	25.1
8 Ear disease	179	139	318	43.8	153	183	336	166	316	482	27	21	48	1,184	3%	28.6
9 Dental conditions	51	43	94	13.0	842	989	1,831	1,140	2,006	3,146	36	84	120	5,191	13%	125.2
10 Intestinal worms	25	45	70	9.6	158	158	316	39	38	77	1	5	6	469	1%	11.3
11 Acute Jaundice Syndrome	2	2	4	0.6	0	0	0	0	1	1	0	0	0	5	0%	0.1
12 Urinary Tract Infection	54	146	200	27.6	102	271	373	264	629	893	17	32	49	1,515	4%	36.5
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14 Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15 Meningitis (suspected)	1	1	2	0.3	1	0	1	1	0	1	0	0	0	4	0%	0.1
16 Acute malnutrition- Moderate	2	0	2	0.3	2	0	2	0	0	0	0	0	0	4	0%	0.1
17 Acute malnutrition- Severe	0	0	0	0.0	1	3	4	2	3	5	0	0	0	9	0%	0.2
18 Anaemia	86	91	177	24.4	122	171	293	17	268	285	0	4	4	759	2%	18.3
19 Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	1,049	1,064	2,113	291.3	1,537	1,686	3,223	2,969	4,383	7,352	271	467	738	13,426	33%	323.8
<b>Total</b>	<b>4,844</b>	<b>4,421</b>	<b>9,265</b>	<b>1277.2</b>	<b>6,038</b>	<b>6,456</b>	<b>12,494</b>	<b>7,024</b>	<b>10,815</b>	<b>17,839</b>	<b>493</b>	<b>872</b>	<b>1,365</b>	<b>40,963</b>	<b>100%</b>	<b>987.8</b>
% by age group			23%				31%			44%			3%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2 COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3 Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4 Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5 Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6 Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7 Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8 Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9 Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10 Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11 Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12 Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13 Varicella	2	0	2	0.3	15	16	31	0	0	0	0	0	0	33	97%	0.8
14 Whooping cough	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	3%	0.0
15 Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
<b>Total</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>0.4</b>	<b>15</b>	<b>16</b>	<b>31</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>34</b>	<b>100%</b>	<b>0.8</b>
% by age group			9%				91%			0%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Diabetes	3	1	4	4	12	16	201	389	590	118	211	329	939	22%
2	Hypertension	0	0	0	0	0	0	391	574	965	215	312	527	1,492	35%
3	Ischaemic heart disease	0	0	0	0	0	0	89	24	113	44	29	73	186	4%
4	Cardiovascular disease (other)	2	0	2	5	3	8	22	40	62	7	8	15	87	2%
5	Asthma	27	17	44	55	59	114	53	86	139	7	20	27	324	8%
6	Chronic obstructive pulmonary disease	0	0	0	0	0	0	27	8	35	11	16	27	62	1%
7	Thyroid disorders	10	8	18	19	18	37	35	323	358	4	25	29	442	10%
8	Cancer	0	0	0	0	0	0	1	3	4	0	0	0	4	0%
9	Liver disease	0	2	2	0	3	3	1	1	2	1	1	2	9	0%
10	Musculoskeletal disorders	1	1	2	6	2	8	7	23	30	0	6	6	46	1%
11	Other	35	21	56	58	81	139	190	246	436	34	30	64	695	16%
<b>Total</b>		<b>78</b>	<b>50</b>	<b>128</b>	<b>147</b>	<b>178</b>	<b>325</b>	<b>1,017</b>	<b>1,717</b>	<b>2,734</b>	<b>441</b>	<b>658</b>	<b>1,099</b>	<b>4,286</b>	<b>100%</b>
% by age group				3%			8%			64%			26%	100%	

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	28	42	70	121	84	205	110	74	184	3	10	13	472	34%
2	Alcohol/Substance abuse	0	0	0	0	0	0	4	0	4	0	0	0	4	0%
3	Intellectual disability and development disorders	7	3	10	28	9	37	14	15	29	0	0	0	76	5%
4	Psychosis (including bipolar disorder)	0	1	1	2	0	2	102	64	166	11	22	33	202	14%
5	Moderate-severe emotional disorder	0	0	0	50	39	89	119	269	388	22	4	26	503	36%
6	Medically unexplained somatic complaint	0	0	0	0	0	0	10	12	22	0	0	0	22	2%
7	Dementia or delirium	0	0	0	0	0	0	0	0	0	6	20	26	26	2%
8	Other psychological complaint	4	0	4	48	20	68	14	14	28	0	1	1	101	7%
<b>Total</b>		<b>39</b>	<b>46</b>	<b>85</b>	<b>249</b>	<b>152</b>	<b>401</b>	<b>373</b>	<b>448</b>	<b>821</b>	<b>42</b>	<b>57</b>	<b>99</b>	<b>1,406</b>	<b>100%</b>
% by age group				6%			29%			58%			7%	100%	

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Burns	4	5	9	19	10	29	2	9	11	2	2	4	53	7%
2	Bites	3	0	3	3	2	5	2	0	2	0	0	0	10	1%
3	Assault	1	0	1	4	1	5	4	3	7	0	1	1	14	2%
4	Accidents	49	31	80	207	83	290	107	76	183	1	9	10	563	76%
5	Self-harm	1	0	1	0	0	0	0	0	0	0	0	0	1	0%
6	Suicidal attempt	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
7	Other	10	7	17	31	15	46	20	12	32	1	4	5	100	13%
<b>Total</b>		<b>68</b>	<b>43</b>	<b>111</b>	<b>265</b>	<b>111</b>	<b>376</b>	<b>135</b>	<b>100</b>	<b>235</b>	<b>4</b>	<b>16</b>	<b>20</b>	<b>742</b>	<b>100%</b>
% by age group				15%			51%			32%			3%	100%	

### 3.7 Reproductive Tract Infections

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	0	0	0	17	17	0	767	767	0	5	5	789	53%
3	Genital ulcer disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
4	Pelvic inflammatory disease	0	0	0	0	12	12	0	419	419	0	1	1	432	29%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	4	4	0	252	252	0	0	0	256	17%
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>33</b>	<b>33</b>	<b>0</b>	<b>1,439</b>	<b>1,439</b>	<b>0</b>	<b>6</b>	<b>6</b>	<b>1,478</b>	<b>100%</b>
% by age group				0%			2%		97%				0%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	1	3	4	2	2	4	0	3	3	0	0	0	11	
<b>Total admissions</b>	<b>138</b>	<b>110</b>	<b>248</b>	<b>34</b>	<b>36</b>	<b>70</b>	<b>8</b>	<b>204</b>	<b>212</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>534</b>	
Number of exits	authorized	124	102	226	33	34	67	8	185	193	1	3	4	490
	unauthorized	6	6	12	2	2	4	0	16	16	0	0	0	32
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	8	7	15	1	2	3	0	0	0	0	0	0	18
<b>Total exits</b>	<b>138</b>	<b>115</b>	<b>253</b>	<b>36</b>	<b>38</b>	<b>74</b>	<b>8</b>	<b>201</b>	<b>209</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>540</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	1,101
Average length of stay (days)	2.2
Bed occupancy	51%
Hospitalisation rate (/1000/month)	4.3

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	224	0		60	0		0	0		0	0	284	0	
2 General Surgery	29	0		8	0		27	0		4	0	68	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		2	0		180	0		0	0	182	0	
5 Gynaecology	0	0		0	0		5	0		0	0	5	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>253</b>	<b>0</b>		<b>70</b>	<b>0</b>		<b>212</b>	<b>0</b>		<b>4</b>	<b>0</b>	<b>539</b>	<b>0</b>	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	105	74	188	35	402
2 Jordan University Hospital	2	0	2	0	4
3 Private affiliated Hospital	28	50	484	6	568
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total number of referred cases out side the camp	974
Referral Rate (/1000/month)	7.8

### 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	77	5	0	0	82
2 Internal medicine	45	84	588	41	758
3 Obstetric	0	1	67	0	68
4 Gynaecological	0	0	1	0	1
5 Surgical	13	34	18	0	65
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	22,204

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	9	193	202
2 First antenatal visit (after the first trimester)	3	37	40
3 Repeat antenatal visit	59	1,969	2,028
4 High risk pregnancies detected	0	12	12
5 Tested for anaemia	21	776	797
6 Confirmed severe and moderate anaemia	2	88	90
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	1	59	60

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	83%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:		< 18	≥ 18	Total
≥ 4 ANC visits		2	201	203
2 TT doses		0	69	69
anaemia screening		2	203	205

Coverage of complete antenatal care	93%
Coverage of antenatal tetanus immunisation	32%
Coverage of anaemia screening in pregnancy	94%

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	3	215	0	1	219
2 Stillbirths	0	1	0	0	1
3 Low birth weight (< 2500g)	0	13	0	0	13
4 Attended by a skilled health worker	3	215	0	1	219
5 Obstetric complications	0	0	0	0	0
6 Caesarean sections	1	63	0	0	64

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	1.8
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	29%
Proportion of obstetric complications treated among girls < 18	

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	0	106	106

#### Postnatal Indicators

Coverage of complete postnatal care	48%
-------------------------------------	-----

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	11	0	3	14
Combined pill (highdose)	2	20	0	15	37
Progesterone pill (Micro-val; Micro-lut)	0	216	0	280	496
Emergency contraceptive pill	0	2	0	0	2
Injectable (Depo-Provera)	0	24	2	21	47
Implantable (Norplant)	0	83	0	0	83
Intra-uterine device (IUD)	0	37	0	0	37
Condom (male)	1	34	0	133	168
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	0	28	3	732	763
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	1	1	1	0	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered (moved to TSFP)	0	2	0	0	0	0
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	0	0	0	0
7 Exits - Medical Referral	0	0	0	0	0	0
8 Exits- Death	0	0	0	0	0	0
9 Exits- Defaulter	0	1	0	0	0	0
10 Sum number of days stay for discharged children (< 5)					127	
11 Sum average weight gain for discharged children (< 5)					9	

### 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	5	8	0	0	0	0
2 Re-visits	2	0	1	1	0	0
3 Exits- Recovered	3	3	1	1	0	0
4 Exits - None response	0	1	1	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	1	1	0	0	0	0
7 Exits - Moved to other TSFP	0	0	0	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					1,124	
12 Sum average weight gain for discharged children (< 5)					10	

### 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	0	2
2 Re-visits	0	1
3 Exits- Recovered	0	7
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	0
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	1

### 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	437	476	115	114
2 Children screened - Yellow (borderline)	2	8	0	0
3 Children screened - Red (danger)	2	1	0	0
4 Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	872	817	992	1,050
2 Children screened - Yellow (borderline)	0	0	0	0
3 Children screened - Red (danger)	0	0	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

**Contact Information**  
**Azraq**  
 Muhammad Fawad  
 Tasneem Obaid

Email: fawad@unhc.org  
 Email: obaidt@unhcr.org

**Amman**  
 Adam Musa Khalifa, UNHCR  
 Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
 Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

