1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,496	1,425	2,922	4,491	4,347	8,838	14,231	13,389	27,620	14,171	15,832	30,003	765	1,110	1,874	71,257
% by age group			4%			12%			39%			42%			3%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death- Pre term birth complications	2	0	2			0				0			0			0	2	4%
2	Maternal Death - Indirect causes			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5	Bronchitis	0	0	0	0	1	1		0	0	0	0	0	0	0	0	0	1	2%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	2	2	0	0	0	18%	0	0	0	0	0	0	0	0	0	2	4%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	3	0	3	2	1	3	6	13%
21	Cardiovascular disease (other)	0	1	1	0	0	0	9%	0	1	1	4	1	5	1	2	3	10	22%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	2	0	2	2	1	3	5	11%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	2%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	1	1	0	0	0	1	2	3	4	9%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
57	Accidents	0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	2%
58	Unknown	0	0	0	1	0	1		0	0	0	1	0	1	1	1	2	4	9%
59	Other	2	1	3	1	0	1	36%	1	1	2	1	0	1	2	1	3	10	22%
	Total	4	4	8	2	1	3	100%	2	3	5	11	1	12	9	9	18	46	100%
	% by age group			17%			7%				11%			26%			39%	61%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.3	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.3	0.3
Infant Mortality Rate (IMR) (/1000/month)	0.9	0.9	0.9
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			2.1

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	34.5
Average number of full days on which each health facility was functioning	5.2
Total number of outpatient consultations	**72,757**
Health facility utilisation rate	**3.1**
Consultations per clinician per day	**31**

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	22,617	32,569	**55,186**
New Non-Communicable Diseases (NCD) Consultations	81	180	**261**
New Mental Health (MH) Consultations	35	42	**77**
Re-visit Consultations (all causes combined)	5,885	11,686	**17,571**
TOTAL Consultations	**28,502**	**44,255**	**72,757**

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	2,315	2,023	4,338	368.9	2,291	2,271	4,562	1,348	2,627	3,975	143	260	403	13,278	30%	186.3
2	Pneumonia	34	15	49	4.2	7	9	16	14	14	28	6	5	11	104	0%	1.5
3	Bronchitis	231	158	389	33.1	117	66	183	107	77	184	13	15	28	784	2%	11.0
4	LRTI (other)	207	149	356	30.3	65	26	91	58	67	125	11	8	19	591	1%	8.3
5	Skin disease	264	288	552	46.9	290	422	712	241	495	736	31	58	89	2,089	5%	29.3
6	Eye disease	171	154	325	27.6	254	296	550	325	521	846	69	92	161	1,882	4%	26.4
7	Ear disease	239	208	447	38.0	252	237	489	175	302	477	33	39	72	1,485	3%	20.8
8	Dental conditions	53	48	101	8.6	870	1,017	1,887	1,025	1,937	2,962	65	100	165	5,115	12%	71.8
9	Intestinal worms	98	140	238	20.2	199	209	408	32	85	117	4	10	14	777	2%	10.9
10	Watery diarrhoea	98	83	181	15.4	23	13	36	10	8	18	2	1	3	238	1%	3.3
11	Bloody diarrhoea	1	0	1	0.1	1	0	1	1	0	1	0	0	0	3	0%	0.0
12	Gastric and duodenal ulcer	10	10	20	1.7	33	41	74	178	129	307	60	33	93	494	1%	6.9
13	Appendicitis	1	1	2	0.2	6	11	17	2	1	3	0	0	0	22	0%	0.3
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	1	1	2	2	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	2	2	4	0.3	1	0	1	0	0	0	0	0	0	5	0%	0.1
17	Meningitis (suspected)	5	1	6	0.5	1	1	2	0	0	0	0	0	0	8	0%	0.1
18	Meningitis confirmed (other)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Acute malnutrition	5	0	5	0.4	0	0	0	0	0	0	0	0	0	5	0%	0.1
22	Anaemia	212	155	367	31.2	125	333	458	56	678	734	7	13	20	1,579	4%	22.2
23	Acute Jaundice Syndrome	2	0	2	0.2	2	0	2	2	0	2	0	0	0	6	0%	0.1
24	Abortion	0	0	0	0.0	0	30	30	2	87	89	0	0	0	119	0%	1.7
25	Urinary Tract Infection	33	141	174	14.8	102	591	693	243	2,866	3,109	104	54	158	4,134	9%	58.0
26	Other acute health conditions	1,008	851	1,859	158.1	1,107	1,170	2,277	1,579	4,113	5,692	358	645	1,003	10,831	25%	152.0
	Total	4,989	4,427	9,416	800.7	5,746	6,743	12,489	5,398	14,007	19,405	907	1,334	2,241	43,551	100%	611.2
	% by age group			22%				29%			45%			5%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
2	Acute viral hepatitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	46	66	112	9.5	204	159	363	103	194	297	26	19	45	817	90%	11.5
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	1	1	0	2	2	0	1	1	4	0%	0.1
16	Varicella (chickenpox)	10	4	14	1.2	42	18	60	2	1	3	0	0	0	77	9%	1.1
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
18	Whooping cough	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	58	70	128	10.9	247	178	425	105	199	304	26	20	46	903	100%	12.7
	% by age group			14%				47%			34%			5%	100%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	175	94	269	90	59	149	205	337	542	54	140	194	1,154	6%
2	Cancer	0	0	0	1	2	3	74	29	103	122	11	133	239	1%
3	Cardiovascular disease (other)	10	4	14	5	7	12	172	174	346	131	137	268	640	3%
4	Ischaemic heart disease	1	0	1	3	5	8	214	155	369	158	150	308	686	4%
5	Heart Failure	0	0	0	0	1	1	91	68	159	88	90	178	338	2%
6	Chronic obstructive pulmonary disease	0	1	1	3	13	16	180	124	304	138	93	231	552	3%
7	Diabetes	1	1	2	23	36	59	918	1,661	2,579	460	975	1,435	4,075	21%
8	Hypertension	2	0	2	1	12	13	1,344	2,325	3,669	777	1,383	2,160	5,844	31%
9	Liver disease	0	0	0	0	0	0	2	9	11	3	5	8	19	0%
10	Musculoskeletal disorders	7	10	17	49	58	107	382	666	1,048	144	173	317	1,489	8%
11	Renal disease	0	0	0	0	3	3	30	22	52	19	24	43	98	1%
12	Sickle cell disease	3	0	3	1	0	1	6	2	8	2	1	3	15	0%
13	Thyroid disorders	6	5	11	9	36	45	41	829	870	8	141	149	1,075	6%
14	Other NCDs	11	17	28	45	72	117	625	1,202	1,827	430	500	930	2,902	15%
	Total	216	132	348	230	304	534	4,284	7,603	11,887	2,534	3,823	6,357	19,126	100%
	% by age group			2%			3%			62%			33%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	27	30	57	119	91	210	278	211	489	5	12	17	773	32%
2	Alcohol/Substance abuse	0	0	0	0	4	4	0	0	0	0	0	0	4	0%
3	Substance use disorders related to opiate use	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Other substance use disorders	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Intellectual disability	7	9	16	55	38	93	49	15	64	0	0	0	173	7%
7	Development disorders	3	0	3	31	5	36	5	7	12	0	0	0	51	2%
8	Acute psychosis	0	0	0	4	6	10	66	55	121	0	0	0	131	5%
9	Chronic psychosis	0	0	0	10	12	22	143	94	237	15	0	15	274	11%
10	Bipolar disorders (Mania)	0	0	0	2	7	9	76	54	130	1	0	1	140	6%
11	Dementia	0	0	0	0	0	0	0	0	0	0	18	18	18	1%
12	Delirium	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
13	Moderate-severe depression	0	0	0	6	21	27	106	127	233	56	4	60	320	13%
14	Posttraumatic stress disorder	0	0	0	11	8	19	12	22	34	0	0	0	53	2%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	19	14	33	103	123	226	6	2	8	267	11%
16	Medically unexplained somatic complaint	0	0	0	9	5	14	3	7	10	0	0	0	24	1%
17	Self-harm/ suicide attempt	0	0	0	1	3	4	0	2	2	0	0	0	6	0%
18	Acute stress	0	0	0	8	9	17	21	20	41	4	1	5	63	3%
19	Grief	0	0	0	0	2	2	0	0	0	0	0	0	2	0%
20	Other psychological complaint	4	1	5	61	7	68	16	21	37	6	0	6	116	5%
	Total	41	40	81	336	232	568	878	758	1,636	93	37	130	2,415	100%
	% by age group			3%			24%			68%			5%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	9	1	10	47	6	53	25	12	37	3	5	8	108	6%
2	Assault	1	0	1	1	2	3	5	0	5	0	0	0	9	1%
3	Accidents	118	82	200	418	203	621	278	151	429	14	18	32	1,282	73%
4	Other	34	35	69	103	56	159	67	51	118	6	3	9	355	20%
	Total	162	118	280	569	267	836	375	214	589	23	26	49	1,754	100%
	% by age group			16%			48%			34%			3%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	1	1	0	236	236	0	2,370	2,370	0	61	61	2,668	100%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
	Total	0	1	1	0	236	236	0	2,371	2,371	0	61	61	2,669	100%
	% by age group			0%			9%			89%			2%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	0	0	0	0	0	0
New admissions	0	0	93	432	0	525

Number of exits	authorized	0	0	10	99	0	109
	unauthorized	0	0	0	2	0	2
	death	0	0	0	0	0	0
	referral	0	0	83	344	0	427
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		0	0	93	445	0	538
Number at end of reporting period		0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for all discharges	203
Average length of stay (days)	1.9
Bed occupancy	22%
Hospitalisation rate- in-camp (/1000/month)	2.5

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	0	0		0	0		0	0		0	0		0	0	
2	General Surgery	0	0		0	0		0	0		0	0		0	0	
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		93	0	0%	422	0	0%	0	0		515	0	0%
5	Gynaecology	0	0		0	0		0	0		0	0		0	0	
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	0	0		93	0	0%	422	0	0%	0	0		515	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	39,564

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	453	334	1,410	150	2,347
2	Jordan University Hospital	0	0	1	0	1
3	Private affiliated Hospital	6	96	765	424	1,291
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	3,639
Referral Rate (/1000/month)	17.0

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	399	5	0	0	404
2	Internal medicine	9	259	1,078	541	1,887
3	Obstetric	0	26	968	0	994
4	Gynaecological	0	0	25	0	25
5	Surgical	51	140	105	33	329
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	282	509	791
2	First antenatal visit (after the first trimester)	133	213	346
	First antenatal visit (TOTAL)	415	722	1,137
3	Repeat antenatal visit	2,572	5,965	8,537
4	High risk pregnancies detected	134	860	994
5	Tested for anaemia at ANC 1st contact/visit	185	1,342	1,527
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	12	234	246
7	Received breastfeeding counsellling	542	1,746	2,288
8	Tested for urine protein	91	708	799
9	Tested positive for urine protein	14	61	75

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	70%

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	89	433	522
	Received 2 doses of TT vaccine during antenatal period	89	433	522
	Were screened for anemia during antenatal period	89	433	522

	Were screened for proteinuria during antenatal period	89	433	522

Coverage of complete antenatal care	54%
Coverage of antenatal tetanus immunisation	54%
Coverage of anaemia screening in pregnancy	54%
Coverage of proteinuria screening in pregnancy	54%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	184	777	0	2	963
2	Stillbirths	3	3	0	0	6
3	Newborns breastfed within 1 hour of birth	178	746	0	1	925
4	Neonatal death	0	2	0	0	2
5	Low birth weight (< 2500g)	6	12	0	0	18
6	Attended by a skilled health worker (excluding TBA)	184	776	0	1	961
7	Obstetric complications	0	4	0	0	4
8	Obstetric complications referred	39	152	0	0	191
9	Caesarean sections performed	50	299	0	0	349
10	Abortions	35	127	0	0	162

Delivery Indicators	
Crude birth rate (/1000 population/ month)	4.5
Proportion of births attended by skilled health worker (excl. TBA)	99.8%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	36%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	2	16	18
2	Cervical tear repair	0	0	0
3	Episiotomy	47	40	87
4	Laceration (perineal tear) repaired	0	0	0
5	Magnesium sulphate given for pre-eclampsia /eclampsia	2	0	2
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	0	0	0
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	0	0
11	Post-abortion care (Manual vcauum aspiration or curettage)	0	3	3
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	0	0
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	0	0	0
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	3	30	33
17	Other	0	0	0

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	190	780	970
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	140	425	565
3	Attended for 3rd PNC visit within 7-14 days of delivery	69	251	320
4	Attended for 4th PNC visit within 6 weeks of delivery	51	156	207

Postnatal Indicator	
Coverage of complete postnatal care	21%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		6		111		17		327		0		0	461
Combined pill (highdose)		193		317		129		619		0		42	1,258
Progesterone pill (Micro-val; Micro-lut)		37		114		18		225		0		40	394
Emergency contraceptive pill		0		0		0		0		0		0	0
Injectable (Depo-Provera)		30		56		15		108		0		39	209
Implantable (Norplant)		2		23		0		0		0		0	25
Intra-uterine device (IUD)		16		108		1		18		0		18	143
Condom (male)	71		233		38		407		8		52		749
Condom (female)		0		0		0		0		0		0	0
Sterilisation (male)	0		0		0		0		0		0		0
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0	0	0	0	0	0

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
	Number at beginning of reporting period	0	0	2	4	2	3
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	4	3	0	0
2	Number of relapse	0	0	0	0	0	0
3	Number of rereadmissions	0	0	0	0	0	0
4	Number moved in from SC/OTP	0	0	0	0	0	0
5	Numner of Exits- Recovered	0	0	0	0	0	0
6	Number of Exits - Non response	0	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	0	0	0
9	Number of Exists- Moved to TSFP	0	0	2	2	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	1	0	0	1
12	Number of Exits- Defaulter	0	0	0	1	0	0
13	Other Exits	0	0	0	0	0	0
	Number at end of reporting period	0	0	2	4	2	2
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)			239			
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)			12			

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
	Number at beginning of reporting period	0	0	14	12	8	7	0	0	60
1	Number of New admissions (WFH/BMI, MUAC)	0	0	10	8	0	0	0	0	12
2	Number of readmissions	0	0	2	0	0	0	0	0	3
3	Number of relapse	0	0	0	0	0	0	0	0	0
4	Other admissions	0	0	0	0	0	0	0	0	0
5	Number of Exits- Recovered	0	0	7	7	3	1	0	0	5
6	Number of Exits - Non response	0	0	4	2	1	2	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	0	0	0	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	1	0	1	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	1	2	1	1	0	0	31
13	Other exits	0	0	0	0	0	0	0	0	0
	Number at end of reporting period	0	0	13	9	2	3	0	0	39
14	Sum number of days stay for discharged children (< 5)				1,469					
15	Sum average weight gain for discharged children (< 5)				17					

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	715	709	699	731	219
2	Screened - Yellow (borderline)	4	8	0	0	4
3	Screened - Red (danger)	4	3	0	0	0
4	Screened - Oedema	0	0	0	0	0

UNHCR gratefully acknowledges the support of the following partners: