




Refugee population

Total refugee population:

116,429 \*

Demographic breakdown:



Key facts

Camp opened:  
July 2012

\* Source of population data:  
WFP Distribution Figures

Indicators at a glance

1 Health utilisation rate	8.4	✘
2 Number of consultations per clinician per day	48	⚠
3 Hospitalisation rate	3.2	🚩
4 Referral rate		?
5 % deliveries attended by skilled personnel	104%	✔
6 Crude Mortality Rate (CMR) (/1000/month)	0.3	✔
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.2	✔
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	✔

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- French Field Hospital
- Gynécologie Sans Frontières
- IMC Clinic
- JHAS Clinic
- MDM Clinic
- Moroccan Field Hospital
- RMS Field Hospital
- Saudi clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible. However, at this early stage of implementation, indicators should be interpreted with care whilst the quality of data continues to be improved.

Morbidity


Acute health conditions (%)



Top 5 acute health conditions

Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	26%	3,520
2 Watery diarrhoea*	12%	1,667
3 Lower Respiratory Tract Infection (LRTI)	8%	1,129
4 Influenza-like illness (ILI)	8%	1,084
5 Eye infection	3%	447
- Other	43%	5,869

Chronic health conditions (%)




Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Asthma	15%	616
2 Hypertension	14%	584
3 Diabetes	12%	507
4 Cardiovascular disorders	5%	198
5 Ischaemic heart disease	4%	156
- Other	51%	2,106

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions

by age



by gender



UNHCR gratefully acknowledges the support of the following partners:



## Public Health

Health Impact	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.3	< 1.5	✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.2	< 3.0	✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40	✓

Access and utilization	Indicator	Standard	
No. of health facilities	6	1 : 19405	1 : < 10,000 ✗
Total number of consultations	18,725		
Health utilisation rate	8.4	1 - 4	✗
No. of consultations per trained clinician per day	48	< 50	⚠

Outbreak Alert and Response	Indicator	Standard	
Number of outbreaks reported	0		
% of outbreaks investigated within 48 hours		100%	


Laboratory	Indicator	Standard	
Number of laboratory samples	618		


Immunization	Indicator	Standard	
Measles vaccination rate		> 95%	?
Full vaccination rate		> 95%	?
Program drop-out rate		< 10%	?
Vaccine wastage rate		< 8%	?

### Breakdown of mental health conditions


By cause



By age




By gender




### Breakdown of injuries


By cause



By age



By gender



## In-patient and referral

In-patient department	Indicator	Standard	
Hospitalisation rate (/1000/month)	3.2	50 - 150	⚠
Bed occupancy rate	54%	> 75%	✗
Mean length of stay for authorised discharges (days)	2.5		

Overall case fatality rate	Indicator	Standard	
Overall case fatality rate	0%		
Proportion of deaths within 24 hours of admission	0%		

Referral	Indicator	Standard	
Total referral rate			?

## Reproductive Health

Antenatal care	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	24%	≥ 90%	✗
Coverage of TT vaccination	0%	≥ 90%	✗
Coverage of anaemia screening in pregnancy	44%	≥ 90%	✗

Delivery care	Indicator	Standard	
Proportion of deliveries attended by skilled personnel	104%	≥ 90%	✓
Proportion of deliveries performed by caesarean section	9%	5 - 15%	✓
Proportion of low birth weight deliveries (<2500g)	4%	< 15%	✓

Maternal mortality	Indicator	Standard	
Number of maternal deaths reported	0		
% of maternal deaths investigated within 48 hours		100%	

Postnatal care	Indicator	Standard	
Coverage of postnatal care	20%	≥ 90%	⚠

Family Planning	Indicator	Standard	
Contraceptive prevalence rate	0%		⚠

Sexual and Gender-based Violence	Indicator	Standard	
Incidence of rape (reported cases/10,000/year)*	0		⚠
% of rape survivors who received PEP** < 72 hours		100%	⚠
% of rape survivors who received ECP*** < 120 hours		100%	⚠
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	⚠

\*Only includes rapes reported at health facilities \*\*Post-exposure prophylaxis \*\*\*Emergency contraceptive pill \*\*\*\*Sexually transmitted infection

