

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,528	2,528	5,056	7,704	8,908	16,612	22,269	21,668	43,937	22,871	28,409	51,280	1,324	2,167	3,491	120,376
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	0	1	1	100%	0	2	2	0	0	0	0	0	0	3	100%
Total	0	1	1	100%	0	2	2	0	0	0	0	0	0	3	100%
% by age group			33%				67%			0%			0%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.2	0.1
Under 5 Mortality Rate (USMR)	0.0	0.3	0.2
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	69
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	13,957
Health facility utilisation rate	6.0
Consultations per clinician per day	34

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	331	308	639	29.5	406	338	744	300	285	585	73	79	152	2120	23%	17.6
Influenza-like illness (ILI)	10	11	21	1.0	30	29	59	63	49	112	7	10	17	209	2%	1.7
Lower Respiratory Tract Infection (LRTI)	69	41	110	5.1	54	65	119	63	58	121	30	14	44	394	4%	3.3
Watery diarrhoea*	256	252	508	23.4	208	183	391	98	129	227	31	40	71	1197	13%	9.9
Bloody diarrhoea*	16	26	42	1.9	24	31	55	27	20	47	4	5	9	153	2%	1.3
Skin infection	40	38	78	3.6	45	57	102	52	40	92	10	1	11	283	3%	2.4
Eye infection	33	36	69	3.2	46	46	92	32	36	68	15	5	20	249	3%	2.1
Dental Conditions	14	15	29	1.3	20	40	60	96	104	200	15	25	40	329	4%	2.7
Intestinal Worms	10	16	26	1.2	41	40	81	49	28	77	14	10	24	208	2%	1.7
Acute Jaundice Syndrome*	19	13	32	1.5	16	44	60	17	15	32	2	9	11	135	1%	1.1
Measles*	1	0	1	0.0	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis*	0	1	1	0.0	0	0	0	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Fever of unknown origin	23	8	31	1.4	19	17	36	18	4	22	0	0	0	89	1%	0.7
Sexually Transmitted Infection (STI)	2	0	2	0.1	4	4	8	0	2	2	0	0	0	12	0%	0.1
Other	487	485	972	44.9	555	585	1140	569	614	1183	297	246	543	3838	42%	31.9
Total	1311	1250	2561	118.2	1468	1479	2947	1385	1384	2769	498	444	942	9219	100%	76.6
% by age group			28%				32%			30%			10%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	56	30	86	136	169	305	113	110	223	614	16%
Hypertension	0	0	0	2	16	18	118	135	253	113	125	238	509	13%
Asthma	20	13	33	18	28	46	73	75	148	77	46	123	350	9%
Ischaemic heart disease	0	0	0	0	1	1	66	41	107	39	43	82	190	5%
Cardiovascular disorders	0	0	0	0	10	10	49	35	84	54	37	91	185	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	39	16	55	46	16	62	117	3%
Liver disease	0	1	1	21	24	45	11	8	19	13	13	26	91	2%
Thyroid problems	0	0	0	0	2	2	14	26	40	13	30	43	85	2%
Cancer	0	0	0	2	4	6	16	17	33	13	8	21	60	2%
Other	107	124	231	302	273	575	266	238	504	175	153	328	1638	43%
Total	127	138	265	401	388	789	788	760	1548	656	581	1237	3839	100%
% by age group			7%			21%			40%			32%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	3	2	5	4	6	10	5	4	9	0	0	0	24	12%
2.	Alcohol and other substance abuse disorder	0	0	0	0	4	4	6	0	6	0	0	0	10	5%
3.	Mental retardation / intellectual disability	0	0	0	2	2	4	1	2	3	0	0	0	7	4%
4.	Psychotic disorder	1	0	1	1	5	6	26	8	34	0	1	1	42	21%
5.	Severe emotional disorder	2	1	3	7	4	11	23	9	32	2	1	3	49	25%
6.	Other psychological complaint	0	1	1	3	4	7	5	6	11	0	0	0	19	10%
	Other	0	0	0	9	12	21	15	10	25	0	0	0	46	23%
	Total	6	4	10	26	37	63	81	39	120	2	2	4	197	100%
	% by age group			5%			32%			61%			2%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	2	1	3	2	6	8	14	11	25	6	4	10	46	7%
2.	Injury (war related)	12	17	29	20	12	32	38	15	53	33	20	53	167	24%
3.	Injury (non war related)	14	19	33	21	20	41	43	19	62	10	7	17	153	22%
4.	Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	18	23	41	31	30	61	93	100	193	21	20	41	336	48%
	Total	46	60	106	74	68	142	188	145	333	70	51	121	702	100%
	% by age group			15%			20%			47%			17%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		2	3	5	3	2	5	1	6	7	1	3	4	21
Total admissions		13	18	31	10	12	22	17	20	37	5	7	12	102
Number of exits	authorized	10	11	21	9	11	20	14	19	33	4	10	14	88
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		10	11	21	9	11	20	14	19	33	4	10	14	88
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group				43%			20%			31%			6%	100%

Number of days in reporting period	7
Number of beds	56
Sum number of days stay for authorised discharges	264
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.0
Bed occupancy	78%
Hospitalisation rate	3.4

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	22	0	0%	7	0	0%	0	0		0	0	29	0	0%
2.	General Surgery	0	0		4	0	0%	6	0	0%	0	0	10	0	0%
3.	Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4.	Injury (non war related)	0	0		5	0	0%	6	0	0%	0	0	11	0	0%
5.	Internal medicine	0	0		0	0		5	0	0%	8	0	13	0	0%
6.	Obstetrics	4	0	0%	0	0		0	0		0	0	4	0	0%
7.	Gynaecology	0	0		0	0		0	0		0	0	0	0	
	Other	0	0		17	0	0%	14	0	0%	0	0	31	0	0%
	Total	26	0	0%	33	0	0%	31	0	0%	8	0	98	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	748

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	23	49	72
First antenatal visit > 1st trimester	39	243	282
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	9
	2 TT doses	0	0
	anaemia screening	28	75

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	20%
Coverage of complete antenatal care	18%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	206%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	2	48	50
Still births	0	1	1

Low birth weight (<2500 g)	0	3	3
Attended by skilled health worker	2	46	48
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	7	7

Delivery Indicators	
Crude birth rate	5.0
Proportion of births attended by skilled health worker (excl. TBA)	96%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	14%
Proportion of obsetric complications treated among girls < 18	

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	2	2

Postnatal Indicators	
Coverage of complete postnatal care	4%

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System	Publication date:	7 June 2013
--------------	------------------------------	-------------------	-------------

Contact Information	<div> <div>Za'atri</div> <div>Ana Calvo, UNHCR</div> <div>Email: calvo@unhcr.org</div> </div> <div> <div>Amman</div> <div>Ann Burton, UNHCR</div> <div>Email: burton@unhcr.org</div> </div>
---------------------	---

<p>UNHCR gratefully acknowledges the support of the following partners:</p> <div>               </div>
