

## 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,472	2,472	4,944	7,535	8,713	16,248	21,781	21,193	42,974	22,370	27,786	50,156	1,295	2,119	3,414	117,736
% by age group			4%			14%			37%			43%			3%	100%

## 2. Mortality

### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	2	2	2	29%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	1	1	2	67%	0	0	0	0	0	0	0	0	0	2	29%
Other	1	0	1	33%	1	0	1	0	1	1	0	0	0	3	43%
<b>Total</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>100%</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>7</b>	<b>100%</b>
% by age group			43%				14%			14%			29%	100%	

Mortality Indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.3	0.2
Under 5 Mortality Rate (U5MR)	0.8	0.4	0.6
Neonatal Mortality Rate (NNMR)			32.3

### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

### 3.1 Staffing and service availability

Number of full-time clinicians	56
Average number of full days on which each health facility was functioning	6.6
Total number of outpatient consultations	8,216
Health facility utilisation rate	3.6
Consultations per clinician per day	22

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	201	167	368	17.4	184	211	395	141	162	303	61	46	107	1173	20%	10.0
Influenza-like illness (ILI)	57	74	131	6.2	76	67	143	67	77	144	17	28	45	463	8%	3.9
Lower Respiratory Tract Infection (LRTI)	58	56	114	5.4	56	50	106	34	22	56	29	38	67	343	6%	2.9
Watery diarrhoea*	161	105	266	12.6	50	50	100	4	11	15	1	5	6	387	7%	3.3
Bloody diarrhoea*	12	9	21	1.0	7	6	13	8	14	22	0	1	1	57	1%	0.5
Skin infection	38	26	64	3.0	35	24	59	11	28	39	10	5	15	177	3%	1.5
Eye infection	35	15	50	2.4	28	24	52	15	14	29	7	2	9	140	2%	1.2
Dental Conditions	16	12	28	1.3	12	9	21	58	49	107	32	26	58	214	4%	1.8
Intestinal Worms	10	14	24	1.1	26	20	46	0	2	2	0	0	0	72	1%	0.6
Acute Jaundice Syndrome*	33	41	74	3.5	80	83	163	4	5	9	0	0	0	246	4%	2.1
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	0%	0.0
Fever of unknown origin	28	17	45	2.1	12	22	34	5	8	13	0	1	1	93	2%	0.8
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	238	302	540	25.5	228	266	494	374	394	768	281	284	565	2367	41%	20.1
Total	887	838	1725	81.4	794	832	1626	721	786	1507	438	437	875	5733	100%	48.7
% by age group			30%				28%			26%			15%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	0	1	1	93	98	191	101	87	188	380	18%
Hypertension	0	0	0	0	0	0	118	111	229	71	84	155	384	18%
Asthma	17	21	38	12	13	25	5	13	18	1	0	1	82	4%
Ischaemic heart disease	0	0	0	0	0	0	10	9	19	7	4	11	30	1%
Cardiovascular disorders	0	0	0	0	0	0	6	2	8	4	1	5	13	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	11	3	14	12	3	15	29	1%
Liver disease	0	1	1	5	1	6	2	0	2	0	0	0	9	0%
Thyroid problems	0	0	0	5	1	6	0	10	10	0	0	0	16	1%
Cancer	0	0	0	0	0	0	0	2	2	0	1	1	3	0%
Other	62	77	139	131	118	249	194	230	424	163	177	340	1152	55%
<b>Total</b>	<b>79</b>	<b>99</b>	<b>178</b>	<b>153</b>	<b>134</b>	<b>287</b>	<b>439</b>	<b>478</b>	<b>917</b>	<b>359</b>	<b>357</b>	<b>716</b>	<b>2098</b>	<b>100%</b>
% by age group			8%			14%			44%			34%	100%	

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	4	2	6	1	2	3	6	4	10	0	1	1	20	11%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	5	0	5	0	0	0	5	3%
3. Mental retardation / intellectual disability	1	0	1	0	3	3	2	3	5	0	0	0	9	5%
4. Psychotic disorder	1	0	1	0	0	0	32	2	34	2	0	2	37	21%
5. Severe emotional disorder	0	0	0	1	1	2	12	29	41	0	0	0	43	24%
6. Other psychological complaint	1	1	2	1	8	9	10	16	26	1	0	1	38	22%
Other	3	0	3	2	3	5	7	9	16	0	0	0	24	14%
Total	10	3	13	5	17	22	74	63	137	3	1	4	176	100%
% by age group			7%			13%			78%			2%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	2	1	3	0	0	0	0	0	0	3	1%
2. Injury (war related)	0	0	0	8	2	10	12	1	13	0	0	0	23	11%
3. Injury (non war related)	19	14	33	37	17	54	33	13	46	1	0	1	134	64%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	3	2	5	8	9	17	11	11	22	3	2	5	49	23%
Total	22	16	38	55	29	84	56	25	81	4	2	6	209	100%
% by age group			18%			40%			39%			3%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	12	9	21	1	0	1	2	5	7	0	0	0	29
Total admissions	16	21	37	4	3	7	3	14	17	3	0	3	64
Number of exits	authorized	12	12	24	2	3	5	4	14	2	0	2	49
	unauthorized	2	0	2	0	0	0	0	0	0	0	0	2
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	4	2	6	0	0	0	1	1	0	0	0	7
Total exits	18	14	32	2	3	5	4	15	19	2	0	2	58
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group			74%			9%			14%			3%	100%

Number of days in reporting period	7
Number of beds	76
Sum number of days stay for authorised discharges	150
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.1
Bed occupancy	37%
Hospitalisation rate	2.2

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	37	0	0%	5	0	0%	0	0		0	0	42	0	0%
2. General Surgery	0	0		1	0	0%	0	0		0	0	1	0	0%
3. Injury (war related)	0	0		1	0	0%	0	0		0	0	1	0	0%
4. Injury (non war related)	0	0		0	0		0	0		0	0	0	0	
5. Internal medicine	0	0		1	0	0%	13	0	0%	0	0	14	0	0%
6. Obstetrics	0	0		0	0		7	0	0%	0	0	7	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		4	0	0%	0	0	4	0	0%
Total	37	0	0%	8	0	0%	24	0	0%	0	0	69	0	0%

Adm. = Admission; CFR = Case Fatality Rate

## 6. Laboratory

	Total
Number of laboratory tests conducted	199

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	8	23	31
First antenatal visit > 1st trimester	21	170	191
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	11
	2 TT doses	0	0
	anaemia screening	13	141

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	14%
Coverage of complete antenatal care	18%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	248%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	11	51	62
Still births	0	0	0

Low birth weight (<2500 g)	3	0	3
Attended by skilled health worker	1	51	52
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	8	8

Delivery Indicators	
Crude birth rate	6.3
Proportion of births attended by skilled health worker (excl. TBA)	84%
Proportion of low birth weight deliveries	5%
Proportion of all births performed by caesarean section	13%
Proportion of obsetric complications treated among girls < 18	

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	9	35	44

Postnatal Indicators	
Coverage of complete postnatal care	71%

### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

#### Data Sources

1. Health Information System

#### Publication date:

21 June 2013

#### Contact Information

##### Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

##### Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

