Za'atri | Jordan

Refugee population 110,827* Total refugee population: Demographic breakdown: > 60 2% 1% 20% 25% 18 - 59 19% 19% 5 - 17 9% 10% 0 - 4


% Female

Male

Indicators at a glance

a de la constante de		
1 Health utilisation rate	2.9	0
2 Number of consultations per clinician per day	14	0
3 Hospitalisation rate	2.0	P1
4 Referral rate		0
5 % deliveries attended by skilled personnel	98%	A
6 Crude Mortality Rate (CMR) (/1000/month)	0.2	0
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.2	0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	8

Morbidity



Key facts Camp opened: July 2012 Jordan * Source of population data: WFP Distribution Figures


Notes

This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- French Field Hospital
- IMC Clinic
 JHAS Clinic
- Jordan Italian Field Hospital
 MDM Clinics 1 and 2
- . **MSF Hospital** Moroccan Field Hospital
- Saudi Clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Chronic health conditions (%)



Top 5 acute health conditions

	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	28%	1,169
2 Skin infection	8%	325
3 Influenza-like illness (ILI)	8%	318
4 Eye infection	5%	194
5 Watery diarrhoea*	5%	212
- Other	47%	2,156

Breakdown of acute health conditions

by age by gender 8% 0-4 219 **5** to 17 🔳 18 to 59 ■ > 60 36%

Male Eemale

Top 5 chronic health conditions

	% morbidity	# of cases	
1 Diabetes	20%	231	
2 Hypertension	18%	211	
3 Asthma	11%	130	
4 Cardiovascular disorders	9%	104	
5 Chronic obstructive pulmonary disease (COPD) 9%	100	
- Other	34%	397	

Breakdown of chronic health conditions

by age by gender 0-4 **5** to 17 Male 50% 🔳 18 to 59 Eemale > 60 **N**A

UNHCR gratefully acknowledges the support of the following partners:


Public Health Profile

Week 47 16 Novemberr - 22 November 2013


Public Health				
Health Impact		Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)		0.2	< 1.5	Ø
Under-five Mortality Rate (U5MR) (/1000/mc	onth)	0.2	< 3.0	Ø
Neonatal Mortality Rate (NNMR) (/1000 live	births)	0.0	< 40	ω
Access and utilization				
No. of health facilities	8	1 : 13854	1 : < 10,000	\otimes
Total number of consultations		6,095		
Health utilisation rate		2.9	1 - 4	0
No. of consultations per trained clinician per	day	14	< 50	Ø

Outbreak Alert and Response	Indicator	Standard	
Number of outbreaks reported	0		
% of outbreaks investigated within 48 hours		100%	
Laboratory			
Number of laboratory samples	181		
Immunization			
Measles vaccination rate		> 95%	0
Full vaccination rate		> 95%	7
Program drop-out rate		< 10%	0
Vaccine wastage rate		< 8%	7

Breakdown of mental health conditions



Breakdown of injuries



In-patient and referral

in patient and referral			
In-patient department	Indicator	Standard	
Hospitalisation rate (/1000/month)	2.0	50 - 150	1
Bed occupancy rate	52%	> 75%	\otimes
Mean length of stay for authorised discharges (days)	3.2		

Reproductive Health

riepi odučitve neaitii			
Antenatal care	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	51%	≥ 90%	8
Coverage of TT vaccination	16%	≥ 90%	8
Coverage of anaemia screening in pregnancy	98%	≥ 90%	1
Delivery care			
Proportion of deliveries attended by skilled personnel	98%	≥ 90%	Δ
Proportion of deliveries performed by caesarean section	20%	5 - 15%	0
Proportion of low birth weight deliveries (<2500g)	14%	< 15%	\bigcirc
Maternal mortality			
Number of maternal deaths reported	0		
% of maternal deaths investigated within 48 hours		100%	

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	
Referral		
Total referral rate		0

By gender

42%

Postnatal care	Indicator	Standard	
Coverage of postnatal care	169%	≥ 90%	A
Family Planning			
Contraceptive prevalence rate	0%		1
Sexual and Gender-based Violence			
Incidence of rape (reported cases/10,000/year)*	0		1
% of rape survivors who received PEP^{**} < 72 hours		100%	1
% of rape survivors who received ECP*** < 120 hours		100%	
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	line -

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection



Male

Female

58%



View interactive maps and statistics online http://twine.unhcr.org

Legend:

pt.

Standard met Interpret data with care Pata missing

Standard not met Standard borderline