

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,327	2,327	4,654	7,093	8,201	15,294	20,503	19,949	40,452	21,057	26,155	47,212	1,219	1,996	3,215	110,827
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	1	0	1	50%	0	0	0	0	0	0	1	0	1	2	29%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	14%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	14%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	14%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	1	1	50%	0	0	0	0	0	0	0	0	0	1	14%
Other	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	14%
Total	1	1	2	100%	0	0	0	0	0	0	3	2	5	7	100%
% by age group			29%				0%			0%			71%		100%

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.3	0.2	0.3
Under 5 Mortality Rate (U5MR)	0.4	0.4	0.4
Neonatal Mortality Rate (NNMR)			17.9

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	73.0
Average number of full days on which each health facility was functioning	6.2
Total number of outpatient consultations	13,923
Health facility utilisation rate	6.5
Consultations per clinician per day	31

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	518	386	904	45.3	560	471	1031	711	587	1298	101	92	193	3426	31%	30.9
Influenza-like illness (ILI)	208	170	378	18.9	224	170	394	315	324	639	53	57	110	1521	14%	13.7
Lower Respiratory Tract Infection (LRTI)	167	125	292	14.6	103	104	207	95	96	191	49	33	82	772	7%	7.0
Watery diarrhoea*	75	59	134	6.7	42	52	94	17	12	29	8	8	16	273	2%	2.5
Bloody diarrhoea*	3	0	3	0.2	0	1	1	2	0	2	0	0	0	6	0%	0.1
Skin infection	119	129	248	12.4	131	143	274	194	168	362	74	85	159	1043	10%	9.4
Eye infection	22	25	47	2.4	44	33	77	82	80	162	18	25	43	329	3%	3.0
Dental Conditions	22	19	41	2.1	59	68	127	130	120	250	17	16	33	451	4%	4.1
Intestinal Worms	11	9	20	1.0	14	11	25	1	1	2	0	0	0	47	0%	0.4
Acute Jaundice Syndrome*	1	1	2	0.1	2	1	3	0	0	0	0	0	0	5	0%	0.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	41	43	84	4.2	17	23	40	8	13	21	0	1	1	146	1%	1.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	1	1	4	3	7	0	0	0	8	0%	0.1
Other	380	348	728	36.5	589	542	1131	662	127	789	133	160	293	2941	27%	26.5
Total	1567	1314	2881	144.4	1786	1620	3406	2221	1531	3752	453	477	930	10969	100%	99.0
% by age group			26%				31%			34%			8%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	14	15	29	111	134	245	61	114	175	449	24%
Hypertension	0	0	0	0	0	0	101	115	216	92	134	226	442	23%
Asthma	21	11	32	37	36	73	54	59	113	14	15	29	247	13%
Ischaemic heart disease	0	0	0	0	1	1	39	32	71	36	28	64	136	7%
Cardiovascular disorders	0	0	0	0	0	0	33	24	57	29	41	70	127	7%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	45	27	72	24	26	50	122	6%
Liver disease	0	0	0	0	3	3	5	15	20	2	3	5	28	1%
Thyroid problems	0	0	0	2	1	3	11	21	32	2	8	10	45	2%
Cancer	0	0	0	0	0	0	1	4	5	0	0	0	5	0%
Other	2	5	7	39	37	76	97	51	148	29	24	53	284	15%
Total	23	16	39	92	93	185	497	482	979	289	393	682	1885	100%
% by age group			2%			10%			52%			36%	100%	

3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	2	1	3	16	9	25	7	1	8	0	0	0	36	10%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	4	2	6	0	0	0	6	2%
3. Mental retardation / intellectual disability	0	0	0	5	3	8	2	5	7	0	0	0	15	4%
4. Psychotic disorder	0	0	0	1	2	3	30	9	39	0	0	0	42	12%
5. Severe emotional disorder	0	0	0	4	7	11	20	18	38	7	4	11	60	17%
6. Other psychological complaint	2	3	5	40	30	70	12	24	36	8	8	16	127	36%
Other	0	0	0	21	7	28	17	8	25	11	5	16	69	19%
Total	4	4	8	87	58	145	92	67	159	26	17	43	355	100%
% by age group			2%			41%			45%			12%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	2	3	6	1	7	11	15	26	10	2	12	48	7%
2. Injury (war related)	0	0	0	19	28	47	17	4	21	2	1	3	71	10%
3. Injury (non war related)	5	1	6	35	30	65	52	34	86	12	11	23	180	25%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	40	44	84	61	58	119	75	70	145	34	33	67	415	58%
Total	46	47	93	121	117	238	155	123	278	58	47	105	714	100%
% by age group			13%			33%			39%			15%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	4	1	5	14	11	25	20	24	44	2	1	3	77
Number of exits	4	1	5	14	10	24	20	24	44	1	1	2	75
	0	0	0	0	1	1	0	0	0	0	0	0	1
	0	0	0	0	0	0	0	0	0	1	0	1	1
	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits	4	1	5	14	11	25	20	24	44	2	1	3	77
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group													100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	200
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.7
Bed occupancy	61%
Hospitalisation rate	2.8

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	5	0	0%	14	0	0%	0	0		0	0	19	0	0%
2. General Surgery	0	0		2	0	0%	13	0	0%	1	0	16	0	0%
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		5	0	0%	9	0	0%	0	0	14	0	0%
5. Internal medicine	0	0		2	0	0%	0	0		0	0	2	0	0%
6. Obstetrics	0	0		0	0		14	0	0%	0	0	14	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		3	0	0%	1	1	4	1	25%
Total	5	0	0%	23	0	0%	39	0	0%	2	1	69	1	1%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	281

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	13	95	108
First antenatal visit > 1st trimester	24	154	178
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	1	50
	2 TT doses	0	8
	anaemia screening	1	55

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	38%
Coverage of complete antenatal care	91%
Coverage of antenatal tetanus immunisation	14%
Coverage of anaemia screening in pregnancy	100%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	55	56
Still births	0	0	0
Low birth weight (<2500 g)	0	14	14
Attended by skilled health worker	1	55	56
Number of obstetric complications treated	0	5	5
Number of caesarean sections performed	0	18	18

Delivery Indicators

Crude birth rate	6.1
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	25%
Proportion of all births performed by caesarean section	32%
Proportion of obsetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	1	58	59

Postnatal Indicators	
Coverage of complete postnatal care	105%

8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	23	0	42	65
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	1	0	3	4
Intra-Uterine Device (IUD)	0	3	0	0	3
Oral Contraceptive	0	67	0	110	177
Family Planning Counseling	18	37	20	40	115

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

21 June 2013

Contact Information

Za'atri
Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman
Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

