





Refugee population

Total refugee population:

81,238 *

Demographic breakdown:



Key facts

Camp opened: July 2012

* Source of population data: WFP Distribution Figures

Indicators at a glance

1 Health utilisation rate	7.8	✓
2 Number of consultations per clinician per day	28	✓
3 Hospitalisation rate	3.3	🚩
4 Referral rate		?
5 % deliveries attended by skilled personnel	100%	⚠️
6 Crude Mortality Rate (CMR) (/1000/month)	0.2	✓
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.5	✓
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	35.7	✗

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- IMC Clinic
- JHAS Clinic
- Jordan Italian Field Hospital
- MDM Clinics 1 and 2
- Moroccan Field Hospital
- Saudi Clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Morbidity


Acute health conditions (%)



Top 5 acute health conditions

	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	32%	3,162
2 Influenza-like illness (ILI)	16%	1,606
3 Skin infection	10%	970
4 Lower Respiratory Tract Infection (LRTI)	5%	298
5 Dental Conditions	3%	496
- Other	33%	4,628

Chronic health conditions (%)




Top 5 chronic health conditions

	% morbidity	# of cases
1 Hypertension	30%	495
2 Diabetes	24%	391
3 Asthma	13%	213
4 Chronic obstructive pulmonary disease (COPD)	7%	112
5 Cardiovascular disorders	4%	72
- Other	22%	356

Breakdown of acute health conditions

by age

by gender



Breakdown of chronic health conditions

by age

by gender



UNHCR gratefully acknowledges the support of the following partners:



Public Health

Health Impact

	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 1.5	✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.5	< 3.0	✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	35.7	< 40	✓

Access and utilization

No. of health facilities	8	1 : 10155	1 : < 10,000	✗
Total number of consultations	12,167			
Health utilisation rate	7.8	1 - 4		✗
No. of consultations per trained clinician per day	28	< 50		✓

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory


Number of laboratory samples	288
------------------------------	-----

Immunization


Measles vaccination rate	> 95%	?
Full vaccination rate	> 95%	?
Program drop-out rate	< 10%	?
Vaccine wastage rate	< 8%	?

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



In-patient and referral

In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/month)	3.3	50 - 150	🚩
Bed occupancy rate	39%	> 75%	✗
Mean length of stay for authorised discharges (days)	1.9		

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	

Referral

Total referral rate	?
---------------------	---

Reproductive Health

Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	27%	≥ 90%	✓
Coverage of TT vaccination	30%	≥ 90%	✗
Coverage of anaemia screening in pregnancy	100%	≥ 90%	✓

Delivery care

Proportion of deliveries attended by skilled personnel	100%	≥ 90%	⚠
Proportion of deliveries performed by caesarean section	39%	5 - 15%	✗
Proportion of low birth weight deliveries (<2500g)	11%	< 15%	✗

Maternal mortality

Number of maternal deaths reported	0		
% of maternal deaths investigated within 48 hours		100%	

Postnatal care

Coverage of postnatal care	118%	≥ 90%	⚠
----------------------------	------	-------	---

Family Planning

Contraceptive prevalence rate	0%	🚩
-------------------------------	----	---

Sexual and Gender-based Violence

Incidence of rape (reported cases/10,000/year)*	0	🚩	
% of rape survivors who received PEP** < 72 hours		100%	🚩
% of rape survivors who received ECP*** < 120 hours		100%	🚩
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	🚩

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection

