Kawergosk
| Erbil, Kurdistan region, Iraq

Refugee population

Total refugee population: **13,201** *

Demographic breakdown:

	Male	Female
50+	7%	6%
15 - 49	25%	21%
5 - 14	14%	11%
0 - 4	8%	8%

Male % Female

Kawergosk camp

Key facts

Camp opened:
August 2013

Planned capacity:
10,000

Area:
0.42 Km sqr

Population:
Syrian refugees, majority from Qamishli

* Source of population data:
Estimates from UNHCR registration

Indicators at a glance

		Indicator	Standard
1	Health utilisation rate	4.2	1 - 4
2	Number of consultations per clinician per day	53	< 50
3	Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4	Measles vaccination rate	N/A	> 95%
5	Full vaccination rate	N/A	> 95%
6	Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7	Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Notes

HIGHLIGHTS

Indicators normal.

Upper respiratory tract infections remains the major cause of morbidity

This public health profile for Kawergosk refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:

MSF

Morbidity

Acute health conditions (%)

- Upper Respiratory Tract Infection (URTI)
- Ear infection
- Urinary tract infection (UTI)
- Lower Respiratory Tract Infection (LRTI)
- Dental Conditions
- Other

Chronic health conditions (%)

- Hypertension
- Diabetes
- Ischaemic heart disease
- Cardiovascular disease (other)
- Thyroid problems
- Other

Top 5 acute health conditions

		% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	58%	565
2	Ear infection	9%	83
3	Urinary tract infection (UTI)	6%	60
4	Lower Respiratory Tract Infection (LRTI)	6%	59
5	Dental Conditions	5%	50
-	Other	16%	158

Top 5 chronic health conditions

		% morbidity	# of cases
1	Hypertension	57%	31
2	Diabetes	19%	10
3	Ischaemic heart disease	6%	3
4	Cardiovascular disease (other)	6%	3
5	Thyroid problems	6%	3
-	Other	7%	4

Breakdown of acute health conditions

by age

- 0-4 — 35%
- 5 to 14 — 19%
- 15 to 49 — 44%
- ≥ 50 — 2%

by gender

- Male — 48%
- Female — 52%

Breakdown of chronic health conditions

by age

- 0-4
- 5 to 14
- 15 to 49 — 80%
- ≥ 50 — 18%

by gender

- Male — 24%
- Female — 76%

Public Health

Health Impact

	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Access and utilization

	Indicator	Standard
No. of health facilities	1.0	1 : < 10,000
Total number of consultations	1,059	
Health utilisation rate	4.2	1 - 4
No. of consultations per trained clinician per day	53	< 50

Reproductive health

	Indicator	Standard
Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory

	Indicator	Standard
Number of laboratory samples	0	

Immunization

	Indicator	Standard
Measles vaccination rate	N/A	> 95%
Full vaccination rate	N/A	> 95%
Program drop-out rate	N/A	< 10%
Vaccine wastage rate	N/A	< 8%

Sexual and gender-based violence

	Indicator	Standard
Incidence of reported rape	0.0	

Top 3 Mental health conditions

		% morbidity	# of cases
1	Severe emotional disorder	20%	2
2	Epilepsy / seizures	10%	1
3	Mental retardation / intellectual disability	10%	1
-	Other	60%	6

Top 3 injuries

		% morbidity	# of cases
1	Injury (unintentional)	90%	18
2	Injury (intentional)	5%	1
3	Burns	5%	1
-	Other	0%	0

Breakdown of mental health conditions

By cause

- Severe emotional disorder
- Epilepsy / seizures
- Mental retardation / intellectual disability
- Alcohol and other substance abuse disorder
- Other

20%, 10%, 10%, 0%, 60%

By age

- 0-4
- 5 to 14
- 15 to 49
- ≥ 50

0%, 100%

By gender

- Male
- Female

20%, 80%

Breakdown of injuries

By cause

- Injury (unintentional)
- Injury (intentional)
- Burns
- Accident
- Other

90%, 5%, 5%, 0%, 0%

By age

- 0-4
- 5 to 14
- 15 to 49
- ≥ 50

0%, 5%, 40%, 55%

By gender

- Male
- Female

55%, 45%