

# 1. Population

Population	0 to	< 1	Total <1	1 to	4	Total 1	5 to	17	Total 5	18 to	59	Total 18	> 6	60	Total >	Grand
Population	M	F	TOTAL < 1	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	1,706	1,706	3,412	5,199	6,012	11,211	15,029	14,623	29,652	15,435	19,172	34,607	894	1,462	2,356	81,238
% by age group			4%			14%			37%			43%			3%	100%

# 2. Mortality

#### 2.1 Mortality

Record ONE cause of mortality per case	0 t	o 4	Total <5	U5 %	5 to	17	Total 5	18 to	59	Total 18	>	60	Total >	Grand	Crude %
necord ONE cause of mortality per case	M	F	TOTAL <2	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Ischaemic heart disease	0	C	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	25%
7. Cancer	0	C	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Tuberculosis (confirmed)	0	C	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	C	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	0	1	1	100%	0	0	0	0	0	0	1	1	2	3	75%
Total	0	1	1	100%	0	0	0	1	0	1	1	1	2	4	100%
% by age group			25%				0%			25%			50%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR)	0.0	0.5	0.3
Neonatal Mortality Rate (NNMR)			0.0

### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

### 3. Morbidity

### 3.1 Staffing and service availability

Number of full-time clinicians	69.0
Average number of full days on which each health facility was functioning	6.5
Total number of outpatient consultations	19,960
Health facility utilisation rate	12.8
Consultations per clinician per day	45

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to	4	Total <5	U5 Incid	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	% by	Crude
necord NEW cases of disease only	М	F	TOTAL < 5	US INCIA	M	F	to 17	M	F	to 59	M	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	609	519	1128	77.1	613	540	1153	826	696	1522	117	180	297	4100	34%	50.5
Influenza-like illness (ILI)	211	191	402	27.5	238	176	414	382	366	748	95	81	176	1740	15%	21.4
Lower Respiratory Tract Infection (LRTI)	189	140	329	22.5	74	66	140	70	70	140	101	57	158	767	6%	9.4
Watery diarrhoea*	10	5	15	1.0	18	8	26	3	6	9	2	4	6	56	0%	0.7
Bloody diarrhoea*	0	0	0	0.0	0	0	0	1	2	3	0	0	0	3	0%	0.0
Skin infection	111	135	246	16.8	154	176	330	188	190	378	63	88	151	1105	9%	13.6
Eye infection	22	26	48	3.3	30	37	67	72	42	114	26	21	47	276	2%	3.4
Dental Conditions	16	23	39	2.7	47	60	107	160	110	270	38	40	78	494	4%	6.1
Intestinal Worms	16	15	31	2.1	11	19	30	2	1	3	1	0	1	65	1%	8.0
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	16	19	35	2.4	9	6	15	10	5	15	0	5	5	70	1%	0.9
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	26	26	0	102	102	0	0	0	128	1%	1.6
Other	341	427	768	52.5	434	437	871	627	611	1238	149	136	285	3162	26%	38.9
Total	1542	1500	3042	208.0	1628	1551	3179	2341	2201	4542	592	612	1204	11967	100%	147.3
% by age group			25%				27%			38%			10%	100%		

<sup>\*</sup> indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

## 3.3 Chronic health conditions

December and DEVICITO	0 to	4	T-4-1 5	5 to	17	Total 5	18 to	59	Total 18	> 6	60	Total	Grand	% by
Record NEW and REVISITS	М	F	Total < 5	М	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	0	0	0	3	1	4	145	89	234	201	176	377	615	9%
Hypertension	0	0	0	0	0	0	143	143	286	237	226	463	749	11%
Asthma	34	25	59	58	29	87	115	143	258	157	129	286	690	10%
Ischaemic heart disease	0	0	0	0	0	0	24	18	42	78	64	142	184	3%
Cardiovascular disorders	1	0	1	6	2	8	17	24	41	33	34	67	117	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	59	32	91	141	61	202	293	4%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	6	8	14	15	47	62	10	42	52	128	2%
Cancer	0	0	0	0	0	0	2	0	2	0	0	0	2	0%
Other	27	49	76	71	63	134	107	132	239	74	91	165	614	9%
Total	124	148	272	288	206	494	1254	1256	2510	1862	1646	3508	6784	100%
% by age group			4%			7%			37%			52%	100%	

### 3.4 Mental health

	0 t	o 4	Total < 5	5 to	17	Total 5	18 to	59	Total 18	> (	50	Total	Grand	% by
	M	F	Total < 3	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	0	1	1	16	8	24	25	6	31	3	0	3	59	99
Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	09
Mental retardation / intellectual disability	0	0	0	4	3	7	8	1	9	0	0	0	16	29
Psychotic disorder	0	0	0	6	6	12	32	9	41	4	4	8	61	99
Severe emotional disorder	0	0	0	17	25	42	33	56	89	2	9	11	142	229
Medically Unexplained Somatic Complaint	11	6	17	36	40	76	21	16	37	5	12	17	147	220

Other psychological complaint	0	0	0	21	18	39	50	88	138	20	33	53	230	35%
Total	11	7	18	100	100	200	169	176	345	34	58	92	655	100%
% by age group			3%			31%			53%			14%	100%	

### 3.5 Injuries

	0 to	o 4	Total < 5	5 to	17	Total 5	18 to	59	Total 18	>	60	Total	Grand	% by
	M	F	TOTAL < 5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Bites (all causes)	0	0	0	2	0	2	1	0	1	1	0	1	4	1%
2. Injury (war related)	1	0	1	14	4	18	59	10	69	15	0	15	103	19%
Injury (non war related)	8	9	17	29	11	40	37	16	53	20	12	32	142	26%
Other	39	29	68	43	32	75	46	54	100	38	24	62	305	55%
Total	48	38	86	88	47	135	143	80	223	74	36	110	554	100%
% by age group			16%			24%			40%			20%	100%	

### 4. In-patient Department

# 4.1 In-patient Department Activities

		0 t	o 4	Total < 5	5 to	17	Total 5	18 to	o 59	Total 18	> (	60	Total	Grand
		M	F	TOTAL < 5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of report	ing period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		7	2	9	10	5	15	10	16	26	- 1	1	2	52
	authorized	7	2	9	10	5	15	10	16	26	1	1	2	52
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		7	2	9	10	5	15	10	16	26	1	1	2	52
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by a	age group													100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	141
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.7
Bed occupancy	42%
Hospitalisation rate	2.6

# 4.2 In-patient Admissions and Deaths

	0 to	o 4	U5 CFR	5 to	17	5-17	18 to 59	18-59	>	60	Total	Total	Crude
	Adm	Deaths	US CFR	Adm	Deaths	CFR	Adm Death	s CFR	Adm	Deaths	adm	deaths	CFR
Paediatric medicine	2	0	0%	1	0	0%	0	0	0	0	3	0	0%
2. General Surgery	7	0	0%	8	0	0%	5	0 0%	0	0	20	0	0%
Injury (war related)	0	0		0	0		0	0	0	0	0	0	
Injury (non war related)	0	0		2	0	0%	5	0 0%	0	0	7	0	0%
Internal medicine	0	0		0	0		0	0	0	0	0	0	
6. Obstetrics	0	0		0	0		12	0 0%	0	0	12	0	0%
7. Gynaecology	0	0		0	0		0	0	0	0	0	0	
Other	3	0	0%	4	0	0%	1	0 0%	2	0	10	0	0%
Total	12	0	0%	15	0	0%	23	0 0%	2	0	52	0	0%

Adm. = Admission; CFR = Case Fatality Rate

### 5. Referral

Health Facility	0 to 4		Total < 5	5 to 17		Total 5		o 59	Total 18	> 60		Total	Grand
	М	F	rotal < 5	М	F	to 17	М	F	to 59	М	F	> 60	total
MAFRAG HOSPITAL	3	1	4	2	2	4	2	5	7	2	2	4	19
MAFRAQ PED &GYN	3	2	5	2	1	3	0	4	4	1	1	2	14
BASMA HOSPITAL	0	1	1	1	1	2	2	3	5	1	0	1	9
ALBASHEER HOSPITAL	3	2	5	3	0	3	0	4	4	1	2	3	15
OTHER	5	1	6	1	2	3	1	1	2	0	1	1	12

Total No of reffered cases out side the Camp 69

# 6. Laboratory

	Total
Number of laboratory tests conducted	344

# 8. Reproductive Health

## 8.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimester		17	72	89
First antenatal visit > 1st trimeste	r	25	77	102
Number of prograph wemon at	≥ 4 ANC visits	1	25	26
	2 TT doses	1	11	12
unic or delivery who received.	anaemia coreening	2	31	33

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	47%
Coverage of complete antenatal care	46%
Coverage of antenatal tetanus immunisation	21%
Causage of appenia accoming in programmy	E00/

#### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	6	50	56
Still births	0	1	1
Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	6	50	56
Number of obstetric complications treated	0	1	1
Number of caesarean sections performed	2	14	16

Delivery Indicators

Crude birth rate	8.3
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	29%
Proportion of obsetric complications treated among girls < 18	0%

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	4	48	52

Postnatal Indicators	
Coverage of complete postnatal care	93%

# 8.4 Family planning

	Ne	w	Repeat		Total
	< 18	≥ 18	< 18	≥ 18	IOlai
Condom (Male)	1	49	1	39	90
Implantable ( Norplant )	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation ( Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	2	0	1	3
Intra-Uterine Device (IUD)	0	4	0	0	4
Oral Contraceptive	1	84	1	125	211
Family Planning Counseling	2	130	3	130	265

#### 8.5 Sexual and gender-based violence

	< 18		≥ ′	Total	
	М	F	M	F	TOTAL
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

1. Health Information System Data Sources

Publication date:

21 June 2013

Contact Information

**Za'atri** Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:



















