

1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	884	884	1,768	3,538	3,538	7,076	6,378	5,528	11,906	19,603	12,161	31,764	1,658	1,658	3,316	55,830
% by age group			3%			13%			21%			57%			6%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	9
Average number of full days on which each health facility was	7.0
Total number of outpatient consultations	2,036
Health facility utilisation rate	1.9
Consultations per clinician per day	32

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	218	189	407	46.0	91	69	160	48	108	156	5	3	8	731	50%	13.1
Lower Respiratory Tract Infection (LRTI)	14	21	35	4.0	2	3	5	3	12	15	0	0	0	55	4%	1.0
Watery diarrhoea*	10	10	20	2.3	3	3	6	2	2	4	0	0	0	30	2%	0.5
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	3	7	10	1.1	1	6	7	9	12	21	0	0	0	38	3%	0.7
Eye infection	1	2	3	0.3	3	1	4	0	2	2	0	0	0	9	1%	0.2
Ear infection	9	5	14	1.6	3	5	8	2	2	4	3	0	3	29	2%	0.5
Dental Conditions	0	0	0	0.0	0	0	0	0	2	2	0	0	0	2	0%	0.0
Intestinal Worms	1	1	2	0.2	1	2	3	1	0	1	0	0	0	6	0%	0.1
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	31	31	0	0	0	31	2%	0.6
Urinary tract infection (UTI)	1	6	7	0.8	2	17	19	23	45	68	4	3	7	101	7%	1.8
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	1	0	1	0.1	0	0	0	1	0	1	0	0	0	2	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	48	41	89	10.1	44	35	79	82	150	232	14	25	39	439	30%	7.9
Total	306	282	588	66.5	150	141	291	172	366	538	26	31	57	1474	100%	26.4
% by age group			40%				20%			36%			4%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	0	1	1	3	5	8	5	8	13	22	26%	
Hypertension	0	0	0	0	0	0	3	8	11	6	9	15	26	31%	
Asthma	0	0	0	0	0	0	1	0	1	0	0	0	1	1%	
Ischaemic heart disease	0	0	0	0	0	0	0	1	1	0	0	0	1	1%	
Cardiovascular disease (other)	0	0	0	0	0	0	2	6	8	4	9	13	21	25%	
Chronic obstructive pulmonary disease (COPD)	3	3	6	0	0	0	1	1	2	1	1	2	10	12%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	1	1	0	0	0	0	1	1	0	0	0	2	2%	
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	0	0	0	0	0	0	0	1	1	0	1	1	2	2%	
Total	3	4	7	0	1	1	10	23	33	16	28	44	85	100%	
% by age group			8%			1%			39%			52%	100%		

3.4 Mental health

	0 to 4			5 to 14			15 to 49			≥ 50			Total ≥ 50	Grand total	% by cause
	M	F	Total < 5	M	F	Total 5 to 14	M	F	Total 15 to 49	M	F	Total ≥ 50			
1. Epilepsy / seizures	0	0	0	3	9	12	4	2	6	0	0	0	18	18%	
2. Alcohol and other substance abuse disorder	0	0	0	0	1	1	1	0	1	0	0	0	2	2%	
3. Psychotic disorder	1	1	2	3	5	8	4	2	6	0	0	0	16	16%	
4. Mental retardation / intellectual disability	0	0	0	3	4	7	0	0	0	0	0	0	7	7%	
5. Severe emotional disorder	1	0	1	18	14	32	4	0	4	0	0	0	37	37%	
6. Medically unexplained somatic complaint	0	0	0	0	1	1	1	0	1	0	0	0	2	2%	
Other	0	0	0	5	2	7	6	4	10	0	0	0	17	17%	
Total	2	1	3	32	36	68	20	8	28	0	0	0	99	100%	
% by age group			3%			69%			28%				0%	100%	

3.5 Injuries

	0 to 4			5 to 14			15 to 49			≥ 50			Total ≥ 50	Grand total	% by cause
	M	F	Total < 5	M	F	Total 5 to 14	M	F	Total 15 to 49	M	F	Total ≥ 50			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
2. Injury (unintentional)	6	3	9	6	2	8	13	19	32	47	37	84	133	35%	
3. Burns	7	3	10	2	2	4	13	19	32	3	17	20	66	17%	
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	11	16	27	48	49	97	9	15	24	14	17	31	179	47%	
Total	24	22	46	56	53	109	35	53	88	64	71	135	378	100%	
% by age group			12%			29%			23%				36%	100%	

4. Referrals

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	2	2	1	7
Elective	28	10	29	13	80
Other	0	0	0	0	0
Total	30	12	31	14	87
% by age group	34%	14%	36%	16%	100%

5. Laboratory & other investigations

	Total
Haematology	99
Imaging (X-ray, MRI/CT)	0
Other	403
Total	630

6. EPI and Vitamin A

7.1 Vaccination

Total in previous month (Domiz EPI data is reported monthly)	<1	≥1 to <5	Total
BCG			
Hepatitis B birth dose			
DPT I/HiB I/Hep B I* (Pentavalent I)			
DPT II/HiB II* (Tetravalent)			
DPT III/HiB III/Hep B II* (Pentavalent II)			
Polio 0			
Polio I			
Polio II			
Polio III			
Measles			
MMR			
Rotavirus 1			
Rotavirus 2			
Rotavirus 3			
Vitamin A			
Additional vaccines			

EPI Indicators (since December 2013)		
Total reported since last reporting period		0
a. Program dropout rate*		
		27%
b. Immunisation coverage		
BCG		92%
Hepatitis B birth dose		88%
DPT I		109%
DPT III		79%
Polio I		109%
Polio III		79%
Measles		59%
MMR**		78%
Rotavirus I		87%
Rotavirus III		42%
c. Vitamin A coverage		
		64%

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	6	177	183
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	100%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources: 1. Health Information System

Publication date: 24 March 2014

Contact Information: Dohuk
Dr Bakhtiyar AHMED, DOH Duhok
Email: BAHMED@duhokhealth.org

Erbil
Mohammed MARZOOG, UNHCR
Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

