

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,097	2,097	4,194	6,390	7,389	13,779	18,472	17,973	36,445	18,972	23,565	42,537	1,098	1,797	2,895	99,850
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	33%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	1	1	100%	0	0	0	0	0	0	0	0	0	1	33%
Other	0	0	0	0%	0	0	0	0	0	0	1	1	1	1	33%
Total	0	1	1	100%	0	0	0	0	0	0	1	1	2	3	100%
% by age group			33%				0%			0%			67%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.1	0.2	0.1
Under 5 Mortality Rate (USMR)	0.0	0.4	0.2
Neonatal Mortality Rate (NNMR)			18.2

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	79.0
Average number of full days on which each health facility was functioning	6.4
Total number of outpatient consultations	13,949
Health facility utilisation rate	7.3
Consultations per clinician per day	28

3.2 Acute health conditions

Record NEW cases of disease only			0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F					M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	391	312	703	39.1			314	307	621	428	366	794	93	72	165	2283	29%	22.9
Influenza-like illness (ILI)	111	114	225	12.5			130	126	256	201	204	405	76	61	137	1023	13%	10.2
Lower Respiratory Tract Infection (LRTI)	106	73	179	10.0			57	46	103	60	87	147	60	43	103	532	7%	5.3
Watery diarrhoea*	18	15	33	1.8			12	6	18	2	8	10	1	1	2	63	1%	0.6
Bloody diarrhoea*	1	0	1	0.1			0	0	0	0	0	0	0	0	0	1	0%	0.0
Skin infection	147	127	274	15.2			135	183	318	170	189	359	97	96	193	1144	14%	11.5
Eye infection	30	28	58	3.2			34	42	76	61	58	119	23	16	39	292	4%	2.9
Dental Conditions	4	7	11	0.6			34	42	76	109	83	192	33	35	68	347	4%	3.5
Intestinal Worms	12	15	27	1.5			25	17	42	2	5	7	5	1	6	82	1%	0.8
Acute Jaundice Syndrome*	3	0	3	0.2			1	0	1	0	0	0	0	0	0	4	0%	0.0
Measles*	0	0	0	0.0			0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0			0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0			0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	16	18	34	1.9			12	10	22	17	23	40	10	5	15	111	1%	1.1
Fever of unknown origin	14	17	31	1.7			2	2	4	0	0	0	0	0	0	35	0%	0.4
Sexually Transmitted Infection (STI)	0	0	0	0.0			0	25	25	0	17	17	0	1	1	43	1%	0.4
Leishmaniasis	1	0	1	0.1			0	1	1	0	0	0	0	0	0	2	0%	0.0
Other	160	177	337	18.8			186	200	386	467	548	1015	128	146	274	2012	25%	20.2
Total	1015	903	1918	106.7			942	1008	1950	1517	1588	3105	526	477	1003	7976	100%	79.9
% by age group				24%					24%			39%			13%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	4	5	9	114	123	237	87	113	200	446	9%
Hypertension	0	1	1	0	1	1	110	123	233	157	151	308	543	11%
Asthma	19	13	32	49	37	86	70	72	142	59	69	128	388	8%
Ischaemic heart disease	0	0	0	0	0	0	53	36	89	48	37	85	174	4%
Cardiovascular disorders	0	0	0	0	2	2	36	31	67	32	31	63	132	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	33	23	56	46	33	79	135	3%
Liver disease	0	0	0	0	0	0	4	1	5	0	0	0	5	0%
Thyroid problems	0	0	0	2	4	6	7	31	38	11	21	32	76	2%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	42	42	84	57	60	117	109	105	214	71	70	141	556	11%
Total	122	112	234	224	218	442	1072	1090	2162	1022	1050	2072	4910	100%
% by age group			5%			9%			44%			42%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	2	6	8	14	7	21	33	15	48	1	3	4	81	16%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	2	0	2	0	0	0	2	0%

3. Mental retardation / intellectual disability	0	2	2	4	13	17	2	7	9	0	0	0	28	5%
4. Psychotic disorder	0	0	0	5	8	13	19	5	24	0	2	2	39	8%
5. Severe emotional disorder	1	0	1	6	22	28	37	37	74	16	27	43	146	28%
6. Medically Unexplained Somatic Complaint	6	8	14	19	12	31	10	18	28	4	5	9	82	16%
Other psychological complaint	1	0	1	18	27	45	32	28	60	10	24	34	140	27%
Total	10	16	26	66	89	155	135	110	245	31	61	92	518	100%
% by age group			5%			30%			47%			18%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	7	3	10	5	11	16	13	5	18	44	8%
2. Injury (war related)	2	0	2	23	9	32	34	7	41	18	19	37	112	21%
3. Injury (non war related)	0	0	0	12	0	12	18	8	26	0	0	0	38	7%
4. Injury (Burns)	2	2	4	3	3	6	13	8	21	3	4	7	38	7%
Other	38	38	76	46	49	95	50	39	89	25	28	53	313	57%
Total	42	40	82	91	64	155	120	73	193	59	56	115	545	100%
% by age group			15%			28%			35%			21%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		17	7	24	13	9	22	14	15	29	7	4	11	86
Number of exits	authorized	17	7	24	12	9	21	14	15	29	6	3	9	83
	unauthorized	0	0	0	1	0	1	0	0	0	1	1	2	3
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		17	7	24	13	9	22	14	15	29	7	4	11	86
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group														100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	142
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.7
Bed occupancy	44%
Hospitalisation rate	3.4

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	17	0	0%	5	0	0%	0	0		0	0	22	0	0%
2. General Surgery	3	0	0%	4	0	0%	6	0	0%	0	0	13	0	0%
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		0	0		6	0	0%	7	0	13	0	0%
5. Internal medicine	0	0		0	0		0	0		0	0	0	0	
6. Obstetrics	0	0		0	0		4	0	0%	0	0	4	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	6	0	0%	13	0	0%	11	0	0%	4	0	34	0	0%
Total	26	0	0%	22	0	0%	27	0	0%	11	0	86	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

Health Facility	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
MAFRAG HOSPITAL	2	2	2	2	9	9	0	0	13
MAFRAQ PED & GYN	17	17	5	5	28	28	0	0	50
BASMA HOSPITAL	8	8	20	20	40	40	3	3	71
ALBASHEER HOSPITAL	4	4	5	5	7	7	0	0	16
OTHER	1	1	8	8	7	7	9	9	25

Total No of referred cases out side the Camp	175
--	-----

6. Laboratory

	Total
Number of laboratory tests conducted	637

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	50	104	154
First antenatal visit > 1st trimester	45	126	171
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	1	7	8
2 TT doses	0	6	6
anaemia screening	1	30	31

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	47%
Coverage of complete antenatal care	15%
Coverage of antenatal tetanus immunisation	11%
Coverage of anaemia screening in pregnancy	56%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	5	50	55

Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	5	50	55
Number of obstetric complications treated	0	5	5
Number of caesarean sections performed	2	3	5

Delivery Indicators	
Crude birth rate	6.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	9%
Proportion of obstetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	7	104	111

Postnatal Indicators	
Coverage of complete postnatal care	202%

8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	1	66	0	22	89
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)					0
Injectable (Depo - Provera)	0	1	0	2	3
Intra-Uterine Device (IUD)	0	7	0	2	9
Oral Contraceptive	6	80	0	179	265
Family Planning Counseling	8	166	10	207	391

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	