


Refugee population

Total refugee population:

4,535 *

Demographic breakdown:



Qushtapa camp

Key facts

Camp opened:
August 2013

Planned capacity:
7,860

Area:
0.43 Km sq

Population:
Syrian refugees, majority from Qamishli, Diralok and Hassaka

* Source of population data:
Estimates from UNHCR registration

Indicators at a glance

Indicator	Value	Standard
1 Health utilisation rate	4.2	1 - 4
2 Number of consultations per clinician per day	61	< 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4 Measles immunisation coverage	124%	> 90%
5 Polio III immunisation coverage	77%	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Notes

This public health profile for Qushtapa refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


DOH - ERBIL

ALERTS THIS WEEK


Acute jaundice syndrome above threshold

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Rank	Condition	% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	52%	180
2	Urinary tract infection (UTI)	11%	38
3	Eye infection	6%	21
4	Dental Conditions	4%	15
5	Ear infection	4%	13
-	Other	23%	79

Top 5 chronic health conditions


Rank	Condition	% morbidity	# of cases
1	Diabetes	54%	7
2	Hypertension	38%	5
3	Cardiovascular disease (other)	8%	1
4	Asthma	0%	0
5	Ischaemic heart disease	0%	0
-	Other	0%	0

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions


by age




by gender




Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,
 baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact

Indicator Standard

Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Access and utilization

No. of health facilities	1.0	1 : < 10,000
Total number of consultations	367	
Health utilisation rate	4.2	1 - 4
No. of consultations per trained clinician per day	61	< 50

Reproductive health

Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
--	-----	-------

Outbreak Alert and Response

Indicator Standard

Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours	N/A	100%

Routine immunization

BCG immunisation coverage	145%	> 90%
DPT 1 immunisation coverage	60%	> 90%
Measles immunisation coverage	124%	> 90%
Polio III immunisation coverage	77%	> 90%
MMR immunisation coverage	77%	> 90%
Vitamin A coverage	117%	> 90%

Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

Top 3 Mental health conditions

% morbidity # of cases

1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0


Top 3 injuries

% morbidity # of cases


1 Burns	75%	6
2 Injury (unintentional)	12%	1
3 Accident	12%	1
- Other	0%	0

Breakdown of mental health conditions

By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

