


Refugee population

Total refugee population:

3,121 *

Demographic breakdown:



Key facts

Camp opened:
August 2013

Planned capacity:
4,580

Area:
0.15 Km sq

Population:
Syrian refugees, majority from Qamishli and Hasak

* Source of population data:
Estimates from UNHCR registration

Indicators at a glance

Indicator	Standard
1 Health utilisation rate	1 - 4
2 Number of consultations per clinician per day	< 50
3 Proportion of first time antenatal visits made < 1st trimester	≥ 90%
4 Measles immunisation coverage	> 90%
5 Polio III immunisation coverage	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	< 40

Notes

HIGHLIGHTS

Health utilisation rate and consultations per clinician per day elevated. Upper respiratory tract infections remains the major cause of morbidity.

This public health profile for the refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


DOH Erbil

Alerts


NONE

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	47%	291
2 Urinary tract infection (UTI)	5%	32
3 Skin infection	5%	31
4 Dental Conditions	5%	31
5 Lower Respiratory Tract Infection (LRTI)	5%	28
- Other	33%	203

Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Diabetes	29%	7
2 Ischaemic heart disease	29%	7
3 Hypertension	25%	6
4 Asthma	17%	4
5 Cardiovascular disease (other)	0%	0
- Other	7.92E-11	1.9E-09

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions


by age




by gender




Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,
 baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact

Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0 < 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0 < 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0 < 40

Access and utilization

Indicator	Standard
No. of health facilities	1.0 1 : < 10,000
Total number of consultations	655
Health utilisation rate	10.9 1 - 4
No. of consultations per trained clinician per day	47 < 50

Reproductive health

Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
--	-----	-------

Outbreak Alert and Response

Indicator	Standard
Number of outbreaks reported	0
% of outbreaks investigated within 48 hours	N/A 100%

Routine immunization

BCG immunisation coverage	53%	> 90%
DPT 1 immunisation coverage	41%	> 90%
Measles immunisation coverage	26%	> 90%
Polio III immunisation coverage	71%	> 90%
MMR immunisation coverage	79%	> 90%
Vitamin A coverage	58%	> 90%

Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

Top 3 injuries


	% morbidity	# of cases
1 Injury (unintentional)	53%	8
2 Burns	33%	5
3 Injury (intentional)	13%	2
- Other	0%	0

Breakdown of mental health conditions


NO MENTAL HEALTH CONDITIONS REPORTED THIS WEEK

Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

