

## 1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	884	884	1,768	3,538	3,538	7,076	6,378	5,528	11,906	19,603	12,161	31,764	1,658	1,658	3,316	55,830
% by age group			3%			13%			21%			57%			6%	100%

## 2. Mortality

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group															

## Mortality indicators

	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Number of full-time clinicians	9
Average number of full days on which each health facility was	5.6
Total number of outpatient consultations	2,020
Health facility utilisation rate	1.9
Consultations per clinician per day	40

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	108	91	199	22.5	58	39	97	61	57	118	2	1	3	417	33%	7.5
Lower Respiratory Tract Infection (LRTI)	28	27	55	6.2	3	2	5	5	4	9	0	0	0	69	5%	1.2
Watery diarrhoea*	8	10	18	2.0	1	1	2	3	1	4	1	0	1	25	2%	0.4
Bloody diarrhoea*	0	1	1	0.1	0	1	1	1	0	1	0	0	0	3	0%	0.1
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	7	4	11	1.2	1	2	3	9	8	17	1	2	3	34	3%	0.6
Eye infection	2	4	6	0.7	2	0	2	0	6	6	0	1	1	15	1%	0.3
Ear infection	10	8	18	2.0	2	2	4	3	1	4	0	0	0	26	2%	0.5
Dental Conditions	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Intestinal Worms	1	0	1	0.1	1	1	2	0	0	0	0	0	0	3	0%	0.1
Acute Jaundice Syndrome*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	22	22	0	0	22	2%	0.4
Urinary tract infection (UTI)	0	11	11	1.2	1	14	15	10	78	88	0	6	6	120	9%	2.1
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Other	80	63	143	16.2	54	50	104	105	152	257	17	10	27	531	42%	9.5
<b>Total</b>	<b>245</b>	<b>219</b>	<b>464</b>	<b>52.5</b>	<b>124</b>	<b>112</b>	<b>236</b>	<b>197</b>	<b>329</b>	<b>526</b>	<b>21</b>	<b>20</b>	<b>41</b>	<b>1267</b>	<b>100%</b>	<b>22.7</b>
% by age group			37%				19%			42%			3%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*incidence is cases per 1000 per week

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	0	0	0	3	11	14	3	13	16	30	25%	
Hypertension	0	0	0	0	0	0	1	6	7	6	11	17	24	20%	
Asthma	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	4	1	5	5	4%	
Cardiovascular disease (other)	0	0	0	0	0	0	3	6	9	9	15	24	33	28%	
Chronic obstructive pulmonary disease (COPD)	2	0	2	3	0	3	2	8	10	4	2	6	21	18%	
Liver disease	0	0	0	0	1	1	0	1	1	0	0	0	2	2%	
Thyroid problems	0	0	0	0	0	0	0	2	2	1	0	1	3	3%	
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	0	0	0	0	0	0	2	2	2	0	0	0	2	2%	
<b>Total</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>9</b>	<b>36</b>	<b>45</b>	<b>27</b>	<b>42</b>	<b>69</b>	<b>120</b>	<b>100%</b>	
% by age group			2%			3%			38%			58%	100%		

### 3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	2	1	3	0	0	0	3	10%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	3	0	3	0	0	0	3	10%
3. Psychotic disorder	0	0	0	0	0	0	1	3	4	1	0	1	5	17%
4. Mental retardation / intellectual disability	0	0	0	1	0	1	1	1	2	0	0	0	3	10%
5. Severe emotional disorder	0	0	0	0	0	0	5	5	10	0	0	0	10	33%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	2	3	5	0	1	1	0	0	0	6	20%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>6</b>	<b>12</b>	<b>11</b>	<b>23</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>30</b>	<b>100%</b>
<b>% by age group</b>			<b>0%</b>			<b>20%</b>			<b>77%</b>			<b>3%</b>	<b>100%</b>	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	8	3	11	7	3	10	14	19	33	17	22	39	93	15%
3. Burns	2	4	6	11	10	21	18	17	35	14	14	28	90	15%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	22	45	67	125	126	251	36	22	58	17	27	44	420	70%
<b>Total</b>	<b>32</b>	<b>52</b>	<b>84</b>	<b>143</b>	<b>139</b>	<b>282</b>	<b>68</b>	<b>58</b>	<b>126</b>	<b>48</b>	<b>63</b>	<b>111</b>	<b>603</b>	<b>100%</b>
<b>% by age group</b>			<b>14%</b>			<b>47%</b>			<b>21%</b>			<b>18%</b>	<b>100%</b>	

## 4. Referrals

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	5	6	3	2	16
Elective	5	7	17	8	37
Other	0	0	0	0	0
<b>Total</b>	<b>10</b>	<b>13</b>	<b>20</b>	<b>10</b>	<b>53</b>
<b>% by age group</b>	<b>19%</b>	<b>25%</b>	<b>38%</b>	<b>19%</b>	<b>100%</b>

## 5. Laboratory & other investigations

	Total
Haematology	140
Imaging (X-ray, MRI/CT)	1
Other	440
<b>Total</b>	<b>679</b>

## 6. EPI and Vitamin A

### 6.1 Vaccination

Total in previous month (Domiz EPI data is reported monthly)	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	0	0	0
DPT II/HiB II* (Tetavalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	0	0	0
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	0	0

EPI Indicators (since December 2013)		
Total reported since last month		0
a. Program dropout rate*		24%
b. Immunisation coverage		
	BCG	95%
	Hepatitis B birth dose	93%
	DPT I	101%
	DPT III	77%
	Polio I	101%
	Polio III	77%
	Measles	51%
	MMR**	82%
	Rotavirus I	83%
	Rotavirus III	51%
c. Vitamin A coverage		94%

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	16	261	277
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	100%

### 7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	95	95

### 7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No. of rape survivors given PEP within 72 hours	0	0	0	0	0
No. of female rape survivors given ECP within 120 hours	0	0	0	0	0
No. of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		
Incidence of reported rape		0.0
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources: 1. Health Information System

Publication date: 08 April 2014

Contact Information: Dohuk  
Dr Bakhtiyar AHMED, DOH Duhok

Email: BAHMED@duhokhealth.org

Contact Information: Erbil  
Sandra HARLASS, UNHCR

Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

