1. Population

Population	0 to	< 1 F	Total <1	1 to	5 4 F	Total 1 to 4	5 to M	14 F	Total 5 to 14	15 to M	6 49 F	Total 15 to 49	≥ 5 M	0 F	Total ≥ 50	Grand total
Refugee population	254	242	496	1,015	968	1,983	1,596	1,571	3,167	3,058	2,890	5,948	890	848	1,738	13,332
% by age group	·		4%			15%	·		24%	·		45%			13%	100%

* estimates from registered population

2. Mortality

2.1 Mortality

Barrel ONE and a few stalls	0 t	o 4	Total	U5 %	5 to	14	Total 5	15 to	o 49	Total 15	≥ (50	Total >	Grand	Crude %
Record ONE cause of mortality per case	M	F	<5	mort	М	F	to 14	М	F	to 49	М	F	50	total	mort
Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group														100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	4
Average number of full days on which each health facility was	7.0
Total number of outpatient consultations	909
Health facility utilisation rate	3.5
Consultations per clinician per day	32

3.2 Acute health conditions

	0 to	4	Total	U5	5 to	14	Total 5	15 to	49	Total 15	≥ 5	50	Total ≥	Grand	% by	Crude
Record NEW cases of disease only	м	F	<5	Incid**	М	F	to 14	М	F	to 49	М	F	50	total	cause	Incid**
Upper Respiratory Tract Infection (URTI)	67	59	126	50.8	27	20	47	29	41	70	0	1	1	244	31%	18.3
Lower Respiratory Tract Infection (LRTI)	13	10	23	9.3	0	1	1	12	4	16	1	0	1	41	5%	3.1
Watery diarrhoea*	11	7	18	7.3	1	0	1	3	1	4	0	0	0	23	3%	1.7
Bloody diarrhoea*	0	1	1	0.4	0	0	0	0	0	0	0	0	0	1	0%	0.1
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	11	4	15	6.1	3	5	8	10	6	16	1	2	3	42	5%	3.2
Eye infection	4	1	5	2.0	1	3	4	2	4	6	0	0	0	15	2%	1.1
Ear infection	7	8	15	6.1	5	3	8	2	9	11	0	1	1	35	4%	2.6
Dental Conditions	2	1	3	1.2	6	10	16	20	27	47	0	0	0	66	8%	5.0
Intestinal Worms	1	1	2	0.8	1	2	3	1	0	1	0	0	0	6	1%	0.5
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.1
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Urinary tract infection (UTI)	6	1	7	2.8	2	13	15	10	20	30	0	0	0	52	7%	3.9
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	23	23	46	18.6	22	17	39	45	114	159	4	11	15	259	33%	19.4
Total	145	116	261	105.3	68	74	142	134	227	361	6	15	21	785	100%	58.9
% by age group			33%				18%			46%			3%	100%		

^{*}indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 t	o 4	Total <	5 to	14	Total 5 15 to 49 T		Total 15 ≥ 50		Total	Grand	% by		
Record NEW and REVISITS	М	F	5	М	F	to 14	М	F	to 49	М	F	≥ 50	total	cause
Diabetes	0	0	0	0	0	0	4	6	10	4	6	10	20	24%
Hypertension	0	0	0	0	0	0	8	15	23	2	6	8	31	38%
Asthma	1	4	5	2	1	3	1	1	2	0	0	0	10	12%
Ischaemic heart disease	0	0	0	0	0	0	0	1	1	2	1	3	4	5%
Cardiovascular disease (other)	1	0	1	0	0	0	0	9	9	2	0	2	12	15%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Liver disease	0	0	0	0	0	0	0	0	0	1	0	1	1	1%
Thyroid problems	0	0	0	0	0	0	0	2	2	0	0	0	2	2%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	1	1	0	1	1	2	2%
Total	2	4	6	2	1	3	13	35	48	11	14	25	82	100%
% by age group			7%			4%			59%			30%	100%	

3.4 Mental health

	0 t	o 4	Total <	5 to	14	Total 5	15 to	o 49	Total	≥ !	50	Total	Grand	% by
	М	F	5	M	F	to 14	М	F	15 to 49	M	F	≥ 50	total	cause
Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder	0	0	0	0	0	0	1	0	1	0	0	0	1	5%
Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Severe emotional disorder	0	0	0	0	0	0	2	1	3	0	0	0	3	15%
Medically unexplained somatic complaint	0	0	0	0	0	0	1	0	1	0	0	0	1	5%
Other	2	1	3	0	2	2	2	8	10	0	0	0	15	75%
Total	2	1	3	0	2	2	6	9	15	0	0	0	20	100%
% by age group			15%			10%			75%			0%	100%	

3.5 Injuries

	0 to	o 4	Total <	5 to	14	Total 5	15 to	o 49	Total	≥	50	Total Grand		% by
	М	F	5	М	F	to 14	M	F	15 to 49	M	F	≥ 50	total	cause
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	1	1	2	3	0	3	8	1	9	0	0	0	14	64%
3. Burns	0	0	0	1	0	1	0	2	2	0	0	0	3	14%
4. Accident	1	0	1	1	0	1	3	0	3	0	0	0	5	23%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Total	2	1	3	5	0	5	11	3	14	0	0	0	22	100%
% by age group			14%			23%			64%			0%	100%	

4. Referrals

5. Laboratory & other investigations

4.1 Referrals - general

0 to 4	5 to 14	15 to 49	250	Grand total
2	1	4	0	7
5	5	13	4	27
0	0	0	0	0
7	6	17	4	34
21%	18%	50%	12%	100%
	2 5 0 7	2 1 5 5 0 0	2 1 4 5 5 13 0 0 0 0 7 6 17	2 1 4 0 5 5 13 4 0 0 0 0 0 7 6 17 4

	Total
Haematology	0
Imaging (X-ray, MRI/CT)	0
Other	0
Total	0

6. EPI and Vitamin A

	<1	1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	0	0	0
DPT II/HiB II* (Tetravalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	0	0	0
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	0	0



Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

7. Reproductive Health

7.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimester				
First antenatal visit > 1st trimester				
Number of pregnant	≥ 4 ANC visits	NO DATA		ГА
women at time of delivery	2 TT doses			
who received:	anaemia screening			
ND: no data submitted	-			

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	NO DATA		
ND: no data submitted			

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester

7.3 Sexual and gender-based violence

	<	18	≥ 18		
	м	F	М	F	Total
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

Data Sources 1. Health Information System

Publication date:

08 April 2014

Contact Information

Dr Chimmen Akrawi, DOH Erbil

Email: chimmentya@yahoo.com











Email: HARLASS@unhcr.org

