


Refugee population

Total refugee population:

4,545 *

Demographic breakdown:



Qushtapa camp

Key facts

Camp opened:
August 2013

Planned capacity:
7,860

Area:
0.43 Km sq

Population:
Syrian refugees, majority from Qamishli, Diralok and Hassaka

* Source of population data: Estimates from UNHCR registration. For multiweek reports, average is presented

Indicators at a glance

Indicator	Standard
1 Health utilisation rate	1 - 4
2 Number of consultations per clinician per day	< 50
3 Proportion of first time antenatal visits made < 1st trimester	≥ 90%
4 Measles immunisation coverage	> 90%
5 Polio III immunisation coverage	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	< 40

Notes

Highlights


This public health profile for Qushtapa refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


DOH - ERBIL

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	56%	1,826
2 Urinary tract infection (UTI)	8%	273
3 Lower Respiratory Tract Infection (LRTI)	8%	259
4 Ear infection	3%	111
5 Dental Conditions	2%	76
- Other	22%	735

Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Diabetes	67%	116
2 Hypertension	24%	41
3 Asthma	9%	15
4 Ischaemic heart disease	0%	0
5 Cardiovascular disease (other)	0%	0
- Other	1%	1

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions


by age




by gender




Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case
 baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact

Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0 < 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0 < 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0 < 40

Access and utilization

Indicator	Standard
No. of health facilities	1.0 1 : < 10,000
Total number of consultations	3,464
Health utilisation rate	9.9 1 - 4
No. of consultations per trained clinician per day	144 < 50

Reproductive health

Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
--	-----	-------

Outbreak Alert and Response

Indicator	Standard
Number of outbreaks reported	0
% of outbreaks investigated within 48 hours	N/A 100%

Routine immunization

BCG immunisation coverage	116%	> 90%
DPT 1 immunisation coverage	51%	> 90%
Measles immunisation coverage	116%	> 90%
Polio III immunisation coverage	68%	> 90%
MMR immunisation coverage	82%	> 90%
Vitamin A coverage	108%	> 90%

Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

Top 3 Mental health conditions


	% morbidity	# of cases
1 Severe emotional disorder	75%	3
2 Epilepsy / seizures	25%	1
3 Alcohol and other substance abuse disorder	0%	0
- Other	0%	0

Top 3 injuries


	% morbidity	# of cases
1 Burns	86%	6
2 Injury (unintentional)	14%	1
3 Injury (intentional)	0%	0
- Other	0%	0

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

