

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	312	295	607	1,510	1,445	2,956	3,177	2,882	6,059	3,412	3,916	7,328	161	235	396	17,346
% by age group			4%			17%			35%			42%			2%	100%

## 2. Mortality

### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	3	3	43%	0	0	0	0	0	0	0	0	0	3	25%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	17%
5. Cardiovascular disorders (other)	2	0	2	29%	0	0	0	1	0	1	2	0	2	5	42%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	0	1	1	14%	0	0	0	0	0	0	0	0	0	1	8%
13. Other	0	1	1	14%	0	0	0	0	0	0	0	0	0	1	8%
<b>Total</b>	<b>2</b>	<b>5</b>	<b>7</b>	<b>58%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>12</b>	<b>100%</b>
% by age group				58%			0%			8%			33%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.4	1.0	0.7
Neonatal Mortality Rate (NNMR) (/1000 population/month)			3.91

### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

### 3.1 Staffing and service availability

Number of full-time clinicians	11.1
Average number of full days on which each health facility was functioning	6.4
Total number of outpatient consultations	33,644
Health facility utilisation rate	7.8
Consultations per clinician per day	36

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	2,670	2,169	4,839	1358.1	1,720	1,461	3,181	1,271	1,206	2,477	72	75	147	10,644	39%	613.6
Influenza-like illness (ILI)	383	358	741	208.0	269	242	511	323	393	716	13	20	33	2,001	7%	115.4
Lower Respiratory Tract Infection (LRTI)	448	286	734	206.0	124	98	222	127	125	252	12	6	18	1,226	5%	70.7
Watery diarrhoea*	290	270	560	157.2	109	70	179	102	87	189	3	10	13	941	3%	54.2
Bloody diarrhoea*	1	0	1	0.3	3	2	5	4	1	5	0	0	0	11	0%	0.6
Skin infection	389	316	705	197.9	251	262	513	286	280	566	35	23	58	1,842	7%	106.2
Eye infection	119	95	214	60.1	56	40	96	86	98	184	14	11	25	519	2%	29.9
Ear infection	159	127	286	80.3	113	117	230	106	213	319	11	19	30	865	3%	49.9
Dental Conditions	24	28	52	14.6	124	130	254	345	382	727	9	11	20	1,053	4%	60.7
Intestinal Worms	29	21	50	14.0	34	27	61	8	8	16	0	0	0	127	0%	7.3
Acute Jaundice Syndrome*	8	5	13	3.6	14	5	19	3	0	3	0	0	0	35	0%	2.0
Measles (suspected)*	3	1	4	1.1	1	0	1	0	0	0	0	0	0	5	0%	0.3
Meningitis (suspected)*	2	0	2	0.6	0	0	0	0	0	0	0	0	0	2	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	10	6	16	4.5	27	22	49	19	19	38	1	4	5	108	0%	6.2
Fever of unknown origin	1	1	2	0.6	0	0	0	0	0	0	0	0	0	2	0%	0.1
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	831	778	1,609	451.6	697	781	1,478	1,773	2,247	4,020	255	239	494	7,601	28%	438.2
<b>Total</b>	<b>5,367</b>	<b>4,461</b>	<b>9,828</b>	<b>2758.3</b>	<b>3,542</b>	<b>3,257</b>	<b>6,799</b>	<b>4,453</b>	<b>5,059</b>	<b>9,512</b>	<b>425</b>	<b>418</b>	<b>843</b>	<b>26,982</b>	<b>100%</b>	<b>1555.5</b>
% by age group				36%			25%			35%			3%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	6	1	7	16	9	25	134	153	287	97	110	207	526	23%	
Hypertension	0	0	0	0	0	0	178	344	522	155	213	368	890	38%	
Asthma	30	6	36	43	19	62	67	67	134	25	15	40	272	12%	
Ischaemic heart disease	0	0	0	0	1	1	28	23	51	14	12	26	78	3%	
Cardiovascular disease (other)	1	1	2	0	0	0	19	29	48	13	11	24	74	3%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	4	3	7	3	1	4	11	0%	
Liver disease	0	0	0	6	1	7	10	0	10	1	0	1	18	1%	
Thyroid problems	0	1	1	2	4	6	7	38	45	2	6	8	60	3%	
Cancer	0	0	0	0	0	0	1	3	4	2	0	2	6	0%	
Other	17	16	33	34	40	74	99	122	221	29	26	55	383	17%	
<b>Total</b>	<b>54</b>	<b>25</b>	<b>79</b>	<b>101</b>	<b>74</b>	<b>175</b>	<b>547</b>	<b>782</b>	<b>1,329</b>	<b>341</b>	<b>394</b>	<b>735</b>	<b>2,318</b>	<b>100%</b>	
% by age group				3%			8%		57%			32%	100%		



## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	114	114	21	21	0	0	0	0	135
2.	Internal medicine	72	72	89	89	238	238	57	57	456
3.	Obstetric	0	0	0	0	9	9	0	0	9
4.	Gynaecological	0	0	4	4	25	25	0	0	29
5.	Surgical	54	54	74	74	129	129	16	16	273
6.	Other	50	50	49	49	69	69	17	17	185

## 6. Laboratory

	Total
Number of laboratory tests conducted	2,755

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	26	423	449
First antenatal visit > 1st trimester	41	669	710

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	39%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	2 TT doses	anaemia screening	Total
	11	9	14	143
		110	239	119
				253

Coverage of complete antenatal care	56%
Coverage of antenatal tetanus immunisation	46%
Coverage of anaemia screening in pregnancy	99%

### 7.3 Delivery care

	< 18	≥ 18	Total
Live births	15	241	256
Still births	0	2	2
Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	15	241	256
Number of obstetric complications treated	0	7	7
Number of caesarean sections performed	2	61	63

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	4.9
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0.4%
Proportion of all births performed by caesarean section	25%
Proportion of obstetric complications treated among girls < 18	0%

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	24	166	190

#### Postnatal Indicators

Coverage of complete postnatal care	74%
-------------------------------------	-----

### 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	1	89	0	52	142
Emergency Contraceptive Pill	0	1	0	2	3
Injectable (Depo-Provera)	0	52	0	34	86
Implantable (Norplant)	0	4	0	0	4
Intra-Uterine Device (IUD)	0	44	0	13	57
Condom (Male)	5	113	1	24	143
Other	3	237	0	57	297

  

	< 18	≥ 18
Family Planning Counseling*	0	160

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

### Note

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Clinics and agencies reporting:

**IMC Primary health center ( Azraq Refugee camp)**

Published on

Contact  
Information

**UNHCR**  
Asaad Khadum  
Email: KADHUM@unhcr.org

**UNHCR**  
Ann Burton  
Email: BURTON@unhcr.org

**Azraq**  
Lina Hamidi  
Email lhamidi@InternationalMedicalCorps.org

We gratefully  
acknowledge the contributions of  
the following agencies:

