

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	454	450	904	1,815	1,801	3,616	3,645	3,615	7,260	4,425	4,390	8,815	186	194	380	20,975
% by age group			4%			17%			35%			42%			2%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	1	1	0	1	2	40%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	2	0	2	100%	0	0	0	0	0	0	0	0	0	2	40%
11. Other	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	20%
Total	2	0	2	100%	0	0	0	0	0	1	1	0	2	5	100%
% by age group			40%				0%			20%			40%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/ month)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000 population under 5/ month)	0.3	0.0	0.1
Under 5 Mortality Rate (USMR) (/1000 livebirths)	13.2	0.0	13.2
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.2

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	9.4
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	20,501
Health facility utilisation rate	3.9
Consultations per clinician per day	27

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	1264	954	2218	490.7	734	666	1400	651	669	1320	52	33	85	5023	33%	239.5
Influenza-like illness (ILI)	120	138	258	57.1	73	64	137	94	69	163	3	8	11	569	4%	27.1
Lower Respiratory Tract Infection (LRTI)	108	53	161	35.6	19	11	30	19	19	38	3	3	6	235	2%	11.2
Watery diarrhoea*	655	446	1101	243.6	131	161	292	147	142	289	15	14	29	1711	11%	81.6
Bloody diarrhoea*	5	1	6	1.3	0	2	2	1	5	6	0	0	0	14	0%	0.7
Skin infection	212	193	405	89.6	165	174	339	153	142	295	8	12	20	1059	7%	50.5
Eye infection	95	62	157	34.7	79	61	140	81	84	165	7	8	15	477	3%	22.7
Ear infection	67	44	111	24.6	46	74	120	57	111	168	8	3	11	410	3%	19.5
Dental Conditions	26	21	47	10.4	76	83	159	209	231	440	11	10	21	667	4%	31.8
Intestinal Worms	12	17	29	6.4	21	28	49	9	5	14	0	0	0	92	1%	4.4
Acute Jaundice Syndrome*	42	32	74	16.4	40	50	90	5	5	10	0	0	0	174	1%	8.3
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	2	3	5	1.1	2	4	6	3	2	5	0	0	0	16	0%	0.8
Fever of unknown origin	7	6	13	2.9	3	11	14	3	14	17	0	2	2	46	0%	2.2
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	448	467	915	202.4	433	587	1020	1119	1444	2563	102	124	226	4724	31%	225.2
Total	3063	2437	5500	1216.8	1822	1976	3798	2551	2942	5493	209	217	426	15217	100%	725.5
% by age group			36%				25%			36%			3%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	7	4	11	77	119	196	69	75	144	351	23%
Hypertension	0	0	0	1	1	2	157	269	426	130	137	267	695	46%
Asthma	6	8	14	31	10	41	63	51	114	6	2	8	177	12%
Ischaemic heart disease	0	0	0	0	1	1	8	2	10	1	1	2	13	1%
Cardiovascular disease (other)	2	1	3	0	1	1	10	8	18	3	0	3	25	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	1	3	4	4	0	4	8	1%
Liver disease	1	1	2	0	1	1	2	0	2	0	0	0	5	0%
Thyroid problems	0	1	1	8	4	12	13	28	41	3	5	8	62	4%
Cancer	0	0	0	0	0	0	1	7	8	0	0	0	8	1%
Other	9	8	17	14	18	32	36	51	87	10	5	15	151	10%
Total	18	19	37	61	40	101	368	538	906	226	225	451	1495	100%
% by age group			2%			7%			61%			30%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	0	2	2	22	23	45	33	21	54	0	0	0	101	19%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	1	1	2	0	0	0	2	0%
3.	Psychotic disorder (including mania)	0	0	0	0	1	1	24	19	43	0	0	0	44	8%
4.	Intellectual disability	0	0	0	2	7	9	4	11	15	0	0	0	24	5%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	0	6	6	83	100	183	0	1	1	190	36%
6.	Medically unexplained somatic complaint	0	0	0	1	1	2	6	7	13	0	0	0	15	3%
	Other psychological complaints	0	0	0	55	64	119	5	21	26	0	0	0	145	28%
Total		0	2	2	80	102	182	156	180	336	0	1	1	521	100%
% by age group				0%			35%			64%			0%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	0	1	1	3	0	3	0	0	0	0	0	0	4	1%
2.	Injury (war related)	0	0	0	1	0	1	7	0	7	0	0	0	8	2%
3.	Injury (Burns)	10	12	22	5	3	8	1	7	8	0	0	0	38	8%
4.	Assault (with weapon non-war related)	0	0	0	0	0	0	1	1	2	0	0	0	2	0%
	Other	59	52	111	110	59	169	95	36	131	10	6	16	427	89%
Total		69	65	134	119	62	181	104	44	148	10	6	16	479	100%
% by age group				28%			38%			31%			3%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	121	121	0	361	361	482	82%
2.	Urethral discharge	2	0	2	1	0	1	3	1%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	1	1	0	105	105	106	18%
	Other	0	0	0	0	0	0	0	0%
Total		2	122	124	1	466	467	591	100%
% by age group				21%			79%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		51	32	83	5	12	17	11	26	37	3	5	8	145
Total admissions		172	132	304	23	48	71	25	238	263	7	12	19	657
Number of exits	authorized	174	133	307	22	49	71	23	236	259	6	11	17	654
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	1	1	1
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		174	133	307	22	49	71	23	236	259	6	12	18	655
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group				54%			12%			28%			6%	100%

Number of days in reporting period	91
Number of beds	42
Sum number of days stay for authorised discharges	1846
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.8
Bed occupancy	49%
Hospitalisation rate	10.4

4.2 In-patient Admissions and Deaths

		0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	299	0	0%	34	0	0%	0	0		0	0	333	0	0%
2.	General Surgery	4	0	0%	5	0	0%	8	0	0%	3	0	20	0	0%
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		13	0	0%	68	0	0%	15	1	96	1	1%
5.	Obstetrics	0	0		9	0		137	0	0%	0	0	146	0	0%
6.	Gynaecology	0	0		9	0	0%	50	0	0%	0	0	59	0	0%
7.	Other	0	0		1	0	0%	0	0		0	0	1	0	0%
Total		303	0	0%	71	0	0%	263	0	0%	18	1	655	1	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	135	135	136	136	228	228	46	46	545
2.	Royal Medical Services	0	0	0	0	0	0	0	0	0
3.	Private affiliated Hospital	4	4	5	5	27	27	4	4	40
4.	Jordan University Hospital	1	1	3	3	3	3	1	1	8
5.	Other	0	0	0	0	0	0	0	0	0
Total No of referred cases out side the Camp		593								

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	34	34	9	9	0	0	0	0	43
2.	Internal medicine	23	23	32	32	70	70	14	14	139
3.	Obstetric	0	0	0	0	10	10	0	0	10
4.	Gynaecological	0	0	3	3	17	17	0	0	20
5.	Surgical	17	17	25	25	31	31	6	6	79
6.	Other	66	66	75	75	130	130	31	31	302

6. Laboratory

	Total
Number of laboratory tests conducted	6185

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	14	169	183
First antenatal visit > 1st trimester	14	181	195

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	48%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	12	136	148
	2 TT doses	12	130	142
	anaemia screening	12	132	144

Coverage of complete antenatal care	97%
Coverage of antenatal tetanus immunisation	93%
Coverage of anaemia screening in pregnancy	95%

7.3 Delivery care

	< 18	≥ 18	Total
Live births	12	140	152
Still births	0	0	0
Low birth weight (<2500 g)	1	12	13
Attended by skilled health worker	12	140	152
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	1	34	35

Delivery Indicators	
Crude birth rate (per month)	2.4
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	9%
Proportion of all births performed by caesarean section	23%
Proportion of obstetric complications treated among girls < 18	

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	5	55	60

Postnatal Indicators	
Coverage of complete postnatal care	39%

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	4	52	8	74	138
Emergency Contraceptive Pill	1	2	0	1	4
Injectable (Depo-Provera)	1	26	3	23	53
Implantable (Norplant)	0	0	0	2	2
Intra-Uterine Device (IUD)	6	21	0	9	36
Condom (Male)	1	75	12	21	109
Other	2	33	1	6	42

	< 18	≥ 18
Family Planning Counseling*	159	176

Family Planning Indicators	
Number of females aged 15-49 years	4677
Contraceptive prevalence rate	8%

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Clinics and agencies reporting:

IMC Primary health center (Azraq Refugee camp)
IFRC

Published on

Contact Information

UNHCR
Asa'ad Khadum
Email: KADHUM@unhcr.org

UNHCR
Ann Burton
Email: BURTON@unhcr.org

Azraq
Lina Hamidi
Email: ilhamidi@InternationalMedicalCorps.org

Rawan Al-Safadi
Email: erujo-liaison@finrc.fi

We gratefully acknowledge the contributions of the following agencies:



International Federation
of Red Cross and Red Crescent Societies