

### 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,665	1,586	3,251	6,118	5,723	11,841	15,028	14,252	29,280	15,983	16,772	32,755	904	1,251	2,155	79,282
% by age group			4%			15%			37%			41%			3%	100%

### 2. Mortality

#### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	2	1	3	6%	0	0	0	0	0	0	0	0	0	3	2%
2. Watery diarrhoea	2	0	2	4%	0	0	0	0	0	0	0	0	0	2	1%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	5	3	8	11	2	13	21	13%
5. Cardiovascular disorders (other)	0	1	1	2%	0	0	0	6	8	14	8	13	21	36	22%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	3	2	5	6	4	10	15	9%
7. Chronic kidney disease	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	1%
8. Injury	0	0	0	0%	0	0	0	2	0	2	1	0	1	3	2%
9. Cancer	1	0	1	2%	0	0	0	2	5	7	3	5	8	16	10%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	23	8	31	60%	0	0	0	0	0	0	0	0	0	31	19%
13. Other	10	4	14	27%	1	4	5	3	3	6	5	3	8	33	20%
<b>Total</b>	<b>38</b>	<b>14</b>	<b>52</b>	<b>100%</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>22</b>	<b>21</b>	<b>43</b>	<b>34</b>	<b>27</b>	<b>61</b>	<b>161</b>	<b>100%</b>
% by age group			32%				3%			27%			38%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.4	0.2	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			10.0

#### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

### 3. Morbidity

#### 3.1 Staffing and service availability

Number of full-time clinicians	58.8
Average number of full days on which each health facility was functioning	5.6
Total number of outpatient consultations	529,570
Health facility utilisation rate	6.7
Consultations per clinician per day	31

#### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	17,496	15,633	33,129	2195.1	15,057	14,707	29,764	15,935	17,097	33,032	2,421	2,525	4,946	100,871	30%	1272.3
Influenza-like illness (ILI)	6,447	6,022	12,469	826.2	4,990	4,698	9,688	5,249	5,789	11,038	1,229	1,135	2,364	35,559	11%	448.5
Lower Respiratory Tract Infection (LRTI)	3,014	2,958	5,972	395.7	1,870	1,861	3,731	2,385	2,442	4,827	1,008	947	1,955	16,485	5%	207.9
Watery diarrhoea*	2,013	1,806	3,819	253.0	674	633	1,307	616	518	1,134	137	67	204	6,464	2%	81.5
Bloody diarrhoea*	28	25	53	3.5	7	8	15	4	7	11	0	1	1	80	0%	1.0
Skin infection	2,624	2,558	5,182	343.4	2,902	3,167	6,069	3,561	3,834	7,395	1,199	1,122	2,321	20,967	6%	264.5
Eye infection	800	703	1,503	99.6	961	900	1,861	1,362	1,346	2,708	563	734	1,297	7,369	2%	92.9
Ear infection	1,592	1,584	3,176	210.4	1,785	1,621	3,406	2,269	2,528	4,797	791	655	1,446	12,825	4%	161.8
Dental Conditions	809	791	1,600	106.0	3,915	4,496	8,411	9,407	12,779	22,186	858	731	1,589	33,786	10%	426.1
Intestinal Worms	1,239	1,331	2,570	170.3	962	952	1,914	245	191	436	18	15	33	4,953	1%	62.5
Acute Jaundice Syndrome*	5	5	10	0.7	3	0	3	2	2	4	0	0	0	17	0%	0.2
Measles (suspected)*	4	4	8	0.5	2	0	2	0	0	0	0	0	0	10	0%	0.1
Meningitis (suspected)*	7	1	8	0.5	1	0	1	2	0	2	0	0	0	11	0%	0.1
Acute Flaccid Paralysis*	3	1	4	0.3	0	0	0	0	0	0	0	0	0	4	0%	0.1
Leishmaniasis	1	0	1	0.1	1	1	2	0	0	0	0	0	0	3	0%	0.0
Fever of unknown origin	207	168	375	24.8	100	65	165	6	6	6	0	0	0	546	0%	6.9
Tuberculosis (suspected)	0	0	0	0.0	2	1	3	4	0	4	1	0	1	8	0%	0.1
Other	8,772	8,010	16,782	1112.0	10,553	10,785	21,338	21,367	23,988	45,355	5,088	4,654	9,742	93,217	28%	1175.8
<b>Total</b>	<b>45,061</b>	<b>41,600</b>	<b>86,661</b>	<b>5742.2</b>	<b>43,785</b>	<b>43,895</b>	<b>87,680</b>	<b>62,414</b>	<b>70,521</b>	<b>132,935</b>	<b>13,313</b>	<b>12,586</b>	<b>25,899</b>	<b>333,175</b>	<b>100%</b>	<b>4202.4</b>
% by age group			26%				26%			40%			8%	100%		

\* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	2	3	5	77	89	166	3,071	4,516	7,587	3,001	3,674	6,675	14,433	18%	
Hypertension	0	4	4	19	53	72	4,101	5,322	9,423	3,740	4,332	8,072	17,571	22%	
Asthma	1,725	1,310	3,035	798	759	1,557	1,870	1,959	3,829	1,070	961	2,031	10,452	13%	
Ischaemic heart disease	14	8	22	47	7	54	1,064	1,044	2,108	1,426	1,383	2,809	4,993	6%	
Cardiovascular disease (other)	42	36	78	126	93	219	1,177	1,358	2,535	1,170	1,189	2,359	5,191	6%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	1	6	7	628	613	1,241	932	795	1,727	2,975	4%	
Liver disease	0	0	0	5	8	13	259	445	704	392	530	922	1,639	2%	
Thyroid problems	0	1	1	92	161	253	1,381	2,437	3,818	1,463	1,805	3,268	7,340	9%	
Cancer	0	0	0	0	0	0	13	43	56	7	2	9	65	0%	
Other	363	297	660	592	787	1,379	3,988	5,669	9,657	2,426	2,665	5,091	16,787	21%	
<b>Total</b>	<b>2,146</b>	<b>1,659</b>	<b>3,805</b>	<b>1,757</b>	<b>1,963</b>	<b>3,720</b>	<b>17,552</b>	<b>23,406</b>	<b>40,958</b>	<b>15,627</b>	<b>17,336</b>	<b>32,963</b>	<b>81,446</b>	<b>100%</b>	
% by age group			5%			5%			50%			40%	100%		



## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	759	759	2	2	0	0	0	0	761
2.	Internal medicine	197	197	512	512	3,023	3,023	387	387	4,119
3.	Obstetric	0	0	136	136	731	731	0	0	867
4.	Gynaecological	0	0	184	184	426	426	2	2	612
5.	Surgical	192	192	348	348	962	962	153	153	1,655
6.	Other	78	78	116	116	402	402	92	92	688

## 6. Laboratory

	Total
Number of laboratory tests conducted	182,070

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	769	3,844	4,613
First antenatal visit > 1st trimester	293	1,575	1,868

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	71%

### 8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening
Number of pregnant women at time of delivery who received:	238	215	368
	2,154	1,959	2,609
	2,392	2,174	2,977

Coverage of complete antenatal care	77%
Coverage of antenatal tetanus immunisation	70%
Coverage of anaemia screening in pregnancy	96%

### 8.3 Delivery care

	< 18	≥ 18	Total
Live births	381	2,709	3,090
Still births	3	13	16
Low birth weight (<2500 g)	9	43	52
Attended by skilled health worker	380	2,709	3,089
Number of obstetric complications treated	0	8	8
Number of caesarean sections performed	93	735	828

Delivery Indicators	
Crude birth rate (per month)	3.2
Proportion of births attended by skilled health worker (excl. TBA)	99.97%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	27%
Proportion of obstetric complications treated among girls < 18	0%

### 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	484	1,653	2,137

Postnatal Indicators	
Coverage of complete postnatal care	69%

### 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	108	1,177	209	3,075	4,569
Emergency Contraceptive Pill	0	2	0	6	8
Injectable (Depo-Provera)	5	299	38	531	873
Implantable (Norplant)	0	2	0	7	9
Intra-Uterine Device (IUD)	4	232	23	57	316
Condom (Male)	124	1,230	328	3,419	5,101
Other	0	30	4	87	121

	< 18	≥ 18
Family Planning Counseling*	919	2,637

### 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	1	2	0	1	4
No. of rape survivors examined within 72 hours	1	2	0	1	4
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	1	2	0	1	4
No of female rape survivors given ECP within 120 hours	1	1	0	0	1
No of rape survivors given STI presumptive treatment within 2 weeks	1	2	0	1	4
No. cases of trauma in health centre due to domestic violence	0	19	0	117	136

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.5
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of eligible female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources	1. Health Information System	Published on:	09/02/2017

Contact Information	<b>Za'atri</b> Asaad Kadhum, UNHCR	Email: kadhum@unhcr.org	<b>Amman</b> Adam Musa Khalifa, UNHCR	Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

