

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,674	1,594	3,268	6,080	5,662	11,742	15,049	14,258	29,307	16,300	16,906	33,206	914	1,276	2,190	79,713
% by age group			4%			15%			37%			42%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	2	0	2	3	1	4	6	10%
5. Cardiovascular disorders (other)	1	0	1	5%	0	0	0	1	1	2	3	5	8	11	17%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	2	2	4	3	7	9	14%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	2%
8. Injury	0	0	0	0%	1	0	1	0	0	0	1	0	1	2	3%
9. Cancer	1	0	1	5%	1	0	1	1	1	2	3	1	4	8	13%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	2	0	2	2	3%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	8	8	16	80%	0	0	0	0	0	0	0	0	0	16	25%
13. Other	1	1	2	10%	1	2	3	0	1	1	1	1	2	8	13%
Total	11	9	20	100%	3	2	5	4	5	9	18	11	29	63	100%
% by age group			32%				8%			14%			46%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.3	0.2	0.3
Under 5 Mortality Rate (USMR) (/1000/month)	0.5	0.4	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			18.5

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	57.2
Average number of full days on which each health facility was functioning	5.6
Total number of outpatient consultations	153,591
Health facility utilisation rate	7.7
Consultations per clinician per day	37

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	5,040	4,630	9,670	644.2	4,247	4,661	8,908	4,639	5,185	9,824	877	659	1,536	29,938	33%	375.6
Influenza-like illness (ILI)	1,610	1,596	3,206	213.6	1,592	1,641	3,233	1,835	2,259	4,094	367	303	670	11,203	12%	140.5
Lower Respiratory Tract Infection (LRTI)	622	568	1,190	79.3	645	600	1,245	882	848	1,730	308	272	580	4,745	5%	59.5
Watery diarrhoea*	187	163	350	23.3	86	92	178	74	64	138	24	20	44	710	1%	8.9
Bloody diarrhoea*	1	2	3	0.2	1	1	2	1	1	2	0	0	0	7	0%	0.1
Skin infection	759	755	1,514	100.9	696	911	1,607	915	884	1,799	374	298	672	5,592	6%	70.2
Eye infection	380	278	658	43.8	246	293	539	424	562	986	351	352	703	2,886	3%	36.2
Ear infection	550	670	1,220	81.3	593	601	1,194	735	694	1,429	296	239	535	4,378	5%	54.9
Dental Conditions	170	248	418	27.8	1,132	1,492	2,624	3,098	3,576	6,674	478	349	827	10,543	12%	132.3
Intestinal Worms	164	202	366	24.4	240	213	453	74	56	130	3	2	5	954	1%	12.0
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Measles (suspected)*	0	2	2	0.1	0	0	0	0	0	0	0	0	0	2	0%	0.0
Meningitis (suspected)*	2	2	4	0.3	1	1	2	0	0	0	0	0	0	6	0%	0.1
Acute Flaccid Paralysis*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	2	2	4	0.3	0	0	0	1	1	2	0	0	0	6	0%	0.1
Tuberculosis (suspected)	0	0	0	0.0	0	1	1	1	3	4	1	1	2	7	0%	0.1
Other	1,814	1,761	3,575	238.2	2,164	2,560	4,724	4,753	5,169	9,922	1,296	1,158	2,454	20,675	23%	259.4
Total	11,301	10,880	22,181	1477.7	11,643	13,067	24,710	17,433	19,302	36,735	4,375	3,653	8,028	91,654	100%	1149.8
% by age group			24%				27%			40%			9%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	2	2	4	47	65	112	949	1,454	2,403	785	809	1,594	4,113	16%
Hypertension	1	0	1	4	21	25	1,290	1,658	2,948	952	1,078	2,030	5,004	19%
Asthma	710	643	1,353	305	286	591	584	597	1,181	374	331	705	3,830	15%
Ischaemic heart disease	0	0	0	2	4	6	242	264	506	318	275	593	1,105	4%
Cardiovascular disease (other)	3	3	6	21	8	29	425	425	850	333	265	598	1,483	6%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	321	312	633	385	315	700	1,333	5%
Liver disease	0	0	0	3	3	6	34	36	70	17	5	22	98	0%
Thyroid problems	1	0	1	25	92	117	419	760	1,179	342	402	744	2,041	8%
Cancer	0	0	0	0	0	0	5	4	9	1	0	1	10	0%
Other	235	230	465	440	515	955	1,957	2,457	4,414	728	714	1,442	7,276	28%
Total	952	878	1,830	847	994	1,841	6,226	7,967	14,193	4,235	4,194	8,429	26,293	100%
% by age group			7%			7%			54%			32%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	28	17	45	116	67	183	119	88	207	6	7	13	448	25%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	3	0	3	0	0	0	3	0%
3.	Psychotic disorder (including mania)	0	1	1	3	0	3	221	77	298	5	2	7	309	17%
4.	Intellectual disability	3	3	6	49	47	96	41	19	60	0	1	1	163	9%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	4	24	28	275	158	433	11	13	24	485	27%
6.	Medically unexplained somatic complaint	0	0	0	4	2	6	19	10	29	0	0	0	35	2%
Other psychological complaints		1	11	12	68	96	164	122	35	157	17	2	19	352	20%
Total		32	32	64	244	236	480	800	387	1,187	39	25	64	1,795	100%
% by age group				4%			27%			66%			4%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	1	0	1	0	0	0	1	1	2	0	0	0	3	0%
2.	Injury (war related)	0	2	2	7	3	10	8	1	9	0	0	0	21	0%
3.	Injury (Burns)	163	174	337	98	153	251	58	129	187	7	3	10	785	14%
4.	Assault (with weapon non-war related)	0	0	0	2	0	2	0	0	0	0	0	0	2	0%
Other		347	307	654	637	565	1,202	926	869	1,795	516	456	972	4,623	85%
Total		511	483	994	744	721	1,465	993	1,000	1,993	523	459	982	5,434	100%
% by age group				18%			27%			37%			18%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	139	139	0	1,156	1,156	1,295	73%
2.	Urethral discharge	0	0	0	2	0	2	2	0%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	66	66	0	407	407	473	27%
Other		0	0	0	0	0	0	0	0%
Total		0	205	205	2	1,563	1,565	1,770	100%
% by age group				12%			88%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		0	0	0	2	1	3	2	6	8	0	0	0	11
Total admissions		5	2	7	13	97	110	133	807	940	8	1	9	1,066
Number of exits	authorized	5	2	7	12	71	83	112	582	694	8	1	9	793
	unauthorized	0	0	0	0	3	3	0	31	31	0	0	0	34
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	1	22	23	14	196	210	0	0	0	233
Total exits		5	2	7	13	96	109	126	809	935	8	1	9	1,060
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	36
Sum number of days stay for authorised discharges	737.5
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	0.9
Bed occupancy	30%
Hospitalisation rate (/1000/month)	4.5

4.2 In-patient Admissions and Deaths

		0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	7	0	0%	1	0	0%	0	0		0	0	8	0	0%
2.	General Surgery	0	0		7	0	0%	86	0	0%	3	0	96	0	0%
3.	Injury (non-war related)	0	0		0	0		2	0	0%	0	0	2	0	0%
4.	Internal medicine	0	0		14	0	0%	65	0	0%	6	0	85	0	0%
5.	Obstetrics	0	0		85	0	0%	730	0	0%	0	0	815	0	0%
6.	Gynaecology	0	0		2	0	0%	29	0	0%	0	0	31	0	0%
7.	Other	0	0		1	0	0%	28	0	0%	0	0	29	0	0%
Total		7	0	0%	110	0	0%	940	0	0%	9	0	1,066	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	29	29	35	35	107	107	36	36	207
2.	Jordan University Hospital	85	85	67	67	125	125	8	8	285
3.	Private affiliated Hospital	334	334	330	330	1,048	1,048	150	150	1,862
4.	Royal Medical Services	3	3	0	0	0	0	0	0	3
5.	Other	0	0	0	0	0	0	0	0	0
Total No of referred cases out side the Camp		2,357								

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	246	246	0	0	0	0	0	0	246
2.	Internal medicine	82	82	176	176	559	559	100	100	917
3.	Obstetric	0	0	26	26	241	241	0	0	267
4.	Gynaecological	0	0	77	77	112	112	0	0	189
5.	Surgical	112	112	123	123	305	305	76	76	616
6	Other	11	11	30	30	63	63	18	18	122

6. Laboratory

	Total
Number of laboratory tests conducted	77,333

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	303	1,106	1,409
First antenatal visit > 1st trimester	88	550	638

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	69%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	77	551	628
	2 TT doses	75	569	644
	anaemia screening	91	720	811

Coverage of complete antenatal care	73%
Coverage of antenatal tetanus immunisation	75%
Coverage of anaemia screening in pregnancy	94%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	93	770	863
Still births	1	1	2
Low birth weight (<2500 g)	0	2	2
Attended by skilled health worker	93	770	863
Number of obstetric complications treated	0	14	14
Number of caesarean sections performed	23	249	272

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	32%
Proportion of obsetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	104	444	548

Postnatal Indicators	
Coverage of complete postnatal care	63%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	43	547	69	1,705	2,364
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	5	29	14	163	211
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	10	239	0	24	273
Condom (Male)	23	310	64	1,109	1,506
Other	22	56	5	98	181

	< 18	≥ 18
Family Planning Counseling*	434	1,535

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	1	5	0	23	29

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System	Publication date:	03/05/2017
---------------------	------------------------------	--------------------------	------------

Contact Information	Za'atri Asaad Kadhum, UNHCR Email: kadhum@unhcr.org	Amman Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
----------------------------	------------------------------------------------------------------	-----------------------------------------------------------------------

UNHCR gratefully acknowledges the support of the following partners:

