

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	637	602	1,238	3,081	2,949	6,030	6,480	5,880	12,360	6,959	7,989	14,948	329	479	808	35,384
% by age group			4%			17%			35%			42%			2%	100%

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	2	1	3	25%	0	0	0	1	0	1	0	0	0	4	19%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	5%
5. Cardiovascular disorders (other)	2	2	4	33%	0	0	0	0	0	0	1	0	1	5	24%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	5%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	1	1	0	1	1	2	10%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	4	0	4	33%	0	0	0	0	0	0	0	0	0	4	19%
13. Other	1	0	1	8%	0	0	0	1	0	1	2	0	2	4	19%
<b>Total</b>	<b>9</b>	<b>3</b>	<b>12</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>21</b>	<b>100%</b>
% by age group			57%				0%			19%			24%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.3	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.8	0.3	0.6
Neonatal Mortality Rate (NNMR) (/1000 population/month)			10.5

## 2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

## 3.1 Staffing and service availability

Number of full-time clinicians	13.8
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	66,031
Health facility utilisation rate	7.5
Consultations per clinician per day	61

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	4,374	3,593	7,967	1096.1	2,302	2,224	4,526	1,888	2,192	4,080	99	151	250	16,823	33%	475.4
Influenza-like illness (ILI)	622	571	1,193	164.1	425	434	859	503	668	1,171	21	32	53	3,276	6%	92.6
Lower Respiratory Tract Infection (LRTI)	1,009	693	1,702	234.2	171	106	277	205	238	443	12	14	26	2,448	5%	69.2
Watery diarrhoea*	259	237	496	68.2	81	70	151	100	140	240	4	11	15	902	2%	25.5
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	739	713	1,452	199.8	718	875	1,593	607	715	1,322	18	44	62	4,429	9%	125.2
Eye infection	165	91	256	35.2	101	89	190	209	211	420	18	37	55	921	2%	26.0
Ear infection	324	330	654	90.0	177	229	406	199	415	614	10	29	39	1,713	3%	48.4
Dental Conditions	82	39	121	16.6	469	470	939	1,568	2,062	3,630	44	48	92	4,782	9%	135.1
Intestinal Worms	67	94	161	22.2	119	130	249	25	40	65	2	4	6	481	1%	13.6
Acute Jaundice Syndrome*	0	1	1	0.1	1	0	1	0	0	0	0	0	0	2	0%	0.1
Measles (suspected)*	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	1	2	3	0.4	0	0	0	0	0	0	0	0	0	3	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	1	2	3	0.4	3	4	7	0	3	3	0	1	1	14	0%	0.4
Fever of unknown origin	5	2	7	1.0	15	0	15	0	4	4	0	0	0	26	0%	0.7
Tuberculosis (suspected)	1	0	1	0.1	2	0	2	0	0	0	0	0	0	3	0%	0.1
Other	1,912	1,736	3,648	501.9	1,185	1,453	2,638	3,625	5,068	8,693	322	515	837	15,816	31%	447.0
<b>Total</b>	<b>9,561</b>	<b>8,104</b>	<b>17,665</b>	<b>2430.4</b>	<b>5,770</b>	<b>6,084</b>	<b>11,854</b>	<b>8,929</b>	<b>11,756</b>	<b>20,685</b>	<b>550</b>	<b>886</b>	<b>1,436</b>	<b>51,640</b>	<b>100%</b>	<b>1459.4</b>
% by age group			34%				23%			40%			3%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	1	2	3	5	10	15	220	228	448	113	204	317	783	19%
Hypertension	0	0	0	0	0	0	429	504	933	232	416	648	1,581	38%
Asthma	55	40	95	64	25	89	103	87	190	23	20	43	417	10%
Ischaemic heart disease	3	0	3	0	2	2	96	39	135	47	45	92	232	6%
Cardiovascular disease (other)	2	2	4	2	3	5	44	44	88	10	20	30	127	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	5	4	9	7	0	7	16	0%
Liver disease	0	0	0	2	0	2	1	3	4	0	0	0	6	0%
Thyroid problems	0	1	1	5	3	8	26	104	130	5	16	21	160	4%
Cancer	0	0	0	0	0	0	0	1	1	0	1	1	2	0%
Other	18	8	26	40	49	89	243	362	605	45	41	86	806	20%
<b>Total</b>	<b>79</b>	<b>53</b>	<b>132</b>	<b>118</b>	<b>92</b>	<b>210</b>	<b>1,167</b>	<b>1,376</b>	<b>2,543</b>	<b>482</b>	<b>763</b>	<b>1,245</b>	<b>4,130</b>	<b>100%</b>
% by age group			3%			5%			62%			30%	100%	



5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	347	347	78	78	0	0	0	0	425
2.	Internal medicine	52	52	165	165	376	376	68	68	661
3.	Obstetric	0	0	0	0	18	18	0	0	18
4.	Gynaecological	0	0	13	13	47	47	0	0	60
5.	Surgical	80	80	186	186	260	260	30	30	556
6.	Other	75	75	152	152	195	195	75	75	497

	Total
Number of laboratory tests conducted	6,674

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	42	1,124	1,166
First antenatal visit > 1st trimester	9	231	240

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	83%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	13	280	293
	2 TT doses	10	226	236
	anaemia screening	16	365	381

Coverage of complete antenatal care	77%
Coverage of antenatal tetanus immunisation	62%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	16	365	381
Still births	0	5	5
Low birth weight (<2500 g)	0	16	16
Attended by skilled health worker	16	365	381
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	68	68

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	4%
Proportion of all births performed by caesarean section	18%
Proportion of obsetric complications treated among girls < 18	

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	1	44	45

Postnatal Indicators	
Coverage of complete postnatal care	12%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	6	229	1	245	481
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	56	0	55	111
Implantable (Norplant)	0	2	0	7	9
Intra-Uterine Device (IUD)	2	52	0	38	92
Condom (Male)	0	80	0	88	168
Other	0	27	0	15	42

	< 18	≥ 18
Family Planning Counseling*	26	515

## 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## Note

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Published on

### Contact Information

**UNHCR**  
Asaad Khadum  
Email: KADHUM@unhcr.org

**UNHCR**  
Adam Musa Khalifa  
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

