

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,676	1,596	3,271	6,166	5,734	11,901	14,963	14,239	29,202	16,378	16,869	33,247	900	1,271	2,171	79,792
% by age group			4%			15%			37%			42%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case			0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
			M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)			0	1	1	10%	0	0	0	0	0	0	0	0	0	1	3%
2. Watery diarrhoea			0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea			0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease			0	0	0	0%	0	0	0	1	0	1	4	1	5	6	16%
5. Cardiovascular disorders (other)			0	0	0	0%	0	0	0	2	1	3	0	1	1	4	11%
6. Cerebrovascular disease			0	0	0	0%	0	0	0	0	1	1	0	1	1	2	5%
7. Chronic kidney disease			0	0	0	0%	0	0	0	0	1	1	1	1	2	3	8%
8. Injury			0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer			1	0	1	10%	0	0	0	4	0	4	3	3	6	11	29%
10. Chronic obstructive pulmonary disease (COPD)			0	0	0	0%	0	0	0	0	1	0	1	0	1	1	3%
11. Tuberculosis (confirmed)			0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death			5	2	7	70%	0	0	0	0	0	0	0	0	0	7	18%
13. Other			0	1	1	10%	0	0	0	0	1	1	0	1	1	3	8%
Total			6	4	10	100%	0	0	0	7	4	11	9	8	17	38	100%
% by age group					26%				0%			29%			45%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.2	0.2
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			8.1

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	57.9
Average number of full days on which each health facility was functioning	5.5
Total number of outpatient consultations	148,101
Health facility utilisation rate	7.4
Consultations per clinician per day	36

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	5,256	4,926	10,182	671.1	3,423	3,910	7,333	3,992	4,000	7,992	575	568	1,143	26,650	29%	334.0
Influenza-like illness (ILI)	980	932	1,912	126.0	1,107	1,262	2,369	1,530	1,499	3,029	266	258	524	7,834	8%	98.2
Lower Respiratory Tract Infection (LRTI)	323	270	593	39.1	447	386	833	606	569	1,175	182	158	340	2,941	3%	36.9
Watery diarrhoea*	255	210	465	30.6	95	76	171	60	63	123	13	11	24	783	1%	9.8
Bloody diarrhoea*	3	1	4	0.3	1	1	2	1	1	2	0	0	0	8	0%	0.1
Skin infection	562	590	1,152	75.9	724	794	1,518	896	980	1,876	283	269	552	5,098	5%	63.9
Eye infection	269	269	538	35.5	264	322	586	407	427	834	265	217	482	2,440	3%	30.6
Ear infection	327	373	700	46.1	468	570	1,038	802	858	1,660	395	336	731	4,129	4%	51.7
Dental Conditions	250	301	551	36.3	1,143	1,264	2,407	2,755	3,011	5,766	345	312	657	9,381	10%	117.6
Intestinal Worms	249	260	509	33.5	449	413	862	84	108	192	3	0	3	1,566	2%	19.6
Acute Jaundice Syndrome*	1	0	1	0.1	0	0	0	1	0	1	0	0	0	2	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	1	0	1	0.1	2	2	4	1	0	1	0	0	0	6	0%	0.1
Acute Flaccid Paralysis*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	5	12	17	1.1	1	0	1	0	0	0	0	0	0	18	0%	0.2
Tuberculosis (suspected)	0	0	0	0.0	0	1	1	1	0	1	0	1	1	3	0%	0.0
Other	2,962	2,767	5,729	377.6	3,822	3,902	7,724	7,861	8,001	15,862	1,526	1,606	3,132	32,447	35%	406.6
Total	11,444	10,911	22,355	1473.4	11,946	12,903	24,849	18,997	19,517	38,514	3,853	3,736	7,589	93,307	100%	1169.4
% by age group			24%				27%			41%			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	7	7	66	55	121	1,011	1,239	2,250	697	755	1,452	3,830	16%
Hypertension	0	0	0	3	46	49	1,429	1,792	3,221	917	958	1,875	5,145	22%
Asthma	362	256	618	222	258	480	644	611	1,255	402	311	713	3,066	13%
Ischaemic heart disease	0	3	3	2	1	3	214	236	450	338	259	597	1,053	4%
Cardiovascular disease (other)	5	2	7	13	14	27	306	367	673	261	239	500	1,207	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	250	222	472	350	290	640	1,112	5%
Liver disease	0	0	0	2	0	2	30	26	56	8	5	13	71	0%
Thyroid problems	3	0	3	20	60	80	450	875	1,325	323	410	733	2,141	9%
Cancer	0	0	0	0	0	0	4	9	13	5	1	6	19	0%
Other	210	222	432	432	415	847	1,636	1,641	3,277	826	645	1,471	6,027	25%
Total	580	490	1,070	760	849	1,609	5,974	7,018	12,992	4,127	3,873	8,000	23,671	100%
% by age group			5%			7%			55%			34%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	24	17	41	103	52	155	176	106	282	7	2	9	487	25%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	10	3	13	2	1	3	16	1%
3.	Psychotic disorder (including mania)	0	0	0	3	5	8	231	107	338	5	1	6	352	18%
4.	Intellectual disability	3	12	15	80	81	161	51	19	70	0	0	0	246	13%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	8	7	15	307	215	522	8	7	15	552	28%
6.	Medically unexplained somatic complaint	0	0	0	19	22	41	12	8	20	0	0	0	61	3%
	Other psychological complaints	1	1	2	44	75	119	44	37	81	12	10	22	224	12%
	Total	28	30	58	257	242	499	831	495	1,326	34	21	55	1,938	100%
	% by age group			3%			26%			68%			3%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	3	4	7	3	5	8	7	0	7	0	0	0	22	0%
2.	Injury (war related)	1	4	5	22	25	47	10	23	33	0	0	0	85	2%
3.	Injury (Burns)	157	174	331	111	213	324	74	144	218	6	13	19	892	16%
4.	Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	321	322	643	717	513	1,230	993	794	1,787	458	441	899	4,559	82%
	Total	482	504	986	853	756	1,609	1,084	961	2,045	464	454	918	5,558	100%
	% by age group			18%			29%			37%			17%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	170	170	0	1,073	1,073	1,243	77%
2.	Urethral discharge	0	0	0	0	0	0	0	0%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	46	46	0	333	333	379	23%
	Other	0	0	0	0	1	1	1	0%
	Total	0	216	216	0	1,407	1,407	1,623	100%
	% by age group			13%			87%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		12	3	15	5	86	91	62	841	903	7	5	12	1,021
Number of exits	authorized	12	3	15	5	55	60	62	587	649	7	5	12	736
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	31	31	0	254	254	0	0	0	285
Total exits		12	3	15	5	86	91	62	841	903	7	5	12	1,021
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	38
Sum number of days stay for authorised discharges	934.7
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.3
Bed occupancy	37%
Hospitalisation rate (/1000/month)	4.3

4.2 In-patient Admissions and Deaths

		0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	14	0	0%	4	0	0%	1	0	0%	1	0	20	0	0%
2.	General Surgery	1	0	0%	3	0	0%	83	0	0%	4	0	91	0	0%
3.	Injury (non-war related)	0	0		0	0		3	0	0%	1	0	4	0	0%
4.	Internal medicine	0	0		1	0	0%	10	0	0%	6	0	17	0	0%
5.	Obstetrics	0	0		81	0	0%	781	0	0%	0	0	862	0	0%
6.	Gynaecology	0	0		1	0	0%	19	0	0%	0	0	20	0	0%
7.	Other	0	0		0	0		7	0	0%	0	0	7	0	0%
	Total	15	0	0%	90	0	0%	904	0	0%	12	0	1,021	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	12	12	14	14	88	88	24	24	138
2.	Jordan University Hospital	39	39	28	28	71	71	14	14	152
3.	Private affiliated Hospital	244	244	230	230	788	788	106	106	1,368
4.	Royal Medical Services	2	2	0	0	6	6	0	0	8
5.	Other	0	0	0	0	0	0	0	0	0
Total No of referred cases out side the Camp			1,666							

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	180	180	0	0	0	0	0	0	180
2.	Internal medicine	47	47	102	102	428	428	86	86	663
3.	Obstetric	0	0	31	31	254	254	0	0	285
4.	Gynaecological	0	0	51	51	94	94	0	0	145
5.	Surgical	67	67	81	81	157	157	44	44	349
6	Other	3	3	7	7	21	21	13	13	44

6. Laboratory

	Total
Number of laboratory tests conducted	103,125

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	252	747	999
First antenatal visit > 1st trimester	28	264	292

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	77%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	72	574	646
	2 TT doses	67	567	634
	anaemia screening	79	723	802

Coverage of complete antenatal care	75%
Coverage of antenatal tetanus immunisation	74%
Coverage of anaemia screening in pregnancy	93%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	81	779	860
Still births	0	3	3
Low birth weight (<2500 g)	0	5	5
Attended by skilled health worker	81	779	860
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	26	250	276

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	32%
Proportion of obsetric complications treated among girls < 18	

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	72	440	512

Postnatal Indicators	
Coverage of complete postnatal care	60%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	52	476	66	1,493	2,087
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	49	1	130	180
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	104	0	36	141
Condom (Male)	32	381	33	1,194	1,640
Other	14	77	23	94	208

	< 18	≥ 18
Family Planning Counseling*	467	1,721

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	26	26

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System	Publication date:	26/07/2017
---------------------	------------------------------	--------------------------	------------

Contact Information	Za'atri Asaad Kadhum, UNHCR Email: kadhum@unhcr.org	Amman Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
----------------------------	--	---

UNHCR gratefully acknowledges the support of the following partners:

