

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	660	623	1,283	3,191	3,054	6,245	6,711	6,089	12,800	7,207	8,274	15,481	340	496	837	36,644
% by age group			4%			17%			35%			42%			2%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	4%
5. Cardiovascular disorders (other)	0	1	1	8%	0	0	0	0	0	0	1	3	4	5	19%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	8%
7. Chronic kidney disease	0	1	1	8%	0	0	0	0	0	0	1	0	1	2	8%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	1	1	2	0	0	0	2	8%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	5	4	9	69%	0	0	0	0	0	0	0	0	0	9	35%
13. Other	1	1	2	15%	0	1	1	1	1	2	0	0	0	5	19%
Total	6	7	13	100%	0	1	1	3	2	5	3	4	7	26	100%
% by age group			50%				4%			19%			27%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.2	0.3	0.2
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.5	0.6	0.6
Neonatal Mortality Rate (NNMR) (/1000 population/month)			26.5

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	13.4
Average number of full days on which each health facility was functioning	6.2
Total number of outpatient consultations	66,966
Health facility utilisation rate	7.3
Consultations per clinician per day	62

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,679	3,059	6,738	895.2	2,394	2,063	4,457	1,336	1,877	3,213	73	155	228	14,636	30%	399.4
Influenza-like illness (ILI)	442	359	801	106.4	166	182	348	171	206	377	11	10	21	1,547	3%	42.2
Lower Respiratory Tract Infection (LRTI)	354	218	572	76.0	72	85	157	95	82	177	11	18	29	935	2%	25.5
Watery diarrhoea*	986	877	1,863	247.5	231	243	474	193	258	451	13	22	35	2,823	6%	77.0
Bloody diarrhoea*	1	8	9	1.2	0	5	5	0	0	0	0	0	0	14	0%	0.4
Skin infection	699	743	1,442	191.6	645	697	1,342	411	575	986	32	54	86	3,856	8%	105.2
Eye infection	237	225	462	61.4	257	191	448	190	269	459	25	30	55	1,424	3%	38.9
Ear infection	187	205	392	52.1	122	175	297	158	355	513	13	32	45	1,247	3%	34.0
Dental Conditions	74	64	138	18.3	525	564	1,089	1,450	1,982	3,432	35	54	89	4,748	10%	129.6
Intestinal Worms	76	110	186	24.7	140	113	253	28	34	62	1	2	3	504	1%	13.8
Acute Jaundice Syndrome*	86	39	125	16.6	40	40	80	4	5	9	0	0	0	214	0%	5.8
Measles (suspected)*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	3	0	3	0.4	0	0	0	0	0	0	0	0	0	3	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	2	2	4	0.5	8	10	18	2	4	6	1	0	1	29	0%	0.8
Fever of unknown origin	5	3	8	1.1	2	1	3	0	0	0	0	0	0	11	0%	0.3
Tuberculosis (suspected)	0	0	0	0.0	0	1	1	0	0	0	0	1	1	2	0%	0.1
Other	1,560	1,499	3,059	406.4	1,524	1,925	3,449	3,277	5,245	8,522	410	620	1,030	16,060	33%	438.3
Total	8,392	7,411	15,803	2099.5	6,126	6,295	12,421	7,315	10,892	18,207	625	998	1,623	48,054	100%	1311.4
% by age group			33%				26%			38%			3%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	1	0	1	6	19	25	203	198	401	101	184	285	712	22%
Hypertension	0	0	0	0	1	1	297	460	757	226	384	610	1,368	42%
Asthma	23	15	38	43	23	66	108	95	203	38	33	71	378	11%
Ischaemic heart disease	0	0	0	1	2	3	92	40	132	40	27	67	202	6%
Cardiovascular disease (other)	5	0	5	1	11	12	32	39	71	9	21	30	118	4%
Chronic obstructive pulmonary disease (COPD)	0	0	0	1	0	1	7	3	10	7	0	7	18	1%
Liver disease	1	0	1	0	1	1	1	3	4	4	0	4	10	0%
Thyroid problems	0	0	0	2	5	7	12	82	94	4	16	20	121	4%
Cancer	0	0	0	0	1	1	3	4	7	1	0	1	9	0%
Other	10	2	12	16	26	42	89	145	234	41	28	69	357	11%
Total	40	17	57	70	89	159	844	1,069	1,913	471	693	1,164	3,293	100%
% by age group			2%			5%			58%			35%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	32	34	66	67	81	148	90	78	168	0	0	0	382	34%
2.	Alcohol and other substance use disorder	0	0	0	0	2	2	0	1	1	0	0	0	3	0%
3.	Psychotic disorder (including mania)	0	0	0	3	5	8	41	50	91	1	3	4	103	9%
4.	Intellectual disability	1	0	1	10	9	19	12	10	22	1	0	1	43	4%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	12	16	28	68	195	263	6	3	9	300	27%
6.	Medically unexplained somatic complaint	0	0	0	1	1	2	6	8	14	4	0	4	20	2%
	Other psychological complaints	0	4	4	37	40	77	59	118	177	6	6	12	270	24%
Total		33	38	71	130	154	284	276	460	736	18	12	30	1,121	100%
% by age group				6%			25%			66%			3%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	1	0	1	3	1	4	1	2	3	0	0	0	8	2%
2.	Injury (war related)	4	2	6	3	8	11	8	4	12	1	0	1	30	8%
3.	Injury (Burns)	9	7	16	4	2	6	2	6	8	0	0	0	30	8%
4.	Assault (with weapon non-war related)	1	1	2	0	0	0	0	0	0	0	0	0	2	1%
	Other	41	34	75	88	34	122	45	36	81	3	3	6	284	80%
Total		56	44	100	98	45	143	56	48	104	4	3	7	354	100%
% by age group				28%			40%			29%			2%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	87	87	0	1,784	1,784	1,871	77%
2.	Urethral discharge	0	0	0	0	0	0	0	0%
3.	Genital ulcer	0	0	0	0	5	5	5	0%
3.	Lower abdominal pain	0	22	22	0	547	547	569	23%
	Other	0	0	0	0	0	0	0	0%
Total		0	109	109	0	2,336	2,336	2,445	100%
% by age group				4%			96%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		0	0	0	0	18	18	0	350	350	0	0	0	368
Number of exits	authorized	0	0	0	0	18	18	0	350	350	0	0	0	368
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		0	0	0	0	18	18	0	350	350	0	0	0	368
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	758
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.1
Bed occupancy	83%
Hospitalisation rate (/1000 population/month)	3.3

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2.	General Surgery	0	0		0	0		0	0		0	0	0	0	
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		18	0	0%	311	0	0%	0	0	329	0	0%
6.	Gynaecology	0	0		0	0		40	0	0%	0	0	40	0	0%
7.	Other	0	0		0	0		0	0		0	0	0	0	
Total		0	0		18	0	0%	351	0	0%	0	0	369	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total > 60	Grand total
1.	MOH Hospital	17	17	18	18	55	55	6	6	96
2.	Jordan University Hospital	37	37	40	40	26	26	2	2	105
3.	Private affiliated Hospital	284	284	233	233	439	439	71	71	1027
4.	Royal Medical Services	0	0	0	0	0	0	0	0	0
5.	Other	0	0	1	1	0	0	0	0	1
Total number of referred cases out side the camp		1,229								

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total > 60	Grand total
1.	Paediatrics	169	169	13	13	0	0	0	0	182
2.	Internal medicine	75	75	102	102	267	267	43	43	487
3.	Obstetric	1	1	0	0	9	9	0	0	10
4.	Gynaecological	1	1	1	1	18	18	0	0	20
5.	Surgical	69	69	127	127	159	159	23	23	378
6	Other	23	23	49	49	67	67	13	13	152

6. Laboratory

	Total
Number of laboratory tests conducted	4,228

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	57	1,131	1,188
First antenatal visit > 1st trimester	52	1,024	1,076

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	52%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	7	146	153
	2 TT doses	4	79	83
	anaemia screening	16	320	336

Coverage of complete antenatal care	45%
Coverage of antenatal tetanus immunisation	24%
Coverage of anaemia screening in pregnancy	99%

7.3 Delivery care

	< 18	≥ 18	Total
Live births	18	321	339
Still births	0	1	1
Low birth weight (<2500 g)	0	13	13
Attended by skilled health worker	18	321	339
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	2	72	74

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.1
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	3.8%
Proportion of all births performed by caesarean section	22%
Proportion of obsetric complications treated among girls < 18	

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	1	19	20

Postnatal Indicators	
Coverage of complete postnatal care	6%

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	4	122	1	122	249
Emergency Contaceptive Pill	0	1	0	0	1
Injectable (Depo-Provera)	0	38	0	39	77
Implantable (Norplant)	0	3	0	2	5
Intra-Uterine Device (IUD)	1	48	1	9	59
Condom (Male)	1	83	1	33	118
Other	0	59	0	5	64

	< 18	≥ 18
Family Planning Counseling*	4	189

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

30/10/2016

Contact Information

UNHCR
Asaad Khadum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

