

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,682	1,602	3,283	6,193	5,766	11,960	15,007	14,266	29,273	16,459	16,936	33,395	899	1,269	2,168	80,079
% by age group			4%			15%			37%			42%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	2	2	3%	0	0	0	0	0	0	0	0	0	2	1%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	5	0	5	10	6	16	21	11%
5. Cardiovascular disorders (other)	2	0	2	3%	0	0	0	3	2	5	4	8	12	19	10%
6. Cerebrovascular disease	0	0	0	0%	0	1	1	0	3	3	6	7	13	17	9%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	2	2	2	1	3	5	3%
8. Injury	0	0	0	0%	1	0	1	0	0	0	1	0	1	2	1%
9. Cancer	2	0	2	3%	2	0	2	7	2	9	8	7	15	28	15%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	4	0	4	4	2%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	31	17	48	73%	0	0	0	0	0	0	0	0	0	48	26%
13. Other	6	6	12	18%	2	2	4	4	8	12	4	5	9	37	20%
Total	41	25	66	100%	5	3	8	19	17	36	39	34	73	183	100%
% by age group			36%				4%			20%			40%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.4	0.3	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.8

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	58.0
Average number of full days on which each health facility was functioning	3.4
Total number of outpatient consultations	626,380
Health facility utilisation rate	7.8
Consultations per clinician per day	61

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	19,171	17,649	36,820	2415.5	15,022	16,329	31,351	16,658	18,736	35,394	2,470	2,411	4,881	108,446	29%	1354.2
Influenza-like illness (ILI)	5,774	5,694	11,468	752.3	5,740	5,954	11,694	7,022	7,745	14,767	1,049	925	1,974	39,903	11%	498.3
Lower Respiratory Tract Infection (LRTI)	2,117	1,874	3,991	261.8	1,983	1,995	3,978	2,849	2,981	5,830	886	780	1,666	15,465	4%	193.1
Watery diarrhoea*	820	713	1,533	100.6	346	353	699	285	348	633	70	50	120	2,985	1%	37.3
Bloody diarrhoea*	5	4	9	0.6	6	2	8	6	6	12	0	0	0	29	0%	0.4
Skin infection	2,295	2,355	4,650	305.1	2,649	3,222	5,871	3,575	4,025	7,600	1,164	1,088	2,252	20,373	5%	254.4
Eye infection	1,219	1,015	2,234	146.6	1,287	1,461	2,748	2,269	2,670	4,939	930	982	1,912	11,833	3%	147.8
Ear infection	1,598	1,751	3,349	219.7	1,968	2,142	4,110	3,091	3,502	6,593	1,102	963	2,065	16,117	4%	201.3
Dental Conditions	1,110	1,287	2,397	157.3	4,505	5,392	9,897	11,397	13,199	24,596	1,642	1,396	3,038	39,928	11%	498.6
Intestinal Worms	937	1,044	1,981	130.0	1,636	1,601	3,237	714	660	1,374	19	9	28	6,620	2%	82.7
Acute Jaundice Syndrome*	2	2	4	0.3	1	0	1	2	0	2	0	0	0	7	0%	0.1
Measles (suspected)*	0	2	2	0.1	0	0	0	0	0	0	0	0	0	2	0%	0.0
Meningitis (suspected)*	3	3	6	0.4	3	3	6	1	0	1	0	0	0	13	0%	0.2
Acute Flaccid Paralysis*	1	1	2	0.1	0	0	0	0	0	0	0	0	0	2	0%	0.0
Leishmaniasis	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	48	45	93	6.1	3	1	4	3	15	18	0	0	0	115	0%	1.4
Tuberculosis (suspected)	0	0	0	0.0	0	3	3	3	6	9	1	2	3	15	0%	0.2
Other	8,746	8,685	17,431	1143.5	12,147	13,622	25,769	26,623	32,188	58,811	5,822	6,180	12,002	114,013	30%	1423.8
Total	43,847	42,124	85,971	5640.0	47,296	52,080	99,376	74,498	86,081	160,579	15,155	14,786	29,941	375,867	100%	4693.7
% by age group			23%		26%		37%		43%				8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	2	14	16	141	328	469	4,039	5,587	9,626	3,061	3,399	6,460	16,571	17%
Hypertension	2	2	4	8	262	270	5,262	7,012	12,274	3,816	4,205	8,021	20,569	21%
Asthma	1,635	1,304	2,939	926	956	1,882	2,484	2,752	5,236	1,473	1,177	2,650	12,707	13%
Ischaemic heart disease	25	30	55	13	29	42	966	1,166	2,132	1,243	1,147	2,390	4,619	5%
Cardiovascular disease (other)	34	20	54	58	43	101	1,293	1,508	2,801	1,135	1,027	2,162	5,118	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	1,165	995	2,160	1,306	1,068	2,374	4,534	5%
Liver disease	0	1	1	8	3	11	115	99	214	35	18	53	279	0%
Thyroid problems	27	51	78	103	228	331	1,982	3,540	5,522	1,255	1,700	2,955	8,886	9%
Cancer	0	0	0	0	0	0	22	31	53	7	15	22	75	0%
Other	705	727	1,432	1,436	1,608	3,044	6,685	8,967	15,652	2,940	2,870	5,810	25,938	26%
Total	2,430	2,149	4,579	2,693	3,457	6,150	24,013	31,657	55,670	16,271	16,626	32,897	99,296	100%
% by age group			5%			6%			56%			33%	100%	

3.4 Mental health

% by age group	2%	23%	72%	2%	100%
----------------	----	-----	-----	----	------

3.5 Injuries

Year	2010	2011	2012	2013	2014
1	100	100	100	100	100
2	100	100	100	100	100
3	100	100	100	100	100
4	100	100	100	100	100
5	100	100	100	100	100
6	100	100	100	100	100
7	100	100	100	100	100
8	100	100	100	100	100
9	100	100	100	100	100
10	100	100	100	100	100
11	100	100	100	100	100
12	100	100	100	100	100
13	100	100	100	100	100
14	100	100	100	100	100
15	100	100	100	100	100
16	100	100	100	100	100
17	100	100	100	100	100
18	100	100	100	100	100
19	100	100	100	100	100
20	100	100	100	100	100
21	100	100	100	100	100
22	100	100	100	100	100
23	100	100	100	100	100
24	100	100	100	100	100
25	100	100	100	100	100
26	100	100	100	100	100
27	100	100	100	100	100
28	100	100	100	100	100
29	100	100	100	100	100
30	100	100	100	100	100
31	100	100	100	100	100
32	100	100	100	100	100
33	100	100	100	100	100
34	100	100	100	100	100
35	100	100	100	100	100
36	100	100	100	100	100
37	100	100	100	100	100
38	100	100	100	100	100
39	100	100	100	100	100
40	100	100	100	100	100
41	100	100	100	100	100
42	100	100	100	100	100
43	100	100	100	100	100
44	100	100	100	100	100
45	100	100	100	100	100
46	100	100	100	100	100
47	100	100	100	100	100
48	100	100	100	100	100
49	100	100	100	100	100
50	100	100	100	100	100
51	100	100	100	100	100
52	100	100	100	100	100
53	100	100	100	100	100
54	100	100	100	100	100
55	100	100	100	100	100
56	100	100	100	100	100
57	100	100	100	100	100
58	100	100	100	100	100
59	100	100	100	100	100
60	100	100	100	100	100
61	100	100	100	100	100
62	100	100	100	100	100
63	100	100	100	100	100
64	100	100	100	100	100
65	100	100	100	100	100
66	100	100	100	100	100
67	100	100	100	100	100

3.6 Reproductive Tract Infections

© 2014 Pearson Education, Inc. or its affiliate(s). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without permission in writing from Pearson Education, Inc.

4. In-patient Department

4.1 In-patient Department Activities

Hospitalisation rate (/1000/month)	4.3
------------------------------------	-----

4.2 In-patient Admissions and Deaths

[illegible]

5. Referral

5.1 Referrals by location

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	709	709	0	0	0	0	0	0	709
2.	Internal medicine	209	209	506	506	2,028	2,028	382	382	3,125
3.	Obstetric	0	0	130	130	1,150	1,150	0	0	1,280
4.	Gynaecological	0	0	242	242	470	470	0	0	712
5.	Surgical	312	312	354	354	812	812	242	242	1,720
6.	Other	14	14	40	40	95	95	36	36	185

6. Laboratory

	Total
Number of laboratory tests conducted	357,925

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	1,302	3,410	4,712
First antenatal visit > 1st trimester	180	1,274	1,454

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	76%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	323	2178	2,501
	2 TT doses	302	2203	2,505
	anaemia screening	349	2937	3,286

Coverage of complete antenatal care	72%
Coverage of antenatal tetanus immunisation	72%
Coverage of anaemia screening in pregnancy	94%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	349	3,134	3,483
Still births	5	19	24
Low birth weight (<2500 g)	4	29	33
Attended by skilled health worker	349	3,134	3,483
Number of obstetric complications treated	0	14	14
Number of caesarean sections performed	105	1,052	1,157

Delivery Indicators	
Crude birth rate (per month)	3.6
Proportion of births attended by skilled health worker (excl. TBA)	100.00%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	33%
Proportion of obsetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	296	1675	1,971

Postnatal Indicators	
Coverage of complete postnatal care	57%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	216	1,626	482	6,291	8,615
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	9	139	18	514	680
Implantable (Norplant)	0	2	0	0	2
Intra-Uterine Device (IUD)	18	637	1	135	791
Condom (Male)	97	1,394	177	4,814	6,482
Other	102	268	110	364	844

	< 18	≥ 18
Family Planning Counseling*	1,774	6,308

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	1	0	0	0	1
No. of rape survivors examined within 72 hours	1	0	0	0	1
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	1	0	0	0	1
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	1	1
No. cases of trauma in health centre due to domestic violence	1	8	1	90	100

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.1
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of eligible female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources

1. Health Information System

Published on:

20/02/2018

Contact Information

Za'atri

Asaad Kadhum, UNHCR

Email: kadhum@unhcr.org

Amman

Adam Musa Khalifa, UNHCR

Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

