

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	663	627	1,290	3,091	3,023	6,114	7,170	6,557	13,726	6,862	8,051	14,913	325	492	817	36,860
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	2	2	40%	0	0	0	0	0	0	0	0	0	2	20%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	1	0	1	2	20%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	10%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	1	0	0	1	1	10%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	0	3	3	60%	0	0	0	0	0	0	0	0	0	3	30%
13. Other	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	10%
Total	0	5	5	100%	0	0	0	2	1	3	2	0	2	10	100%
% by age group			50%				0%			30%			20%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.0	0.5	0.2
Neonatal Mortality Rate (NNMR) (/1000 population/month)			7.1

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	19.8
Average number of full days on which each health facility was functioning	6.7
Total number of outpatient consultations	83,725
Health facility utilisation rate	9.1
Consultations per clinician per day	49

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	4,350	3,697	8,047	1086.9	3,379	3,097	6,476	2,232	2,569	4,801	149	164	313	19,637	35%	532.7
Influenza-like illness (ILI)	1,484	1,315	2,799	378.0	1,068	1,050	2,118	820	987	1,807	46	45	91	6,815	12%	184.9
Lower Respiratory Tract Infection (LRTI)	1,021	819	1,840	248.5	85	62	147	105	139	244	19	23	42	2,273	4%	61.7
Watery diarrhoea*	369	312	681	92.0	75	58	133	114	115	229	2	5	7	1,050	2%	28.5
Bloody diarrhoea*	4	1	5	0.7	1	1	2	2	2	4	0	0	0	11	0%	0.3
Skin infection	450	412	862	116.4	513	537	1,050	378	473	851	29	9	38	2,801	5%	76.0
Eye infection	241	227	468	63.2	73	112	185	172	170	342	10	16	26	1,021	2%	27.7
Ear infection	497	427	924	124.8	232	243	475	200	407	607	18	14	32	2,038	4%	55.3
Dental Conditions	53	53	106	14.3	447	469	916	1,448	1,646	3,094	48	23	71	4,187	7%	113.6
Intestinal Worms	66	70	136	18.4	135	106	241	29	47	76	7	0	7	460	1%	12.5
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	1	1	2	0.3	1	2	3	0	0	0	0	0	0	5	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	45	57	102	13.8	10	27	37	35	75	110	1	1	2	251	0%	6.8
Tuberculosis (suspected)	0	0	0	0.0	4	0	4	0	7	7	0	0	0	11	0%	0.3
Other	1,989	1,959	3,948	533.2	1,163	1,750	2,913	3,165	5,117	8,282	334	405	739	15,882	28%	430.9
Total	10,570	9,350	19,920	2690.5	7,186	7,515	14,701	8,700	11,754	20,454	663	705	1,368	56,443	100%	1531.3
% by age group			35%				26%			36%			2%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	3	3	6	3	10	13	213	244	457	120	203	323	799	17%
Hypertension	1	3	4	1	2	3	399	555	954	236	375	611	1,572	34%
Asthma	195	117	312	126	60	186	104	134	238	20	15	35	771	17%
Ischaemic heart disease	0	2	2	0	1	1	75	44	119	35	35	70	192	4%
Cardiovascular disease (other)	4	7	11	3	2	5	31	36	67	13	16	29	112	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	5	0	5	10	2	12	17	0%
Liver disease	0	0	0	0	1	1	0	1	1	1	0	1	3	0%
Thyroid problems	2	5	7	6	1	7	27	139	166	4	17	21	201	4%
Cancer	0	0	0	0	0	0	1	6	7	1	0	1	8	0%
Other	179	78	257	42	28	70	203	333	536	47	37	84	947	20%
Total	384	215	599	181	105	286	1,058	1,492	2,550	487	700	1,187	4,622	100%
% by age group			13%			6%			55%			26%	100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	300	300	59	59	1	1	0	0	360
2.	Internal medicine	28	28	97	97	222	222	34	34	381
3.	Obstetric	0	0	0	0	19	19	0	0	19
4.	Gynaecological	0	0	8	8	14	14	0	0	22
5.	Surgical	44	44	122	122	150	150	8	8	324
6.	Other	51	51	87	87	107	107	38	38	283

	Total
Number of laboratory tests conducted	14,505

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	49	655	704
First antenatal visit > 1st trimester	3	72	75

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	90%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	2 TT doses	anaemia screening	
	11	9	18	294
		213	402	222
				420

Coverage of complete antenatal care	70%
Coverage of antenatal tetanus immunisation	53%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	18	403	421
Still births	1	4	5
Low birth weight (<2500 g)	2	19	21
Attended by skilled health worker	18	398	416
Number of obstetric complications treated	1	18	19
Number of caesarean sections performed	2	84	86

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.8
Proportion of births attended by skilled health worker (excl. TBA)	99%
Proportion of low birth weight deliveries	5%
Proportion of all births performed by caesarean section	20%
Proportion of obstetric complications treated among girls < 18	5%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	27	318	345

Postnatal Indicators	
Coverage of complete postnatal care	82%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	39	819	21	332	1211
Emergency Contraceptive Pill	18	341	7	85	451
Injectable (Depo-Provera)	1	138	0	6	145
Implantable (Norplant)	0	15	0	3	18
Intra-Uterine Device (IUD)	0	27	4	2	33
Condom (Male)	7	94	47	100	248
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	210	2496

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	2	2
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	3	3

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	6.5
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact Information

UNHCR
Asaad Khadum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

